



GROUP 15 - HOOD




PARTS INDICATED BY NAME  
 ONLY ARE STANDARD PARTS  
 —ORDER BY DESCRIPTION.

19x8270

HOOD - PLYMOUTH




19x8115A




PARTS INDICATED BY NAME  
ONLY ARE STANDARD PARTS  
—ORDER BY DESCRIPTION.

19x8274A




PARTS INDICATED BY NAME  
 ONLY ARE STANDARD PARTS  
 —ORDER BY DESCRIPTION.



PARTS INDICATED BY NAME  
 ONLY ARE STANDARD PARTS  
 —ORDER BY DESCRIPTION.

19x8353



**PARTS INDICATED BY NAME  
ONLY ARE STANDARD PARTS  
—ORDER BY DESCRIPTION.**

19x8121A

CODE	PART NAME AND DESCRIPTION	NO. OF CYL.	PLYMOUTH	DODGE	DESOTO	CHRYSLER AND IMPERIAL	PER CAR	PART NUMBER
<b>15-03-0 HOOD</b>								
15-03-3	PANEL . . . . .	6-8	55-56	-	-	-	1	1682 121
		6-8	57-58	-	-	-	1	1686 904
		6-8	-	55	-	-	1	1599 976
		6-8	-	56	-	-	1	1645 817
	S27, LS1, LC1 . . . . .	6-8	-	57-58	57-58	58	1	1686 361
		8	-	-	55-56	-	1	1541 725
	S25, S26, LS2, LS3, C75, C76, LC2, LC3 . . . . .	8	-	-	57-58	57-58	1	1686 561
		8	-	-	-	55-56	1	1541 498
	C76-300, LC3-300 . . . . .	8	-	-	-	57	1	B1832 630
	IM, LY1 . . . . .	8	-	-	-	57-58	1	1755 031
15-03-15	GRILLE . . . . .	6-8	-	55	-	-	1	1599 099
15-03-18	ORNAMENT, Top . . . . .	6-8	55	-	-	-	1	1599 496
		6-8	56	-	-	-	1	1646 428
	P29 Fury . . . . .	8	56	-	-	-	1	1707 590
		6-8	-	55	-	-	1	1599 772
		6-8	-	56	-	-	1	1646 429
	Right, LD3-H Regal Lancer . . . . .	6-8	-	57-58	-	-	1	*1686 330
	Left, LD3-H Regal Lancer . . . . .	6-8	-	57-58	-	-	1	*1686 331
	LD1, LD2, LD3 . . . . .	8	-	58	-	-	2	1754 502
		8	-	-	55-56	-	1	1599 798
	S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	-	1	1624 990
	S27, LS1 . . . . .	8	-	-	57-58	-	1	1686 745
	C67, C68, C71, C72 . . . . .	8	-	-	-	55-56	1	1599 857
	LC1 . . . . .	8	-	-	-	58	1	1754 960
	Right, C75, C76, LC2 . . . . .	8	-	-	-	57-58	1	1754 154
	Left, C75, C76, LC2 . . . . .	8	-	-	-	57-58	1	1754 155
	IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 528
15-03-22	STUD, Top Ornament . . . . .	6-8	55	-	55-56	-	2	1244 141
		8	-	-	55-56	-	1	1494 154
	Front . . . . .	6-8	-	55	-	-	1	1244 831
	Rear . . . . .	6-8	-	55	-	-	1	1494 093
		6-8	-	56	-	-	2	6010 043
		6-8	-	56	-	-	6	1244 141
	IM, LY1 . . . . .	8	-	-	-	57-58	2	6010 020
15-03-24	SPACER, Ornament to Hood . . . . .	6-8	-	56	-	-	2	1297 505
		6-8	-	56	-	-	4	1335 634
	C67, C68, C71, C72 . . . . .	8	-	-	-	55-56	2	1624 315
	WASHER, Ornament . . . . .	6-8	56	-	-	-	2	1657 971
	WASHER, Hood Top Ornament Cup, IM, LY1 . . . . .	8	-	-	-	57-58	3	6010 083
15-03-41	STUD, Grille . . . . .	6-8	-	55	-	-	5	1570 970
15-03-55	NUT, Ornament, P29 Fury . . . . .	8	56	56	-	-	3	6010 098
15-03-60	SILENCER, Hoop Top Panel . . . . .	6-8	56-58	-	-	-	1	1774 676
	LS1 . . . . .	6-8	-	58	58	-	1	*1835 775

**15-06-0 HOOD NAME PLATE, MEDALLIONS AND LETTERS**

15-06-3	NAME PLATE, Dodge . . . . .	6-8	-	55	-	-	1	1599 094
15-06-6	MEDALLION, Front . . . . .	6	55	-	-	-	1	1599 495
		8	55	-	-	-	1	1599 554
		6-8	58	-	-	-	1	1754 317
		6-8	-	55	-	-	1	1599 381
	"V", D63 except Texan . . . . .	8	-	56	-	-	1	1646 471
	Hood Front, D63-D500 . . . . .	8	-	56	-	-	1	1599 218
	D63-1 Texan . . . . .	8	-	56	-	-	1	1706 730
	ORNAMENT, Front, Right, S25, S26 . . . . .	8	-	-	57	-	1	1624 948
	Left, S25, S26 . . . . .	8	-	-	57	-	1	1624 949
	MEDALLION, Front, S25, S26 . . . . .	8	-	-	57	-	1	1624 988
	S27 . . . . .	8	-	-	57	-	1	1686 716
		8	-	-	58	-	1	1754 622
	Imperial . . . . .	8	-	-	-	55-56	1	1599 239
	MEDALLION, Front, C75-1 . . . . .	8	-	-	-	57	1	1624 689
	C75-2 . . . . .	8	-	-	-	57	1	1624 690

★ Indicates use as required.

Numerals in parentheses ( ) refer to notes.

Printed in U.S.A.

Ⓟ Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

\* Indicates change or addition.

# 1955-58 PASSENGER CAR PARTS LIST

HOOD

CODE	PART NAME AND DESCRIPTION	NO. OF CYL.	PLYMOUTH	DODGE	DESOTO	CHRYSLER AND IMPERIAL	PER CAR	PART NUMBER
	C76 . . . . .	8	-	-	-	57	1	1624 688
	MEDALLION, Front, IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 525
15-06-8	BASE, Front Medallion . . . . .	6	-	55	-	-	1	1599 432
		8	-	55	-	-	1	1599 411
	w/ORNAMENT, S25, S26 . . . . .	8	-	-	57	-	1	1624 931
	S27 . . . . .	8	-	-	57	-	1	1686 744
	C75, C76 . . . . .	8	-	-	-	57	1	1624 686
15-06-12	SPACER . . . . .	8	-	-	57	-	1	1624 989
		6-8	58	-	-	-	3	6010 047
15-06-13	WASHER, Hood Front Medallion, D63 . . . . .	8	-	56	-	-	1	6010 140
15-06-14	NUT, Front Medallion Insert, IM, LY1 . . . . .	8	-	-	-	57-58	1	6010 123
15-06-15	NUT, Front Medallion, D63-D500 . . . . .	8	-	56	-	-	2	6000 313
		6-8	58	-	-	-	3	6013 007
15-06-16	LETTER, Name							
	"P" . . . . .	6-8	56	-	-	-	1	1645 320
	"L" . . . . .	6-8	56	-	-	-	1	1645 321
	"Y" . . . . .	6-8	56	-	-	-	1	1645 322
	"M" . . . . .	6-8	56	-	-	-	1	1645 323
	"O" . . . . .	6-8	56	-	-	-	1	1645 324
	"U" . . . . .	6-8	56	-	-	-	1	1645 325
	"T" . . . . .	6-8	56	-	-	-	1	1645 326
	"H" . . . . .	6-8	56	-	-	-	1	1645 327
	"P" . . . . .	6-8	57	-	-	-	1	1686 952
	"L" . . . . .	6-8	57	-	-	-	1	1686 953
	"Y" . . . . .	6-8	57	-	-	-	1	1686 954
	"M" . . . . .	6-8	57	-	-	-	1	1686 955
	"O" . . . . .	6-8	57	-	-	-	1	1686 956
	"U" . . . . .	6-8	57	-	-	-	1	1686 957
	"T" . . . . .	6-8	57	-	-	-	1	1686 958
	"H" . . . . .	6-8	57	-	-	-	1	1686 959
	"D", End, D66, D67-1, D70, D72, LD1, LD2, LD3-L . . . . .	6-8	-	57-58	-	-	1	1686 832
	"O", D66, D67-1, D70, D72, LD1, LD2, LD3-L . . . . .	6-8	-	57-58	-	-	1	1686 833
	"D", Center, D66, D67-1, D70, D72, LD1, LD2, LD3-L . . . . .	6-8	-	57-58	-	-	1	1686 834
	"G", D66, D67-1, D70, D72, LD1, LD2, LD3-L . . . . .	6-8	-	57-58	-	-	1	1686 835
	"E", D66, D67-1, D70, D72, LD1, LD2, LD3-L . . . . .	6-8	-	57-58	-	-	1	1686 836
	"D", End, D67-2, D71, LD3-H . . . . .	8	-	57-58	-	-	1	1624 835
	"O", D67-2, D71, LD3-H . . . . .	8	-	57-58	-	-	1	1624 836
	"D", Center, D67-2, D71, LD3-H . . . . .	8	-	57-58	-	-	1	1624 837
	"G", D67-2, D71, LD3-H . . . . .	8	-	57-58	-	-	1	1624 838
	"E", D67-2, D71, LD3-H . . . . .	8	-	57-58	-	-	1	1624 839
	"D", S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	-	1	1686 641
	"E", S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	-	1	1686 642
	"S", S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	-	1	1686 643
	"O", S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	-	2	1686 644
	"T", S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	-	1	1686 645
	"D", S27, LS1 . . . . .	8	-	-	57-58	-	1	1708 131
	"E", S27, LS1 . . . . .	8	-	-	57-58	-	1	1708 132
	"S", S27, LS1 . . . . .	8	-	-	57-58	-	1	1708 133
	"O", S27, LS1 . . . . .	8	-	-	57-58	-	2	1708 134
	"T", S27, LS1 . . . . .	8	-	-	57-58	-	1	1708 135
	"C", C75, C76 . . . . .	8	-	-	-	57	1	1621 377
	"H", C75, C76 . . . . .	8	-	-	-	57	1	*1621 378
	"R", C75, C76 . . . . .	8	-	-	-	57	2	1686 533
	"Y", C75, C76 . . . . .	8	-	-	-	57	1	1621 380
	"S", C75, C76 . . . . .	8	-	-	-	57	1	1621 381
	"L", C75, C76 . . . . .	8	-	-	-	57	1	1621 382
	"E", C75, C76 . . . . .	8	-	-	-	57	1	1621 383
	"C", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1686 661
	"H", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1686 662
	"R", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	2	1686 663
	"Y", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1686 664
	"S", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1686 665

\* Indicates use as required.

Numerals in parentheses ( ) refer to notes.

Printed in U.S.A.

⊠ Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

Nov. 10, 1958 Supersedes Jan. 30, 1958.

\* Indicates change or addition.



CODE	PART NAME AND DESCRIPTION	NO. OF CYL.	PLYMOUTH	DODGE	DESOTO	CHRYSLER AND IMPERIAL	PER CAR	PART NUMBER
	"L", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1686 666
	"E", C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1686 667
	"C", LC1 . . . . .	8	-	-	-	58	1	1754 951
	"H", LC1 . . . . .	8	-	-	-	58	1	1754 952
	"R", LC1 . . . . .	8	-	-	-	58	2	1754 953
	"Y", LC1 . . . . .	8	-	-	-	58	1	1754 954
	"S", LC1 . . . . .	8	-	-	-	58	1	1754 955
	"L", LC1 . . . . .	8	-	-	-	58	1	1754 956
	"E", LC1 . . . . .	8	-	-	-	58	1	1754 957
	"C", LC2, LC3 . . . . .	8	-	-	-	58	1	1754 851
	"H", LC2, LC3 . . . . .	8	-	-	-	58	1	1754 852
	"R", LC2, LC3 . . . . .	8	-	-	-	58	2	1754 853
	"Y", LC2, LC3 . . . . .	8	-	-	-	58	1	1754 854
	"S", LC2, LC3 . . . . .	8	-	-	-	58	1	1754 855
	"L", LC2, LC3 . . . . .	8	-	-	-	58	1	1754 856
	"E", LC2, LC3 . . . . .	8	-	-	-	58	1	1754 857
15-06-17	CLIP or NUT, Name Letter . . . . .	6-8	56	-	-	-	8	6000 237
		6-8	57	-	-	-	8	6010 078
	NUT, Name Plate, D63-1 Texan . . . . .	8	-	56	-	-	2	*1573 481
		6-8	-	57-58	-	-	10	6006 013
	NUT, Name Letter, MS1 . . . . .	8	-	-	58	-	6	*6000 237
	LS2, LS3 . . . . .	8	-	-	57-58	-	6	*6010 116
	NUT, LC1 . . . . .	8	-	-	-	58	16	*6006 215
	Nut, C75, C76, LC2, LC3 . . . . .	8	-	-	-	57-58	16	*6010 128
	C76-300, LC3-300 . . . . .	8	-	-	-	57-58	8	*6010 135
15-06-19	STUD, Medallion, S25, S26, IM . . . . .	8	-	56	57	55-57	★	6010 023
	LY1 . . . . .	8	-	-	-	58	3	6010 020
15-06-24	SEAL, Name Plate . . . . .	6-8	-	56	-	-	3	6000 377
15-06-25	INSERT, Medallion, IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 580
	LS1 . . . . .	8	-	-	58	-	1	1754 624
	LS2, LS3 . . . . .	8	-	-	58	-	1	1754 723
15-06-27	PLATE, Medallion Insert Attaching . . . . .	8	-	-	58	-	1	6010 179
<b>15-09-0 HOOD BUMPER</b>								
15-09-4	BUMPER, to Hood Panel . . . . .	6-8	55-56	55-56	-	-	6	*1695 005
	Yoke Bumper Bracket . . . . .	6-8	55-58	57-58	55-58	55-58	2	1599 325
	Hinge Strainer . . . . .	6-8	55-56	55	-	-	2	1380 060
	Radiator Crossbar . . . . .	6-8	-	55-56	-	-	3	1492 626
	Reinforcement to Hood Panel . . . . .	8	-	-	55	55-56	★	1599 325
	To Hood Panel . . . . .	6-8	56-58	56-58	55-58	55-58	★	1624 079
15-09-7	BRACKET, Bumper . . . . .	6-8	55-56	-	-	-	2	1599 302
		6-8	57-58	-	-	-	2	1686 225
15-09-11	SCREW, Bumper Bracket to Yoke . . . . .	6-8	55-56	-	-	-	4	180 018
		6-8	57-58	-	-	-	4	6010 016
15-09-13	NUT, Bumper Bracket . . . . .	6-8	55-58	-	-	-	4	6013 000
15-09-22	WASHER, Hood Bumper Bolt Lock, S25, S26, LS2, LS3, LC2, LC3, LY1 . . . . .	8	-	-	57-58	58	2	*6010 038
<b>15-11-0 HOOD LOCK</b>								
15-11-3	LOCK, Upper Half, UP TO . . . . .	6-8	55-56 (1)	-	-	-	1	1434 906
	AFTER . . . . .	6-8	56 (1)	-	-	-	1	1696 775
		6-8	57-58	-	-	-	1	1686 255
		6-8	-	55-56	-	-	1	1541 975
	S27, LS1, LC1 . . . . .	6-8	-	57-58	57-58	58	1	1624 895
		8	-	-	55-56	55-56	1	1541 647
	S25, S26, LS2, LS3, C75, C76 . . . . .	8	-	-	57-58	57	1	1624 675
	LC2, LC3 . . . . .	8	-	-	-	58	1	1754 838
	IM . . . . .	8	-	-	-	57	1	1624 575
	LY1 . . . . .	8	-	-	-	58	1	1755 034
	Lower Half, UP TO . . . . .	6-8	55-56 (1)	-	-	-	1	1541 991
		6-8	-	55	-	-	1	1599 092
		6-8	-	56	-	-	1	1657 065
		6-8	-	57	-	-	1	1624 891

NOTE 1: P28 serial No. 14193297 DET. Blt.  
20838216 EVANS. Blt.  
25207974 L. A. Blt.

P29 serial No. 15995069 DET. Blt.  
22289229 EVANS. Blt.  
26573217 L. A. Blt.

# 1955-58 PASSENGER CAR PARTS LIST

HOOD

CODE	PART NAME AND DESCRIPTION	NO. OF CYL.	PLYMOUTH	DODGE	DESOTO	CHRYSLER AND IMPERIAL	PER CAR	PART NUMBER
	LC1 . . . . .	6-8	-	58	-	58	1	1754 981
	S27, LS1 . . . . .	8	-	-	55-56	-	1	1541 771
	C67, C68 . . . . .	8	-	-	57-58	-	1	1686 791
	C68-300, C69, C70, C72-300, C73 . . . . .	8	-	-	-	55	1	1541 762
	C71, C72 . . . . .	8	-	-	-	55-56	1	1541 655
	C76-300, LC3-300 . . . . .	8	-	-	-	56	1	1624 145
15-11-7	BRACE, Lower Lock to Stone Deflector, UP TO	6-8	55-56 (1)	-	-	-	1	1599 017
	To Stone Deflector, AFTER . . . . .	6-8	-	55	-	-	1	1599 047
	To Stone Deflector, S27, LS1 . . . . .	6-8	56 (1)	-	-	-	1	1695 674
	Lock Plate to Stone Deflector, w/o Air Conditioning . . . . .	6-8	-	56	-	-	1	1644 237
	Lock Plate to Stone Deflector, w/Air Conditioning . . . . .	6-8	-	57-58	57-58	-	1	1624 882
	LC1 . . . . .	8	-	-	55-56	55-56	1	1541 557
	Lower Lock to Bracket, C76-300, LC3-300 . . . . .	8	-	-	55-56	55-56	1	1599 811
	To Stone Deflector, C76-300, LC3-300 . . . . .	8	-	-	-	58	1	1754 936
	IM, LY1 . . . . .	8	-	-	-	57-58	1	1832 021
15-11-14	BOLT, Locking, UP TO . . . . .	8	-	-	-	57-58	1	1624 685
	C67, C68 . . . . .	8	-	-	-	57-58	1	1624 583
	C68-300, C69, C70, C72-300, C73 . . . . .	6-8	55-56 (1)	-	-	-	1	1599 242
	C71, C72 . . . . .	6-8	-	55	-	-	1	1599 093
15-11-16	SPRING, Release, LS1, LC1 . . . . .	8	-	-	55-56	-	1	1541 772
	LS2, LS3, LC2, LC3, LY1 . . . . .	8	-	-	-	55	1	1541 752
15-11-34	CATCH, Safety, UP TO . . . . .	8	-	-	-	55-56	1	1541 542
	SEAL, to Radiator Yoke (specify by the foot) . . . . .	6-8	55-57	55-58	55-58	55-58	1	*1695 638
	CLIP, Shield to Support . . . . .	6-8	58	-	58	58	1	*1755 097
15-11-38	SPRING, UP TO . . . . .	6-8	55-56 (1)	-	-	-	1	1434 899
	AFTER, IM, LY1 . . . . .	6-8	-	55-56	-	-	1	1541 976
	S27, C76-300, LS1, LC1 . . . . .	8	56-58 (1)	-	-	57-58	1	1541 648
	S25, S26, LS2, LS3, C75, C76, LC2, LC3 . . . . .	8	-	57-58	57-58	57-58	1	1695 639
15-11-46	SUPPORT, Upper, UP TO . . . . .	8	-	-	57-58	57-58	1	*1239 996
	Upper . . . . .	6-8	55-56 (1)	-	-	-	1	1686 582
	S27, LS1 . . . . .	6-8	-	55-56	-	-	1	1541 980
	LC1 . . . . .	6-8	-	57-58	57-58	-	1	1541 924
15-11-47	SEAL, to Radiator Yoke (specify by the foot) . . . . .	8	-	-	-	58	1	1624 872
15-11-51	CLIP, Shield to Support . . . . .	8	-	-	56-58	56-58	★	1754 947
15-11-58	PLATE, Upper, C76-300, LC3-300 . . . . .	8	-	-	56	56	7	1242 974
	Lower, Lock, C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	6010 060
	Lower, IM, LY1 . . . . .	8	-	-	-	57-58	1	1754 207
15-11-61	NUT, Base Plate, UP TO, S27 . . . . .	8	-	-	-	57-58	1	1624 664
15-11-64	NUT, Lock Support Clinch . . . . .	6-8	55-56 (1)	55-57	55-57	55-56	1	1624 592
	Lock Support to Hood, S27 . . . . .	6-8	55-57	55-57	55-57	55-57	★	1335 862
15-11-86	NUT, Release Medallion, C76-300 . . . . .	6-8	-	57	57	-	2	327 072
		8	-	-	-	57	2	6010 006
		8	-	-	-	57	2	895 143
<b>15-13-0 HOOD LOCK STRIKER</b>								
15-13-2	STRIKER, UP TO, S27, LS1, LC1 . . . . .	6-8	55-56 (1)	55-58	55-58	55-58	1	*1780 274
	AFTER, S25, S26, LS2, LS3, LC2, LC3, LY1 . . . . .	6-8	56-58 (1)	-	57-58	57-58	1	1695 602
	C76-300, LC3-300 . . . . .	8	-	-	-	57-58	1	1562 607
15-13-3	BRACE, Striker to Yoke . . . . .	6-8	57-58	-	-	-	1	1624 782
15-13-5	SPRING . . . . .	6-8	55-58	55-58	55-58	55-58	1	1373 263
15-13-6	RETAINER . . . . .	6-8	55-58	55-58	55-58	55-58	1	1696 605
15-13-9	NUT, Striker to Brace, AFTER, S25, S26, LS2, LS3, LC2, LC3, LY1 . . . . .	6-8	56-58 (1)	-	57-58	57-58	1	6010 080

**NOTE 1:**

P28 serial No. 14193297 DET. Blt.  
 20838216 EVANS. Blt.  
 25207974 L. A. Blt.

P29 serial No. 15995069 DET. Blt.  
 22289229 EVANS. Blt.  
 26573217 L. A. Blt.

★ Indicates use as required.

Numerals in parentheses ( ) refer to notes.

Printed in U.S.A.

☐ Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

Nov. 10, 1958 Supersedes Jan. 30, 1958.

\* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	NO. OF CYL.	PLYMOUTH	DODGE	DESOTO	CHRYSLER AND IMPERIAL	PER CAR	PART NUMBER
<b>15-19-0 HOOD HINGE</b>								
15-19-2	HINGE, Right, P26, P27, UP TO . . . . .	6-8	55 (2)	-	55-56	55-56	1	1624 055
	Left, P26, P27, UP TO . . . . .	6-8	55 (2)	-	55-56	55-56	1	1624 056
	Right, P26, P27, AFTER . . . . .	6-8	55-56 (2)	-	-	-	1	1624 339
	Left, P26, P27, AFTER . . . . .	6-8	55-56 (2)	-	-	-	1	1624 340
	Right, UP TO . . . . .	6-8	-	55 (1)	-	-	1	1624 057
	Left, UP TO . . . . .	6-8	-	55 (1)	-	-	1	1624 058
	Right, AFTER . . . . .	6-8	-	55-56 (1)	-	-	1	1624 341
	Left, AFTER . . . . .	6-8	-	55-56 (1)	-	-	1	1624 342
	Right, LC1, LC2, LC3 . . . . .	6-8	57-58	57-58	57-58	57-58	1	1754 272
	Left, LC1, LC2, LC3 . . . . .	6-8	57-58	57-58	57-58	57-58	1	1754 273
	Right, IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 548
	Left, IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 549
15-19-3	SHIM, Hood Hinge to Dash, C75, C76, LC2, LC3 . . . . .	8	-	-	-	57-58	★	*6010 049
15-19-4	STUD, to Cowl . . . . .	6-8	55	-	55-56	55-56	6	674 788
	IM, UP TO, LY1 . . . . .	6-8	56	55-56	-	-	6	1599 824
	C75, C76, LC1, LC2, LC3, IM, AFTER . . . . .	8	-	-	-	57-58 (3)	4	6010 036
	Hinge to Strainer . . . . .	6-8	57-58	57-58	57-58	57-58 (3)	4	6010 033
		6-8	56	-	-	-	4	1570 970
		6-8	-	56	-	-	4	897 230
		6-8	57-58	57-58	55-58	55-58	4	1244 141
	SCREW, w/WASHER . . . . .	6-8	55-56	-	-	-	3	1599 762
	LY1, Hinge to Flange . . . . .	8	-	-	-	58	2	*1832 721
15-19-7	NUT, Clinch . . . . .	8	55-57	55-57	55-57	55-57	★	327 072
15-19-8	SPRING . . . . .	6-8	55-56	-	-	-	2	1599 991
		6-8	-	55-56	55-56	55-56	2	1599 433
	S27, LS1, LC1 . . . . .	6-8	57-58	57-58	57-58	58	2	1624 770
	S25, S26, LS2, LS3, C75, C76, LC2, LC3 . . . . .	8	-	-	57-58	57-58	2	1686 560
	IM, LY1 . . . . .	8	-	-	-	57-58	2	1754 236
15-19-20	WASHER . . . . .	6-8	-	56	-	-	6	1561 065
		8	-	-	55-56	-	6	1239 880
	Plain . . . . .	6-8	-	56	-	55-56	6	1242 698
	Lock, Upper . . . . .	6-8	57-58	57-58	57-58	57-58	★	6010 140
	Lock, Lower, S25, S26, LS2, LS3 . . . . .	8	-	-	57-58	57-58	★	6010 038
15-19-21	SEAL (specify by the foot) . . . . .	6-8	55-56	55-56	55-56	55-56	★	1242 974
	To Cowl . . . . .	6-8	55-58	57-58	57-58	57-58	4	1599 898
	Strainer to Cowl, C75, C76, LC1, LC2, LC3 . . . . .	6-8	57-58	57-58	57-58	57-58	1	1686 983
	IM, LY1 . . . . .	8	-	-	-	57-58	1	1751 182
15-19-22	REINFORCEMENT, Flange, Right, IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 530
	Left, IM, LY1 . . . . .	8	-	-	-	57-58	1	1624 531
15-19-40	NUT, w/WASHER, to Strainer . . . . .	6-8	56	-	-	-	4	1544 368
		6-8	57-58	-	-	-	4	6010 048
<b>15-22-0 HOOD GRILLE SPACER</b>								
15-22-3	SPACER . . . . .	6-8	-	55	-	-	6	1297 505
<b>15-25-0 HOOD MOULDINGS</b>								
15-25-2	MOULDING, Front, Right . . . . .	6-8	55-56	-	-	-	1	1599 113
	Left . . . . .	6-8	55-56	-	-	-	1	1599 114
	Front, Center P28-2, P28-3, P29-2, P29-3 . . . . .	6-8	56	-	-	-	1	1646 900
	Side, Right . . . . .	6-8	-	55	-	-	1	1599 095
	Left . . . . .	6-8	-	55	-	-	1	1599 096
	Side, Right, D62 Cl. Sed. and Sub., D63 Sub., D63-2, D63-3, 4 D. . . . .	6-8	-	56	-	-	1	1646 448

NOTE 1: D55 serial No. 34809760

D56 serial No. 32201749

NOTE 2: P26 serial No. 13914012

P27 serial No. 15743926

NOTE 3: IM Serial No. C57-9610

★ Indicates use as required.

Numerals in parentheses ( ) refer to notes.

Printed in U.S.A.

⊔ Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

\* Indicates change or addition.

# 1955-58 PASSENGER CAR PARTS LIST

HOOD

CODE	PART NAME AND DESCRIPTION	NO. OF CYL.	PLYMOUTH	DODGE	DESOTO	CHRYSLER AND IMPERIAL	PER CAR	PART NUMBER
	Side, Left, D62 Cl. Sed. and Sub., D63 Sub., D63-2, D63-3, 4 D.	6-8	-	56	-	-	1	1646 449
	Side, Right, D62, D63-1, 4 D., D63 Sp. 4 D., Sp. Cl. Cp., Cv. Cp.	6-8	-	56	-	-	1	1647 726
	Side, Left, D62, D63-1, 4 D., D63 Sp. 4 D., Sp. Cl. Cp., Cv. Cp.	6-8	-	56	-	-	1	1647 727
	EXTENSION, Top Ornament Right, D62	6	-	56	-	-	1	1656 114
	Left, D62	6	-	56	-	-	1	1656 115
	EXTENSION, to Mirror Base Right	6-8	-	56	-	-	1	1646 902
	Left	6-8	-	56	-	-	1	1646 903
	Air Scoop	8	-	-	55-56	-	1	1541 791
	Painted, P30-1, P31-1	6-8	57-58	-	-	-	1	*1686 966
	Aluminum, P30-2, P30-3, P31-2, P31-3	6-8	57-58	-	-	-	1	1624 791
	C75, C76, LC2, LC3	8	-	-	-	57-58	1	*1624 679
	IM	8	-	-	-	57	1	1624 587
	LY1	8	-	-	-	58	1	1755 029
15-25-5	COVER, Joint, P28-1, P29-1	6-8	55-56	-	-	-	1	1599 952
15-25-14	STUD, Moulding, IM, LY1	8	-	-	55-56	57-58	6	6010 020
15-25-17	WASHER, Front Moulding Cup	6-8	56	-	-	-	2	*6010 088
15-25-18	CLIP, Front Moulding	6-8	55-56	-	-	-	★	1683 298
		6-8	57-58	-	-	-	5	6010 110
	Side Moulding	6-8	-	55-56	-	-	12	*6010 029
		6-8	-	56	-	-	8	1628 764
	Side Extension to Mirror Base	8	-	56	-	-	2	*6000 050
<b>15-28-0 HOOD TOP STRAINER</b>								
15-28-3	NUT, Hood Top Strainer Bracket Clinch	6-8	57	57	57	57	4	327 072
15-28-10	SCREW, w/WASHER, Hinge Strainer to Strainer Brace, LS2, LS3	8	-	-	58	-	4	*1863 476
	LY1	8	-	-	-	58	4	*6006 082
15-28-12	BRACE, Hinge Strainer to Hood Strainer							
	Reinforcement	6-8	55-56	55-56	55-56	55-56	2	1541 773
	Hinge Strainer to Hood Flange, Right	6-8	58	-	-	-	1	1624 752
	Left	6-8	58	-	-	-	1	1624 753
15-28-14	CLIP, Front Strainer Shield to Strainer, S27	6-8	57-58	57-58	57-58	58	4	*6010 060
15-28-18	SHIELD, Front Strainer, w/SEAL	6-8	57-58	-	-	-	1	1686 238
	S27, LS1, LC1	6-8	-	57-58	57-58	58	1	1686 338
	Seal, S25, S26, LS2, LS3, C75, C76, LC2, LC3, LY1	8	-	-	57-58	57-58	1	1624 984
	Seal (sold by the foot)	6-8	57-58	57-58	57-58	57-58	★	1242 974

## NOTES

★ Indicates use as required.

Numerals in parentheses ( ) refer to notes.

Printed in U.S.A.

☐ Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

Nov. 10, 1958 Supersedes Jan. 30, 1958.

Page 15-12

\* Indicates change or addition.