

POLICE

1962 POLICE SPECIALS

PLYMOUTH

DODGE DART

Patroller "6" - 225 cu. in. Eng. Opt.  
 Patroller "8" - 318 cu. in. Eng. Std.  
 Pursuit "8" - 361 cu. in. Eng. Opt.  
 Pursuit "8" - 383 cu. in. Eng. Opt.

Pursuit "6" - 225 cu. in. Eng. Opt.  
 Pursuit "8" - 318 cu. in. Eng. Std.  
 \* Pursuit "8" - 318 cu. in. Eng. Opt.  
 Pursuit "8" - 383 cu. in. Eng. Opt.  
 Pursuit "8" - 383 cu. in. Eng. Opt.

\* Equipped with Single 4 Barrel Carburetor

Body Type	Plymouth Body Code 6 Cyl.	Dodge Body Code 6 Cyl.	Plymouth Body Code 8 Cyl.	Dodge Body Code 8 Cyl.
2 D. Sedan	291	491	391	591
4 D. Sedan	293	493	393	593
4 D. Suburban	296	496	396	596

Plymouth Patroller "6" - 225 cu. in. Engine and Standard Heavy Duty Transmission are standard equipment.

Dodge Pursuit "6" - 225 cu. in. Engine and Standard Heavy Duty Transmission are standard equipment.

Plymouth Patroller "8" - 318 cu. in. Engine and Heavy Duty Transmission are standard equipment.

Dodge Pursuit "8" - 318 cu. in. Engine with two barrel carburetor and Heavy Duty Standard Transmission are standard equipment. The 318 cu. in. Engine with single four barrel carburetor is optional.

Plymouth Pursuit "8" - 361 and 383 cu. in. Engine is available with a single four barrel carburetor and a Heavy Duty Standard Transmission or an Automatic 3 Speed Transmission.

Dodge Pursuit "8" - 361 and 383 cu. in. Engine is available with a single four barrel carburetor and a Heavy

Pursuit "8" - 383 cu. in. Eng. Opt. \*Pursuit "8" - 383 cu. in. Eng. Opt. Duty Standard Transmission or an Automatic 3 Speed Transmission.

The parts listed herein are standard on the Police Cars except where indicated. In the event the parts required are not listed here, refer to your "S" Series 1962 Parts Catalog when specifying parts.

NOTE: When specifying details for the 383 cu. in. Engine not listed herein refer to the Model SC2 w/383 cu. in. Engine as listed in the Engine section of the catalog.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH	DODGE
------	---------------------------	---------	----------	-------

GROUP 1 - ACCESSORIES

1-48-0	HEATER, Fresh Air Defroster specify parts as listed for Model 720 heater in your MoPar Passenger Car Parts Catalog . . . . .		Same	Same
--------	--	--	------	------

GROUP 2 - FRONT SUSPENSION

2-14-3	BAR, Torsion, Right . . . . .	1	1857 778	1857 778
	BAR, Torsion, Left . . . . .	1	1857 779	1857 779

★ Indicates use as required.  
 ☐ Indicates parts not listed in any previous parts book.  
 \* Indicates change or addition.

Printed in U.S.A.  
 Prices and specifications subject to change without notice.  
 March 8, 1963 Supersedes May 1, 1962.

# 1962 PASSENGER CAR PARTS CATALOG

POLICE - TAXI

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH	DODGE
------	---------------------------	---------	----------	-------

## GROUP 3 - AXLE-REAR

All 6 Cylinder Police Cars have 8 3/4" diameter drive gears and 1 3/8" diameter Pinion Stem.

Two types of Differentials are being used on 8 Cylinder Police Cars.

With 1 3/8" diameter Pinion Stem. The Carrier has part number 1820657 embossed on it 2" below the Yoke.

The Carrier has part number 1820657 embossed on it 2" below the Yoke. With 1 3/4" diameter Pinion Stem.

With 1 3/4" diameter Pinion Stem. The Carrier has part number 1634985 embossed on it 2" below the Yoke.

Axle ratio's as follows are std., 3.23 to 1 ratio is std. on the following:

225 cu. in. Engine w/Automatic Transmission.

318 cu. in. Engine w/All Transmissions.

361 cu. in. Engine w/All Transmissions.

3.55 to 1 ratio is std. on the following:

225 cu. in. Engine w/Standard Transmission.

3-03-1	DIFFERENTIAL, w/CARRIER, 3.23 to 1 ratio, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*2070 811	*2070 811
	2.93 to 1 ratio, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*2070 579	*2070 579
3-03-3	CARRIER, w/CAPS, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*1634 984	*1634 984
3-19-1	GEAR and PINION SET, 3.23 to 1 ratio, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*2070 817	*2070 817
	2.93 to 1 ratio, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*2070 570	*2070 570
3-22-24	CONE, Front Bearing, w/ROLLERS, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*1401 808	*1401 808
	Rear, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*1404 472	*1404 472
3-22-25	CUP, Front Bearing, w/1 3/4" dia. Stem (8 cyl.) . . . . .	2	*1401 810	*1401 810
	Rear, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*1327 847	*1327 847
3-22-27	WASHER, Rear Bearing, w/1 3/4" dia. Stem, .084" thk. (8 cyl.) . . . . .	★	*1738 812	*1738 812
	w/1 3/4" dia. Stem, .086" thk. (8 cyl.) . . . . .	★	*1738 813	*1738 813
	w/1 3/4" dia. Stem, .088" thk. (8 cyl.) . . . . .	★	*1738 814	*1738 814
	w/1 3/4" dia. Stem, .090" thk. (8 cyl.) . . . . .	★	*1738 815	*1738 815
	w/1 3/4" dia. Stem, .092" thk. (8 cyl.) . . . . .	★	*1738 816	*1738 816
	w/1 3/4" dia. Stem, .094" thk. (8 cyl.) . . . . .	★	*1738 817	*1738 817
	w/1 3/4" dia. Stem, .096" thk. (8 cyl.) . . . . .	★	*1738 818	*1738 818
	w/1 3/4" dia. Stem, .098" thk. (8 cyl.) . . . . .	★	*1738 819	*1738 819
3-22-28	w/1 3/4" dia. Stem, .100" thk. (8 cyl.) . . . . .	★	*1738 820	*1738 820
	SHIM, Front Bearing Adjusting			
	w/1 3/4" dia. Stem, .014" thk. (8 cyl.) . . . . .	★	*1738 805	*1738 805
	w/1 3/4" dia. Stem, .016" thk. (8 cyl.) . . . . .	★	*1738 806	*1738 806
	w/1 3/4" dia. Stem, .018" thk. (8 cyl.) . . . . .	★	*1738 807	*1738 807
3-22-45	w/1 3/4" dia. Stem, .022" thk. (8 cyl.) . . . . .	★	*1829 442	*1829 442
	w/1 3/4" dia. Stem, .024" thk. (8 cyl.) . . . . .	★	*1829 443	*1829 443
	w/1 3/4" dia. Stem, .026" thk. (8 cyl.) . . . . .	★	*1829 444	*1829 444
3-22-45	OIL SEAL, Front Bearing, w/1 3/4" dia. Stem (8 cyl.) . . . . .	1	*1828 719	*1828 719
3-33-4	SHIM, w/1 3/4" dia. Stem, .005" thk. (8 cyl.) . . . . .	★	*1137 203	*1137 203
	w/1 3/4" dia. Stem, .012" thk. (8 cyl.) . . . . .	★	* 681 320	* 681 320
	w/1 3/4" dia. Stem, .030" thk. (8 cyl.) . . . . .	★	* 681 322	* 681 322

★ Indicates use as required.

□ Indicates parts not listed in any previous parts book.

May 1, 1962 Supersedes Nov. 30, 1961.

Printed in U.S.A.  
Prices and specifications subject to change without notice.

\* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH	DODGE
------	---------------------------	---------	----------	-------

## GROUP 5 - BRAKE-SERVICE

5-03-1	PACKAGE, Brake Shoe Lining . . . . .	1	2298 848	2298 848
5-03-5	SHOE & LINING, Front Wheel, Front . . . . .	2	2401 011	2401 011
	SHOE & LINING, Front Wheel, Rear . . . . .	2	2401 012	2401 012
	SHOE & LINING, Rear Wheel, Front . . . . .	2	2401 007	2401 007
	SHOE & LINING, Rear Wheel, Rear . . . . .	2	2401 008	2401 008

## GROUP 6 - CLUTCH

### 6 Cylinder 10" Clutch

6-13-1	DISC, Clutch . . . . .	1	2200 069	2200 069
6-13-4	FACING, Clutch Disc Front . . . . .	1	2201 218	2201 218
6-14-1	PRESSURE PLATE, w/COVER . . . . .	1	*2266 235	*2266 235

### 8 Cylinder 10 1/2" Clutch

6-13-1	DISC, Clutch . . . . .	1	2266 232	2266 232
6-13-4	FACING, Clutch Disc . . . . .	1	2266 233	2266 233
6-14-1	PRESURE PLATE, w/COVER . . . . .	1	2122 254	2122 254

## GROUP 8 - ELECTRICAL

8-28-3	ALTERNATOR, w/PULLEY, 40 amp. . . . . For alternator details see Parts Catalog.	1	2095 100	2095 100
8-32-2	HORN, Upper . . . . .	1	2298 793	2298 793
	HORN, Lower . . . . .	1	2298 794	2298 794
8-33-4	RING, Horn Blowing . . . . .	1	1738 214	1738 214
8-37-372	SPEEDOMETER, Calibrated . . . . .	1	2290 331	2258 260

## GROUP 9 - ENGINE

9-01-24	ENGINE, Short - 225 cu. in. 6 Cyl. . . . .	1	2206 132	2206 132
	ENGINE, Short - 318 cu. in. 8 Cyl. . . . .	1	2268 306	2268 306
	ENGINE, Short - 361 cu. in. 8 Cyl. . . . .	1	2268 314	2268 314
	ENGINE, Short - 383 cu. in. 8 Cyl. . . . .	1	*2268 318	*2268 318
9-15-1	CAMSHAFT, w/383 cu.in. Engine . . . . .	1	*2129 203	*2129 203
9-48-7	MANIFOLD, Intake w/383 cu. in. Engine . . . . .	1	*1859 300	*1859 300
9-58-1	PACKAGE, Manifold Heat Control w/383 cu. in. Engine . . . . .	1	*2279 887	*2279 887

NOTE: When specifying details for the 383 cu. in. Engine not listed herein, refer to the SC2 w/383 cu. in. Engine as listed in the Engine section of the catalog.

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

\* Indicates change or addition.

Printed in U.S.A.  
Prices and specifications subject to change without notice.  
May 1, 1962 Supersedes Nov. 30, 1961.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH	DODGE
------	---------------------------	---------	----------	-------

**GROUP 10 - ENGINE OILING**

10-26-6	OIL FILTER, w/Replaceable Cartridge (225 cu. in. Engine) . . . . .	1	2128 548	2128 548
10-26-8	CARTRIDGE (225 cu. in. Engine) . . . . .	1	2129 023	2129 023
	CARTRIDGE (318 cu. in. Engine) . . . . .	1	2129 023	2129 023
10-26-14	SHELL, w/NUT, Spring and Stud (318 cu. in. Engine) . . . . .	1	1557 573	1557 573

**GROUP 13 - FRAME**

13-35-1	SHIELD, Battery Heat . . . . .	1	2201 525	2201 525
---------	--------------------------------	---	----------	----------

**GROUP 14 - FUEL**

14-30-1	CARBURETOR, w/o Closed Vent, w/383 cu.in. Eng., All Transmission, 4-Barrel . . . . .	1	2402 211	2402 211
	CARBURETOR, w/Closed Vent, w/383 cu. in. Eng., All Transmission, 4-Barrel . . . . .	1	2402 212	2402 212

**GROUP 16 - PROPELLER SHAFT AND UNIVERSAL JOINT**

NOTE: When it becomes necessary to service Propeller Shafts or Front Universal Joints on Police Cars it is recommended that the Shaft be replaced as a COMPLETE Assembly.

16-02-1	SHAFT, 55 3/4" lgh., 3" dia., SP2, SD2, w/Std. Heavy Duty Trans., includes U/JOINTS . . . . .	1	B2401 350	B2401 350
	55 3/4" lgh., 3" dia., SP2, SD2, w/Std. Heavy Duty Trans., less U/Joins . . . . .	1	*2401 351	*2401 351
	53 5/8" lgh., 2 3/4" dia., SP2, SD2, w/3 Speed Auto. Trans., includes U/JOINTS . . . . .	1	B2401 356	B2401 356
	53 5/8" lgh., 2 3/4" dia., SP2, SD2, w/3 Speed Auto. Trans., less U/Joins . . . . .	1	*2401 355	*2401 355
16-07-4	COVER, Universal Joint Pkg. (8 cyl.) . . . . .	1	2275 514	2275 514

**GROUP 17 - SPRINGS**

17-11-3	SPRING, Rear (6 cyl.) (except Sub.) . . . . .	2	2275 862	2275 862
	SPRING, Rear (8 cyl.) (except Sub.) . . . . .	2	2298 512	2298 512
	SPRING, Rear, Right (6 cyl.) (Sub.) . . . . .	1	2275 866	2275 866
	SPRING, Rear, Left (6 cyl.) (Sub.) . . . . .	1	2275 867	2275 867
	SPRING, Rear, Right (8 cyl.) (Sub.) . . . . .	1	2275 867	2275 867
	SPRING, Rear, Left (8 cyl.) (Sub.) . . . . .	1	2275 868	2275 868
17-23-3	SHOCK ABSORBER, Front (All) . . . . .	2	2275 883	2275 883
	SHOCK ABSORBER, Rear (All) . . . . .	2	2275 849	2275 849

**GROUP 21 - TRANSMISSION**

21-02-1	TRANSMISSION ASSY., Manual Heavy Duty Std. (6 cyl.) . . . . .	1	2204 876	2204 876
	TRANSMISSION ASSY., Automatic 3 Speed (6 cyl.) . . . . .	1	2204 841	2204 841
	TRANSMISSION ASSY., Manual Heavy Duty Std. (8 cyl.) . . . . .	1	*2400 801	*2400 801
	TRANSMISSION ASSY., Automatic 3 Speed (8 cyl.) . . . . .	1	2204 824	2204 824

**GROUP 22 - WHEELS**

22-03-2	HUB and DRUM, Rear, 11" x 2 1/2" Brakes, Right . . . . .	1	2265 354	-----
	Left . . . . .	1	-----	2265 355

★ Indicates use as required.

ⓑ Indicates parts not listed in any previous parts book.

March 8, 1963 Supersedes May 1, 1962.

Printed in U.S.A.

Prices and specifications subject to change without notice.

\* Indicates change or addition.

# 1962 PASSENGER CAR PARTS CATALOG

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH	DODGE
------	---------------------------	---------	----------	-------

## GROUP 23 - BODY

23-20-8	FLOOR MAT, Front (black) . . . . . FLOOR MAT, Front (black) . . . . .	1 1	2273 062 ---- --	---- -- *2274 866
23-20-41	FLOOR MAT, Rear (black) . . . . . FLOOR MAT, Rear (black) . . . . .	1 1	*2273 075 ---- --	---- -- 2249 372
23-67-5	ARM, Windshield Wiper, Right . . . . . Left . . . . .	1 1	*2291 978 *2291 977	*2291 978 *2291 977
23-76-3	ARM REST, Front and Rear . . . . .	4	2212 691	2212 691
23-81-3	HANDLE, Pull-To (right rear door) . . . . .	1	1697 413	1697 413
23-103-3	SUN VISOR, Left . . . . .	1	2273 285	2272 104

### NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

★ Indicates use as required.  
 □ Indicates parts not listed in any previous parts book.  
 \* Indicates change or addition.

Printed in U.S.A.  
 Prices and specifications subject to change without notice.  
 May 1, 1962.



1962 POLICE  
CHRYSLER SC1 ENFORCER

Body Type	Body Code
4 Door Sedan	893
4 Door Suburban (2 Seater)	898

361 cu. in. Engine is standard equipment.  
 383 cu. in. Engine is optional.  
 Heavy Duty Manual 3 Speed Transmission is standard equipment for both Engines.  
 The Automatic 3 Speed Transmission with standard Governor is optional equipment for both Engines. The Automatic 3 Speed Transmission with High Speed Governor is optional with 383 cu. in. Engine only.

The parts listed herein are standard on the Police Cars except where indicated as optional. In the event the parts required are not listed herein, refer to your 1962 "S" Series Catalog when specifying.

**GROUP 1 - ACCESSORIES**

HEATER, Fresh Air Defroster specify parts as listed for Model  
 750 heater in your MoPar Parts Passenger Car Catalog.

**GROUP 2 - FRONT SUSPENSION**

CODE	PART NAME AND DESCRIPTION	PER CAR	CHRYSLER
2-14-3	BAR, Torsion, Right . . . . .	1	1825 606
	Left . . . . .	1	1825 607

**GROUP 3 - AXLE-REAR**

8 3/4" Diameter Drive Gears 3.23 to 1 Ratio	Standard Equipment
8 3/4" Diameter Gears 3.23 to 1 Ratio	Sure-Grip Optional Equipment

**GROUP 5 - BRAKE-SERVICE**

5-03-1	LINING PACKAGE, Brake Shoe . . . . .	1	2240 227
5-03-5	SHOE, w/LINING, Front and Rear Wheel, Front Shoe . . . . .	4	2201 634
	Front and Rear Wheel, Rear Shoe . . . . .	4	2200 118

**GROUP 6 - CLUTCH**

11" CLUTCH

6-09-1	HOUSING . . . . .	1	2128 351
6-10-2	PAN . . . . .	1	1739 616
6-13-1	DISC . . . . .	1	2208 273
6-13-4	FACING, Disc. . . . .	2	2208 272
6-14-1	COVER, w/PLATE . . . . .	1	2208 274
6-16-1	SPRING, Pressure, 7 3/4 Orange Coils . . . . .	6	864 397
	6 3/4 White Coils . . . . .	6	1406 504

★ Indicates use as required.  
 ☐ Indicates parts not listed in any previous parts book.  
 \* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	PER CAR	CHRYSLER
------	---------------------------	---------	----------

**GROUP 7 - COOLING**

7-02-1	FAN, Heavy Duty . . . . .	1	2265 034
7-08-2	SHROUD, Radiator Fan, Upper . . . . .	1	1902 720
	Lower . . . . .	1	1903 600

**GROUP 8 - ELECTRICAL**

8-33-4	RING, Horn Blowing . . . . .	1	1738 214
8-37-372	SPEEDOMETER, Available w/60 amp. Ammeter only . . . . .	1	2290 394

For Leece-Neville Alternators and Ammeters see Note in front of Group 8-28-0 in Parts Catalog.

**GROUP 9 - ENGINE**

9-01-24	ENGINE, Short, 361 cu. in. . . . .	1	2268 314
	383 cu. in. . . . .	1	2268 318

**GROUP 11 - EXHAUST**

DUAL EXHAUST

11-01-1	MUFFLER, Zinc Coated, 4 D. Sed. . . . .	2	2208 405
	Aluminized, 4 D. Sed. . . . .	2	2122 831
	Front, Sub. . . . .	2	2122 835
	Rear, Sub. . . . .	2	2122 834
11-02-1	CLAMP PACKAGE, Exhaust Pipe Extension . . . . .	★	1843 407
	Extension to Muffler, 4 D. Sed. . . . .	2	1603 364
	Extension to Front Muffler, Sub. . . . .	2	2240 312
	Intermediate Pipe to Front Muffler, Sub. . . . .	2	1843 008
	Tail Pipe, Rear, 4 D. Sed. . . . .	★	2240 312
	Sub. . . . .	2	2240 311
	Tail Pipe to Muffler, 4 D. Sed. . . . .	★	1843 008
	Sub. . . . .	2	1843 009
11-02-4	SUPPORT, Front Muffler, w/INSULATOR, Sub., Right . . . . .	1	2122 796
	Sub., Left . . . . .	1	1948 549
11-05-1	PIPE, Exhaust, 4 D. Sed., Right . . . . .	1	2122 790
	Left . . . . .	1	2122 788
	Sub., Right . . . . .	1	2123 477
	Left . . . . .	1	2123 475
11-05-4	PIPE, Exhaust Extension, 4 D. Sed., Right . . . . .	1	1948 565
	Left . . . . .	1	1948 569
	Sub., Right . . . . .	1	2123 492
	Left . . . . .	1	2123 491
11-05-12	FLANGE, Extension Pipe Ball Joint . . . . .	2	1946 637
11-06-3	NUT, Ball Joint Flange . . . . .	★	1946 648
11-06-8	GASKET, Flange . . . . .	★	1855 029
11-09-3	PIPE, Tail, 4 D. Sed., Right . . . . .	1	2266 034
	Left . . . . .	1	2266 033
	Sub., Right . . . . .	1	1948 589
	Left . . . . .	1	1948 588

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

Nov. 30, 1961 Supersedes Sept. 15, 1961.

Printed in U.S.A.  
Prices and specifications subject to change without notice.

\* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	PER CAR	CHRYSLER
------	---------------------------	---------	----------

**GROUP 11 - EXHAUST - Cont'd**

DUAL EXHAUST

11-09-3	PIPE, Tail, Intermediate, Sub., Right	1	1948 536
	Left	1	1948 535
11-10-3	SUPPORT, Tail Pipe, w/INSULATOR, 4 D. Sed., Front.	2	2123 440
	4 D. Sed., Rear, Right	1	2208 391
	4 D. Sed., Rear, Left	1	2208 390
	Sub., Front	2	2123 438
	Sub., Rear, Right	1	2208 394
	Sub., Rear, Left	1	2208 393

**GROUP 14 - FUEL**

14-30-1	CARBURETOR, 4 Barrel, w/383 cu. in. Engine	1	2268 768
---------	--	---	----------

**GROUP 16 - PROPELLER SHAFT AND UNIVERSAL JOINT**

16-02-1	SHAFT, 58 3/4" lgh., 3" dia., SC2, w/Std. Heavy Duty and 3 Speed Auto. Trans., 383 cu.in. Eng., less U/Joints	1	*2401 641
	59 1/4" lgh., 3" dia., SC2, w/Std. Heavy Duty and 3 Speed Auto. Trans., 383 cu.in. Eng. less U/Joints	1	E2206 994

**GROUP 17 - SPRING**

17-11-3	SPRING, Rear, 4 D. Sedan	2	2240 686
	Sub.	2	2275 879
17-23-3	ABSORBER PACKAGE, Shock, Rear	2	2240 360
	Front	2	2298 807

**GROUP 19 - STEERING**

19-14-1	JACKET, Steering Column	1	2401 192
19-15-4	TUBE, w/HUB, Steering Gear	1	2200 747
19-15-12	GROMMET, Tube	1	2265 339
19-30-4	WHEEL, Steering, Black	1	2401 234
	White	1	2401 193

**GROUP 21 - TRANSMISSION**

21-02-1	TRANSMISSION, Standard	1	E2400 238
	Automatic, w/Standard Governor	1	1942 275
	Automatic, w/High Speed Governor	1	2205 190

**GROUP 22 - WHEELS**

22-01-42	COVER, Wheel, for 15" Wheel, Unmarked	4	2260 160
22-08-5	CAP, Hub, for 15" Wheel	4	1943 733

**GROUP 23 - BODY**

23-21-8	MIRROR, Inside Rear View, Header Mounted, Clear	1	2162 286
	Prismatic	1	2162 414
23-21-14	BRACKET, Mirror Mounting, Header Mounted	1	2082 978
23-23-39	MOULDING PACKAGE, Rear Quarter Panel	2	2275 993
	CLIP	4	6000 820
	CLIP	16	6000 822
23-103-3	PANEL, Visor Trim (use with header mounted mirror)	2	2178 393

★ Indicates use as required.

E Indicates parts not listed in any previous parts book.

\* Indicates change or addition.

Printed in U.S.A.

Prices and specifications subject to change without notice.

March 8, 1963 Supersedes Nov. 30, 1961.

TAXI

1962 TAXI SPECIALS

Valiant - 4 Door - 170 cu. in. Engine - Standard  
 Plymouth 6 - 4 Door - 225 cu. in. Engine - Standard  
 Plymouth 8 - 4 Door - 318 cu. in. Engine - Standard  
 Dodge 6 - 4 Door - 225 cu. in. Engine - Standard  
 Dodge 8 - 4 Door - 318 cu. in. Engine - Standard  
 361 cu. in. Engine - Optional

Body Type	Body Code
Valiant Taxi "6" - 4 Door	183
Plymouth Taxi "6" - 4 Door	283
Plymouth Taxi "8" - 4 Door	383
Dodge Taxi "6" - 4 Door	483
Dodge Taxi "8" - 4 Door	583

Taxi - Plymouth, Dodge "6" - The 225 6 cyl. cu. in. Engine is standard equipment.

Taxi - Valiant, Lancer "6" - The 170 cu. in. Engine and standard transmission are standard equipment.

Taxi - Plymouth, Dodge "8" - The 318 cu. in. Engine and heavy duty standard transmission are standard equipment.

The parts listed below are standard on the above Taxicabs except where indicated. In the event the parts required are not listed herein refer to your "S" Series 1962 Parts Catalog when specifying parts.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH DODGE	VALIANT LANCER
------	---------------------------	---------	----------------	----------------

GROUP 1 - ACCESSORIES

Plymouth and Dodge - Heater - Fresh Air w/Defroster, specify parts as listed for Model 720 Heater in your MoPar Passenger Car Catalog.

Valiant and Lancer - Heater - Fresh Air Defroster, specify parts as listed for Model 719 Heater in your MoPar Passenger Car Catalog.

GROUP 2 - FRONT SUSPENSION

2-14-3	BAR, Torsion, Right . . . . .	1	1857 778	2071 626
	BAR, Torsion, Left . . . . .	1	1857 779	2071 627

\* Indicates use as required.

□ Indicates parts not listed in any previous parts book.

Nov. 30, 1961 Supersedes Sept. 15, 1961.

Printed in U.S.A.

Prices and specifications subject to change without notice.

\* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH DODGE	VALIANT LANCER
------	---------------------------	------------	-------------------	-------------------

## GROUP 3 - AXLE-REAR

All 6 and 8 cylinder Plymouth and Dodge Taxicabs use 8 3/4" diameter drive gear rear axles. Axle ratios as follows are standard.  
2.93 to 1 ratio is standard on the following:

225 and 318 cu. in. Engine with automatic transmission (Plymouth and Dodge).

3.55 to 1 ratio is standard on the following:

170 cu. in. Engine with manual std. transmission (Valiant and Lancer).

225 and 318 cu. in. Engine with manual std. transmission (Plymouth and Dodge).

3.23 to 1 ratio is standard on the following:

170 cu. in. Engine with automatic transmission (Valiant and Lancer).

## GROUP 5 - BRAKE-SERVICE

11" x 3" Front and 11" x 2.5" Rear Brakes are standard on Plymouth and Dodge.

5-03-1	PACKAGE, Brake Shoe Lining . . . . .	1	*2421 314	-----
5-03-5	SHOE & LINING, Front Wheel, Front . . . . .	2	*2401 806	-----
	SHOE & LINING, Front Wheel, Rear . . . . .	2	*2401 807	-----
	SHOE & LINING, Rear Wheel, Front . . . . .	2	*2401 800	-----
	SHOE & LINING, Rear Wheel, Rear . . . . .	2	*2401 801	-----

## GROUP 6 - CLUTCH

### 6 Cylinder 10" Clutch

6-13-1	DISC, Clutch . . . . .	1	2200 069	2200 069
6-13-4	FACING, Clutch Disc Front . . . . .	1	2201 218	2201 218
	FACING, Clutch Disc Rear . . . . .	1	2201 217	2201 217
6-14-1	PRESSURE PLATE, w/COVER . . . . .	1	2200 032	2201 212

### 8 Cylinder 10 1/2" Clutch

5-13-1	DISC, Clutch . . . . .	1	2266 232	-----
6-13-4	FACING, Clutch . . . . .	1	2266 233	-----
	PRESSURE PLATE, w/COVER . . . . .	1	2122 254	-----

## GROUP 8 - ELECTRICAL

8-28-3	ALTERNATOR, 40 amp., w/PULLEY . . . . .	1	2095 100	2095 100
	For Alternator details see Catalog.			

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

\* Indicates change or addition.

Printed in U.S.A.

Prices and specifications subject to change without notice.

May 1, 1962 Supersedes Nov. 30, 1961.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH DODGE	VALIANT LANCER
------	---------------------------	------------	-------------------	-------------------

## GROUP 8 - ELECTRICAL - Cont'd

8-31-2	PACKAGE, Open Door Indicator Lamp . . . . .	1	2298 767	2298 767
8-32-2	HORN, Upper . . . . .	1	2298 793	----
	HORN, Upper . . . . .	1	2298 794	----
	HORN, Right . . . . .	1	----	2298 792
	HORN, Left . . . . .	1	----	2298 791

## GROUP 9 - ENGINE

9-01-24	ENGINE, Short, 170 cu. in. 6 Cyl. (see Note) . . . . .	1	----	2206 136
	ENGINE, Short, 225 cu. in. 6 Cyl. . . . .	1	2206 132	2264 401
	ENGINE, Short, 318 cu. in. 8 Cyl. . . . .	1	2268 306	----
	ENGINE, Short, 361 cu. in. 8 Cyl. . . . .	1	2268 314	----

NOTE: When specifying details for the 170 cu. in. Engine use 170 cu. in. Engine parts listed under Valiant and Lancer Column.

## GROUP 10 - ENGINE OILING

10-26-6	OIL FILTER, w/Replaceable Cartridge (170 & 225 cu. in. Engine). . . . .	1	2128 548	2128 548
10-26-8	CARTRIDGE (170 & 225 cu. in. Engine) . . . . .	1	2129 023	2129 023
	CARTRIDGE (318 cu. in. Engine) . . . . .	1	2129 023	----
10-26-14	SHELL, w/NUT, SPRING & STUD (318 cu. in. Engine) . . . . .	1	1557 573	----

## GROUP 13 - FRAME

13-35-1	SHIELD, Battery Heat . . . . .	1	2201 525	----
---------	--------------------------------	---	----------	------

## GROUP 17 - SPRINGS

17-11-3	SPRING, Rear (6 cyl.) . . . . .	2	2275 862	----
	SPRING, Rear (8 cyl.) . . . . .	2	2298 512	----
	SPRING, Rear (6 cyl.) Right . . . . .	1	----	2275 855
	SPRING, Rear (6 cyl.) Left . . . . .	1	----	2298 513
17-23-3	SHOCK ABSORBER, Front . . . . .	2	2275 883	----
	SHOCK ABSORBER, Rear . . . . .	2	2275 849	----
	SHOCK ABSORBER, Front . . . . .	2	----	2298 804
	SHOCK ABSORBER, Rear . . . . .	2	----	2298 912

## GROUP 21 - TRANSMISSION

21-02-1	TRANSMISSION ASSY., Manual Heavy Duty Std. (6 cyl.) . . . . .	1	2204 876	----
	TRANSMISSION ASSY., Manual Standard . . . . .	1	----	2204 883
	TRANSMISSION ASSY., Automatic 3 Speed (6 cyl.) . . . . .	1	2204 841	----
	TRANSMISSION ASSY., Automatic 3 Speed . . . . .	1	----	2204 916
	TRANSMISSION ASSY., Manual Heavy Duty Std. (8 cyl.) . . . . .	1	*2400 801	----
	TRANSMISSION ASSY., Automatic 3 Speed (8 cyl.) . . . . .	1	2204 824	----

★ Indicates use as required.

□ Indicates parts not listed in any previous parts book.

March 8, 1963 Supersedes Nov. 30, 1961.

Page PT-10

Printed in U.S.A.  
Prices and specifications subject to change without notice.

\* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	PER CAR	PLYMOUTH DODGE	VALIANT LANCER
------	---------------------------	---------	----------------	----------------

GROUP 22 - WHEELS

22-03-2	HUB and DRUM, Rear, 11" x 2 1/2" Brakes, Right . . . . .	1	----	*2265 354
	Left . . . . .	1	----	*2265 355

GROUP 23 - BODY

23-17-2	CYLINDER PACKAGE, Door Ignition and Manual Tailgate Lock, w/Universal KEYS, Sub. . . . .	1	2241 871	
23-20-8	FLOOR MAT, Front (black) . . . . .	1	2273 062	----
	FLOOR MAT, Front (black) . . . . .	1	----	*2274 866
23-20-41	FLOOR MAT, Rear (black) . . . . .	1	*2273 075	----
	FLOOR MAT, Rear (black) . . . . .	1	----	2249 372
23-76-3	ARM REST, Front and Rear . . . . .	4	2212 691	2212 691
23-81-3	HANDLE, Pull-To (right rear door) . . . . .	1	1697 413	1697 413
23-103-3	SUN VISOR, Left . . . . .	1	2273 285	2272 104

NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

★ Indicates use as required.  
 ☐ Indicates parts not listed in any previous parts book.  
 \* Indicates change or addition.

