

POLICE

1963 POLICE VEHICLES

BODY TYPES

- 4 Door Sedan
- 2 Door Sedan
- 4 Door Suburban

Plymouth Patroller "6"	225 cu.in. Engine with single one barrel Carburetor.
Dodge Pursuit "6"	225 cu.in. Engine with single one barrel Carburetor.
Plymouth Patroller "8"	318 cu.in. Engine with single two barrel Carburetor.
Dodge Pursuit "8"	318 cu.in. Engine with single two barrel Carburetor.
Plymouth Pursuit "8"	361 cu.in. Engine with single two barrel Carburetor.
Plymouth Pursuit "8"	383 cu.in. Engine with single four barrel Carburetor.
Dodge Pursuit "8"	383 cu.in. Engine with single two barrel Carburetor.
Dodge Pursuit "8"	383 cu.in. Engine with single four barrel Carburetor.
Dodge 880 "8"	361 cu.in. Engine with single two barrel Carburetor.
Dodge 880 Pursuit "8"	383 cu.in. Engine with single two barrel Carburetor.
Dodge 880 "8"	413 cu.in. Engine with single four barrel Carburetor.

In the event the Parts required are not listed in this section of the catalog, refer to the 1963 "T" Series listing when specifying parts.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	--------------	------------	----------	-------	-----------

GROUP 2 - FRONT SUSPENSION

2-14-3	BAR or SPRING, Torsion, Heavy Duty, Right		1	1857 778	1857 778	----
	Heavy Duty, Left		1	1857 779	1857 779	----
	Heavy Duty, Right	8	1	----	----	1825 606
	Heavy Duty, Left	8	1	----	----	1825 607

GROUP 3 - AXLE-REAR

All 6 Cylinder Police Cars have 8 3/4" diameter Drive Gears and 1 3/8" diameter Pinion Stem. Two types of Differentials are being used on TP2, TD2, 8 Cylinder Police Cars. With 1 3/8" diameter Pinion Stem, the Carrier has part number 1820657 or 2070741 embossed on it 2" below the Yoke. With 1 3/4" diameter Pinion Stem, the Carrier has part number 1634985 or 2070742 embossed on it 2" below the Yoke.

3-03-1	DIFFERENTIAL, w/CARRIER, 3.23 to 1 ratio, w/1 3/4" dia. Stem	8	1	2070 811	2070 811	2070 811
	2.93 to 1 ratio, w/1 3/4" dia. Stem	8	1	2070 579	2070 579	2070 579
3-03-3	CARRIER, w/CAPS, w/1 3/4" dia. Stem	8	1	----	1634 984	1634 984
3-19-1	GEAR and PINION SET, 3.23 to 1 ratio, w/1 3/4" dia. Stem	8	1	2070 817	2070 817	2070 817
	2.93 to 1 ratio, w/1 3/4" dia. Stem	8	1	2070 570	2070 570	2070 570
3-22-24	CONE, Drive Pinion Front Bearing, w/ROLLERS, w/1 3/4" dia. Stem	8	1	1401 808	1401 808	1401 808
	Rear	8	1	1404 472	1404 472	1404 472

★ Indicates use as required.
 ☐ Indicates parts not listed in any previous parts book.
 * Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	C Y L	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	-------------	------------	----------	-------	-----------

GROUP 3 - AXLE-REAR - Cont'd

3-22-25	CUP, Drive Pinion Front Bearing, w/1 3/4" dia. Stem	8	1	1401 810	1401 810	1401 810
	Rear, w/1 3/4" dia. Stem	8	1	1327 847	1327 847	1327 847
3-22-27	WASHER, Drive Pinion Rear Bearing, w/1 3/4" dia. Stem, .084" thk.	8	★	1738 812	1738 812	1738 812
	w/1 3/4" dia. Stem, .086" thk.	8	★	1738 813	1738 813	1738 813
	w/1 3/4" dia. Stem, .088" thk.	8	★	1738 814	1738 814	1738 814
	w/1 3/4" dia. Stem, .090" thk.	8	★	1738 815	1738 815	1738 815
	w/1 3/4" dia. Stem, .092" thk.	8	★	1738 816	1738 816	1738 816
	w/1 3/4" dia. Stem, .094" thk.	8	★	1738 817	1738 817	1738 817
	w/1 3/4" dia. Stem, .096" thk.	8	★	1738 818	1738 818	1738 818
	w/1 3/4" dia. Stem, .098" thk.	8	★	1738 819	1738 819	1738 819
	w/1 3/4" dia. Stem, .100" thk.	8	★	1738 820	1738 820	1738 820
3-22-28	SHIM, Drive Pinion Front Bearing, w/1 3/4" dia. Stem, .014" thk.	8	★	1738 805	1738 805	1738 805
	w/1 3/4" dia. Stem, .016" thk.	8	★	1738 806	1738 806	1738 806
	w/1 3/4" dia. Stem, .018" thk.	8	★	1738 807	1738 807	1738 807
	w/1 3/4" dia. Stem, .022" thk.	8	★	1829 442	1829 442	1829 442
	w/1 3/4" dia. Stem, .024" thk.	8	★	1829 443	1829 443	1829 443
	w/1 3/4" dia. Stem, .026" thk.	8	★	1829 444	1829 444	1829 444
3-22-45	OIL SEAL, Drive Pinion Front Bearing, w/1 3/4" dia. Stem	8	1	1828 719	1828 719	1828 719
3-32-1	SHAFT, Drive, w/1 3/4" dia. Stem, TP2, TD2 . .	8	2	2404 003	2404 003	

GROUP 5 - BRAKE-SERVICE

5-03-1	LINING PACKAGE, Wheel Brake Shoe		1	2298 848	2298 848	2298 848
5-03-5	SHOE and LINING, Front Wheel, Front Shoe . . .		2	2401 011	2401 011	2401 011
	SHOE and LINING, Front Wheel, Rear Shoe		2	2401 012	2401 012	2401 012
	SHOE and LINING, Rear Wheel, Front Shoe		2	2401 007	2401 007	2401 011
	SHOE and LINING, Rear Wheel, Rear Shoe		2	2401 008	2401 008	2401 012
5-03-6	SHOE, Front Wheel Brake		4	2260 654	2260 654	2260 654
	SHOE, Rear Wheel Brake		4	2260 886	2260 886	2260 654
5-13-1	SUPPORT, Front Wheel Brake		2	2265 563	2265 563	2401 420
	SUPPORT, Rear Wheel Brake, Right		1	2265 564	2265 564	2266 892
	SUPPORT, Rear Wheel Brake, Left		1	2265 565	2265 565	2266 893
5-20-1	SCREW, Wheel Brake Adjuster		4	2265 201	2265 201	----
5-20-4	SPRING, Wheel Brake Adjuster Lock		4	2265 203	2265 203	----
5-20-15	NUT, Wheel Brake Adjuster Screw Pivot		4	2260 671	2260 671	----
5-20-17	SOCKET, Wheel Brake Adjuster Screw		4	2265 068	2265 068	----
5-63-1	SERVICE PACKAGE, Rear Wheel Cylinder		2	2421 347	2421 347	2275 536
5-63-3	SERVICE PACKAGE, Rear Wheel Cylinder Piston.		2	2421 346	2421 346	2275 540
5-64-1	CYLINDER, Rear Wheel		2	2401 930	2401 930	2260 842
5-70-1	PISTON, Rear Wheel Cylinder		4	2401 938	2401 938	2260 843
5-71-1	CUP, Rear Wheel Cylinder Piston		4	2072 636	2072 636	2260 844
5-71-2	SPRING, Rear Wheel Cylinder Piston		2	2072 637	2072 637	1923 765

★ Indicates use as required.

⊔ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

Printed in U.S.A.

Prices and specifications subject to change without notice.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	--------------	------------	----------	-------	-----------

GROUP 6 - CLUTCH

8 Cylinder 10 1/2" Clutch						
6-13-1	DISC, Clutch, 383 cu. in. Eng.	8	1	2256 232		
6-14-1	PRESSURE PLATE, w/COVER, 383 cu. in. Eng. .	8	1	2401 095		
8 Cylinder 11" Clutch						
6-09-1	HOUSING, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2463 565	
6-09-11	STRUT, TP1, TD1, to Block, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2129 887	
6-10-2	PAN, TP1, TD1, Clutch Housing, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2463 568	
6-10-3	SCREW, TP1, TD1, Clutch Pan 5/16 x 11/16 . . .	6	5	----	*1947 953	
6-10-10	SEAL, Clutch Pan, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2129 886	
6-13-1	DISC, TP1, TD1, w/225 cu. in. Eng., w/11" Clutch	6	1	----	*2409 683	
	DISC, Clutch, 413,383 cu. in. Eng.	8	1	----	2208 273	
6-13-4	FACING, TP1, TD1, w/225 cu. in. Eng., w/11" Clutch	6	2	----	*2409 685	
6-14-1	COVER, Clutch, includes Pressure PLATE, TP1, TD1, w/225 cu. in. Eng.	6	1	----	*2409 682	
	PRESSURE PLATE, w/COVER, 413,383 cu.in. Eng.	8	1	----	2208 274	
6-19-2	BEARING, Clutch Release, includes SLEEVE, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2461 494	
6-19-3	BEARING, Clutch Release, less Sleeve, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	* 658 998	
6-20-14	SPRING, Clutch Release Bearing Return, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2073 687	
6-22-1	PIVOT, Release Fork, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2260 719	
	SCREW	6	2	----	*6022 226	
6-22-4	SEAL, Clutch Release, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2260 021	
6-22-19	SPRING, Pivot Fork, TP1, TD1, w/225 cu. in. Eng., w/11" Clutch	6	1	----	*2072 901	
6-27-5	SPRING, Clutch Release Fork Return, TP1, TD1, w/225 cu. in. Eng., 11" Clutch	6	1	----	*2260 023	

GROUP 7 - COOLING

7-02-1	FAN, Standard, w/Leece-Neville Alternator	8	1	2265 034	2265 034	2265 034
	Heavy Duty, w/Leece-Neville Alternator	8	1	2120 208	2120 208	2120 208

★ Indicates use as required.
 □ Indicates parts not listed in any previous parts book.
 * Indicates change or addition.

1963 PASSENGER CAR PARTS CATALOG

POLICE - TAXI

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	-----	---------	----------	-------	-----------

GROUP 7 - COOLING - Cont'd

7-02-16	SPACER, Fan, w/318 cu.in. Engine	8	1	2265 036	2265 036	-----
	w/361, 383 and 413 cu.in. Engine	8	1	1730 155	1730 155	1730 155
7-03-1	BELT, Fan and Alternator Drive, w/Leece-Neville Alternator	6	1	2264 463	2264 463	-----
	Alternator Drive, w/318 cu.in. Engine, w/Leece-Neville Alternator	8	1	1673 650	1673 650	-----
	w/361 and 383 cu.in. Engine, w/Leece-Neville Alternator	8	1	2121 250	2121 250	2121 250
	w/413 cu.in. Engine, w/Leece-Neville Alternator .	8	1	-----	-----	2120 673
	BELT, Fan Drive, w/318 cu.in. Engine, w/Leece-Neville Alternator	8	1	1821 684	1821 684	-----
	w/361, 383 and 413 cu.in. Engine, w/Leece-Neville Alternator	8	1	1327 471	1327 471	1327 471
7-04-1	PULLEY, Fan Idler	8	1	2240 397	2240 397	2240 397
	Alternator Idler	8	1	1859 770	1859 770	1859 770
7-04-5	BRACKET, Fan Idler Pulley, w/318 cu.in. Engine	8	1	2129 666	2129 666	-----
	w/361, 383 and 413 cu.in. Engine	8	1	2129 667	2129 667	2129 667
	Alternator Idler Pulley	8	1	2264 517	2264 517	2264 517
7-04-8	REINFORCEMENT, Alternator Idler Pulley Bracket Support. w/Leece-Neville Alternator, w/318 cu. in. Engine	8	1	2406 647	2406 647	-----
7-04-9	SUPPORT, Alternator Idler Pulley Bracket, w/Leece-Neville Alternator, w/318, 361, 383 and 413 cu. in. Engine	8	1	2406 646	2406 646	2406 646
7-04-10	SPACER, Fan Idler Pulley Bracket, w/361, 383 and 413 cu.in. Engine	8	1	2203 195	2203 195	2203 195
	Alternator Idler Pulley Bracket, w/318 cu.in. Engine	8	1	2202 380	2202 380	-----
7-04-13	BRACKET, Alternator Idler Pulley Bracket Spacer, w/318 cu.in. Engine	8	1	1945 384	1945 384	-----
7-04-16	SPACER, Alternator Idler Pulley Bearing, w/361, 383 and 413 cu.in. Engine	8	1	2120 520	2120 520	2120 520
7-06-1	PULLEY, Fan Drive, w/Leece-Neville Alternator .	6	1	2264 449	2264 449	-----
	w/318 cu.in. Engine, w/Leece-Neville Alternator .	8	1	1859 580	1859 580	-----
	w/361, 383 and 413 cu.in. Engine, w/Leece-Neville Alternator	8	1	1859 252	1859 252	1859 252
7-06-3	HUE, Fan Pulley, w/318 cu.in. Engine	8	1	1733 805	1733 805	-----
7-06-14	PULLEY, Fan Driven, w/Leece-Neville Alternator	6	1	2264 450	2264 450	-----
	w/318 cu.in. Engine, w/Leece-Neville Alternator .	8	1	1852 582	1852 582	-----
	w/361, 383 and 413 cu.in. Engine, w/Leece-Neville Alternator	8	1	1851 248	1851 248	1851 248
7-08-2	SHROUD, Fan, Upper and Lower	6	2	1686 463	1686 463	-----
	Upper	8	1	2417 423	2417 423	2417 423
	Lower	8	1	2417 427	2417 427	2417 427
7-08-9	FILLER, Fan Shroud, Upper	6	1	2099 962	2099 962	-----
	Lower	6	1	2099 963	2099 963	-----
7-08-13	BRACKET, Fan Shroud, Right	6	1	2099 944	2099 944	-----
	Left	6	1	2099 945	2099 945	-----
		8	4	2099 555	2099 555	-----

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

Prices and specifications subject to change without notice.

* Indicates change or addition.

Printed in U.S.A.

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	-----	---------	----------	-------	-----------

GROUP 7 - COOLING - Cont'd

7-08-15	SCREW, Bracket to Core	6	2	6023 092	6023 092	
		8	8	6023 092	6023 092	6023 092
	STUD, Upper to Lower Shroud	8	2	1641 903	1641 903	1641 903
7-11-3	CORE, Radiator, High Capacity	6	1	2276 830	2276 830	----
	w/318 cu.in. Engine	8	1	2276 839	2276 839	----
	w/361,383 and 413 cu.in. Engine	8	1	2276 842	2276 842	----
	w/361 and 383 cu.in. Engine	8	1	----	----	2276 847

GROUP 8 - ELECTRICAL

8-27-1	DISTRIBUTOR, Double Breaker, w/383 cu.in. Eng., one 4 Barrel Carburetor	8	1	2095 832	2095 832	----
	Double Breaker, w/413 cu.in. Eng., one 4 Barrel Carburetor	8	1	----	----	2098 495
8-28-3	ALTERNATOR, 40 Amp		1	*2098 850	*2098 850	*2098 850
8-28-15	STRAP, Alternator Adjusting, w/361 cu.in. Eng., w/o Air Conditioning, w/Leece-Neville Alternator	8	1	----	----	2206 348
	w/413 cu.in. Eng., w/o Air Conditioning, w/Leece-Neville Alternator	8	1	----	----	2268 928
8-28-36	BRACKET, Alternator Mounting, Front, w/o Air Conditioning, w/Leece-Neville Alternator, w/361 cu.in. Engine	8	1	----	----	2206 346
	w/Spring Anchor, w/o Air Conditioning, w/Leece-Neville Alternator, w/361 and 413 cu.in. Engine	8	1	----	----	2206 347
	w/413 cu.in. Eng., w/o Air Conditioning	8	1	----	----	2268 927
8-36-114	PLUG, Spark, High Performance, Champion, J-10Y	8	8	*2098 337	*2098 337	*2098 337
8-37-1	AMMETER, 60A		1	2290 586	2290 448	*2197 916
	100A		1	2290 425	2290 425	2290 425
8-37-372	SPEEDOMETER, 60A		1	2290 572	2290 443	2291 692
	Mile	8	1	----	----	2257 693
8-58-60	SWITCH, Stop Lamp, w/WIRING and BRACKET . .	8	1	*2496 985	*2496 985	
	w/o Wiring and Bracket	8	1	*2497 124	*2497 124	

GROUP 9 - ENGINE

Note 1: Specify engine detail parts listed in the 1963 Parts Catalog according to the cu.in. Engine and Carburetor used.

Note 2: Specify engine detail parts listed in the 1963 parts Catalog listed for TC1 w/413 cu.in. Engine.

9-01-24	SHORT ENGINE, w/225 cu.in. Eng., see Note 1 . .	6	1	2206 132	2206 132	----
	SHORT ENGINE, w/318 cu.in. Eng., see Note 1 . .	8	1	2402 971	2402 971	----
	SHORT ENGINE, w/361 cu.in. Engine, w/1-2 Barrel Carburetor, see Note 1	8	1	2268 314	2268 314	2268 314
	SHORT ENGINE, w/383 cu.in. Engine, w/1-2 Barrel Carburetor, see Note 1	8	1	2268 318	2268 318	2268 318
	SHORT ENGINE, w/383 cu.in. Engine, w/1-4 Barrel Carburetor, see Note 1	8	1	2268 318	2268 318	----
	SHORT ENGINE, w/413 cu.in. Eng., see Note 2 . .	8	1	----	----	2268 310

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	C Y L	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	-------------	------------	----------	-------	-----------

GROUP 9 - ENGINE - Cont'd

9-45-2	GEAR, Torque Converter Ring	6	1	1941 648	1941 648	----
9-46-4	TORQUE CONVERTER	6	1	2125 090	2125 090	----
9-46-8	PLATE, Drive, Torque Converter.	6	1	2204 719	2204 719	----
9-46-21	SCREW, Torque Converter to Crankshaft	6	6	6022 148	6022 148	----
9-46-33	BRACKET, Transmission Oil Cooler Tube	6	1	1949 176	1949 176	----
9-46-61	ADAPTER, Torque Converter Drive Plate	6	1	2202 472	2202 472	----
9-46-130	OIL SEAL, Torque Converter Impeller Hub	6	1	1942 020	1942 020	----
9-67-4	INSULATOR, Engine Front Support, Right	6	1	2406 672	2406 672	----
	Left	6	1	2406 674	2406 674	----

GROUP 10 - ENGINE OILING

TD1, TP1, Police and Taxi

10-03-4	INDICATOR, Oil Level, 15 11/16" approx., lgh.	6	1	----	*2402 837	----
	18 11/16" approx., lgh.	6	1	----	*2463 444	----
10-03-7	TUBE, Oil Level Indicator.	6	1	----	2406 366	----
10-24-4	PAN, Oil, w/Drain PLUG	6	1	----	2406 688	----

GROUP 11 - EXHAUST

11-01-1	MUFFLER, except Sub., Aluminized, Right	8	1	----	----	2409 134
	Left	8	1	----	----	2409 133
	Zinc Coated, except Sub.	8	2	----	----	2208 405
	Front, Sub.	8	2	----	----	*2405 331
	Rear, Sub.	8	2	----	----	2409 136
11-02-1	CLAMP PACKAGE, Tail Pipe Rear Support, except Sub.	8	2	----	----	2240 312
	Sub.	8	2	----	----	2240 311
	Tail Pipe Front Support, except Sub.	8	2	----	----	*2240 311
	Sub.	8	2	----	----	1843 009
	Front Muffler to Intermediate, Sub.	8	2	----	----	*2240 311
	Front Muffler to Exhaust Extension	8	2	----	----	2240 312
	Muffler to Exhaust Extension, except Sub.	8	2	----	----	1603 364
11-02-4	SUPPORT, w/Insulator, Front Muffler, Sub., Right	8	1	----	----	2122 796
	Left	8	1	----	----	1948 549
11-05-1	PIPE, Exhaust, except Sub., Right	8	1	----	----	2265 952
	Left	8	1	----	----	2265 950
	Sub., Right	8	1	----	----	2123 481
	Left	8	1	----	----	2123 479
11-05-4	PIPE, Exhaust Extension, except Sub., Right	8	1	----	----	2405 330
	Left	8	1	----	----	2405 329
	Sub., Right	8	1	----	----	2123 492
	Left	8	1	----	----	2123 491
11-05-12	FLANGE, Extension Pipe Ball Joint, Sub.	8	2	----	----	1946 637

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

Page PT-6

Printed in U.S.A.

Prices and specifications subject to change without notice.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	------	---------	----------	-------	-----------

GROUP 11 - EXHAUST - Cont'd

11-09-3	PIPE, Tail, Right, except Sub.	8	1	----	----	*2401 569
	Left, except Sub.	8	1	----	----	*2401 568
	Sub., Right	8	1	----	----	1948 589
	Left	8	1	----	----	1948 588
	Intermediate, Sub., Right	8	1	----	----	1948 536
	Left	8	1	----	----	1948 535
11-10-3	SUPPORT, w/Insulator, Tail Pipe, Front, except Sub.	8	2	----	----	2123 440
	Rear, except Sub.	8	2	----	----	2203 680
	Front, Sub.	8	2	----	----	2123 438
	Rear, Sub., Right	8	1	----	----	2208 394
	Left	8	1	----	----	2208 393

GROUP 14 - FUEL

14-01-3	SHIELD, Accelerator Pedal Lever	8	1	2129 264	2129 264	2129 264
14-24-1	CABLE, Fast Idle	8	1	917 248	917 248	917 248
14-24-4	COLLAR, Fast Idle Cable	8	1	2268 677	2268 677	2268 677
14-24-5	PIN, Fast Idle Cable	8	1	2268 679	2268 679	2268 679
14-24-9	SWIVEL, Fast Idle Cable	8	1	----	----	639 173
14-24-11	CLIP, Fast Idle Cable Swivel	8	1	----	----	639 174
14-29-6	FILTER, Air Cleaner	8	1	1946 923	1946 923	1946 923
14-29-7	COVER, Air Cleaner	8	1	2298 938	2298 938	2298 938
14-30-1	CARBURETOR	8	1	2402 211	2402 211	2402 515
14-30-2	GASKET, Carburetor Flange	8	1	2121 952	2121 952	2121 952
14-30-4	REPAIR PACKAGE, Carburetor	8	1	*2299 233	*2299 233	2299 233
	ZIP KIT, Carburetor	8	1	2299 080	2299 080	2299 080
14-30-7	GASKET PACKAGE, Carburetor	8	1	2196 212	2196 212	2196 212
14-30-8	NEEDLE, w/SEAT, Carburetor Float	8	2	2196 207	2196 207	2196 207
14-30-27	STRAINER, Carburetor Fuel Inlet	8	1	1826 864	1826 864	1826 864
14-30-28	NUT, Fuel Inlet Strainer	8	1	1826 863	1826 863	1826 863
14-35-1	JET, Main Metering, Primary	8	2	2240 464	2240 464	2240 464
	Secondary	8	2	2084 166	2084 166	2299 231
14-39-45	CHOKE, Carburetor	8	1	2402 201	2402 201	2402 201
14-41-3	PLUNGER, w/ROD, Carburetor Pump	8	1	1826 369	1826 369	1826 369
14-43-5	ROD, Carburetor Step-Up	8	2	2299 187	2299 187	2299 230

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

Printed in U.S.A.

Prices and specifications subject to change without notice.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	--------------	------------	----------	-------	-----------

GROUP 16 - PROPELLER SHAFT AND UNIVERSAL JOINT

NOTE: When it becomes necessary to service Propeller Shaft or Front Universal Joint on All V8 Engines Police Cars it is recommended that the Shaft be Replaced as a Complete Assembly. As listed below.

16-02-1	SHAFT, w/318, 383 cu. in. Eng., Std. Heavy Duty Trans., includes U/JOINTS, TP2, All, TD2, Sub.	8	1	2401 350	2401 350	----
	SHAFT, w/318, 383 cu. in. Eng., 3 Speed Auto. Trans., includes U/JOINTS, TP2, All, TD2, Sub.	8	1	2405 877	2405 877	----
	SHAFT, w/318, 383 cu. in. Eng., 3 Speed Auto. Trans., less U/Joins, TP2, All, TD2, Sub.	8	1	2401 355	2401 355	----
	SHAFT, w/318, 383 cu. in. Eng., Std. Heavy Duty Trans., includes U/JOINTS, TD2, except Sub.	8	1	----	2401 489	----
	SHAFT, w/318, 383 cu. in. Eng., 3 Speed Auto. Trans., includes U/JOINTS, TD2 except Sub.	8	1	----	2405 878	----
	SHAFT, w/318, 383 cu. in. Eng., 3 Speed Auto. Trans., less U/Joins, TD2, except Sub.	8	1	----	2401 493	----
	SHAFT, w/361, 383, 413 cu. in. Eng., w/Std. Heavy Duty Trans., TA3	8	1	----	----	2401 478

GROUP 17 - SPRINGS

17-11-3	SPRING, Rear, except Sub.		2	2275 862	2275 862	2448 303
	Sub., Right		1	2275 866	2275 866	2275 870
	Left		1	2275 867	2275 867	2275 871
17-19-3	BUMPER, Side Rail Rear Axle	8	2	----	----	2206 884
17-23-3	ABSORBER PACKAGE, Front Shock		2	2275 883	2275 883	2298 807
	Rear, 1" dia.		2	2275 849	2275 849	2240 360
	Rear, 1 3/8" dia.		2	2275 848	2275 848	2240 362

GROUP 19 - STEERING

19-30-4	WHEEL, Steering, Black		1	2405 022	2405 022	2405 022
19-48-1	ROD, Gearshift Control, First and Reverse	6	1	2208 171	2208 171	----
19-48-7	SMALL PARTS PACKAGE		1	2421 771	2421 771	----
19-48-45	SHAFT, Torque	6	1	2208 166	2208 166	----
19-54-86	PULLEY, Power Steering Pump.	6	1	2202 851	2202 851	----
19-54-91	STRAP, Power Steering Pump Bracket to Water Body	6	1	2268 766	2268 766	----
19-54-115	BRACKET, Power Steering Pump.	6	1	2129 916	2129 916	----
	BRACKET, Power Steering Pump Engine	6	1	2202 846	2202 846	----
19-54-123	BOLT, Power Steering Pump Engine Bracket Swivel	6	1	2202 850	2202 850	----
	SCREW, w/WASHER, Power Steering Pump Bracket Adjusting.	6	2	1945 404	1945 404	----
19-54-132	NUT, Power Steering Pump Engine Bracket Swivel Bolt.	6	1	2129 684	2129 684	----

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Jan. 25, 1963.

Prices and specifications subject to change without notice.

* Indicates change or addition.

Printed in U.S.A.

CODE	PART NAME AND DESCRIPTION	C Y L	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	-------------	------------	----------	-------	-----------

GROUP 21 - TRANSMISSION
STANDARD TRANSMISSION

21-01-3	GASKET SET	6	1	2275 893	2275 893	----
21-02-1	TRANSMISSION, w/7 Tooth Speedometer Gear, used UP TO date 11-9-62 stamped on Trans. Cover	6	1	2400 846	2400 846	
	w/8 Tooth Speedometer Gear, used AFTER date 11-9-62 stamped on Trans. Cover	6	1	2464 094	2464 094	
21-03-1	CASE, Trans.	6	1	2400 829	2400 829	----
21-04-1	EXTENSION	6	1	2400 627	2400 627	----
21-04-2	GASKET, Extension	6	1	2124 519	2124 519	----
21-04-11	BEARING, Extension	6	1	1672 194	1672 194	----
21-09-2	PINION, Main Drive, 24T., 18T., 23 Splines, 10 17/32" lgh., w/7 Tooth Speedometer Gear, used UP TO date 11-9-62 stamped on Trans. Cover	6	1	2125 195	2125 195	----
	24T., 18T., 23 Splines, 10 17/32" lgh., w/8 Tooth Speedometer Gear, used AFTER date 11-9-62 stamped on Trans. Cover	6	1	2408 147	2408 147	----
21-09-5	BEARING, Drive Pinion	6	1	2124 516	2124 516	----
21-09-29	RETAINER, Bearing	6	1	2124 945	2124 945	----
21-09-33	GASKET, Retainer	6	1	2124 499	2124 499	----
21-10-4	GEAR, Sliding, First and Reverse, 28T., 34 Splines	6	1	2124 561	2124 561	----
21-10-16	GEAR, Second Speed, 24T., 24T.	6	1	2124 560	2124 560	----
21-11-1	GEAR, Reverse Idler, 14T.	6	1	2124 562	2124 562	----
21-11-9	WASHER, Bearing Roller	6	2	2204 978	2204 978	----
21-14-1	SYNCHRONIZER UNIT	6	1	B2400 864	B2400 864	
21-14-5	GEAR, Synchronizer Clutch	6	1	2204 666	2204 666	----
21-14-6	SLEEVE, Clutch Gear	6	1	2124 387	2124 387	----
21-14-15	SPRING, Synchronizer Stop Ring	6	1	2205 061	2205 061	----
21-14-19	RING, Synchronizer Stop, Outer	6	2	B2400 865	B2400 865	
	Inner	6	2	2124 472	2124 472	----
21-14-20	SNAP RING, Clutch Gear	6	1	2205 192	2205 192	----
21-15-2	GEAR, Countershaft, 33T., 25T., 17T., 13T.	6	1	2124 386	2124 386	----
21-15-33	WASHER, Gear Thrust, .057" thk.	6	★	2124 505	2124 505	----
	.062" thk.	6	★	2124 504	2124 504	----
21-16-3	SHAFT, Main, 32, 34, 23 Splines, 25 1/4" lgh., w/7 Tooth Speedometer Gear, used UP TO date 11-9-62 stamped on Trans. Cover	6	1	2408 009	2408 009	
	32, 34, 23 Splines, 25 1/4" lgh., w/8 Tooth Speedometer Gear, used AFTER date 11-9-62 stamped on Trans. Cover	6	1	2408 041	2408 041	

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

Printed in U.S.A.

Prices and specifications subject to change without notice.

CODE	PART NAME AND DESCRIPTION	C Y L	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	-------------	------------	----------	-------	-----------

GROUP 21 - TRANSMISSION - Cont'd
STANDARD TRANSMISSION

21-17-7	SNAP RING, Mainshaft Pilot Bearing	6	1	862 173	862 173	----
21-19-2	BEARING, Mainshaft	6	1	620 521	620 521	----
21-19-15	SNAP RING, Bearing, Outer, .087" thk.	6	★	2124 508	2124 508	----
	Outer, .090" thk.	6	★	2124 509	2124 509	----
	Outer, .093" thk.	6	★	2124 510	2124 510	----
	Outer, .096" thk.	6	★	2124 511	2124 511	----
21-22-2	OIL SEAL, Mainshaft Bearing	6	1	2205 080	2205 080	----
21-24-2	COUNTERSHAFT	6	1	2124 393	2124 393	----
21-24-19	PLATE or WASHER, Roller Thrust	6	1	2124 474	2124 474	----
21-25-2	ROLLER, Countershaft Bearing	6	88	2124 502	2124 502	----
21-25-4	SPACER, Bearing	6	1	2124 473	2124 473	----
21-25-6	WASHER or RING, Roller Thrust	6	4	2124 506	2124 506	----
21-29-3	COVER, Case	6	1	2124 465	2124 465	----
21-29-25	GASKET, Cover	6	1	2124 466	2124 466	----
21-30-428	SWIVEL, Interlock	6	1	2404 859	2404 859	----
21-30-429	CLAMP, Interlock	6	1	2204 274	2204 274	----
21-34-47	SPRING, Interlock Ball	6	1	*2205 131	*2205 131	----
21-39-3	FORK, Gearshift, Low and Reverse	6	1	2124 463	2124 463	----
	Second and Direct	6	1	2124 462	2124 462	----
21-42-11	LEVER, Gearshift, Low and Reverse	6	1	2124 523	2124 523	----
	Second and Direct	6	1	2124 494	2124 494	----
21-42-23	LEVER, Operating, Low and Reverse	8	1	2204 932	2204 932	----
	Second and Direct	6	1	2208 160	2208 160	----
	Low and Reverse	6	1	2400 562	2400 562	----
	Interlock, Low and Reverse	6	1	2400 716	2400 716	----
	CLIP, Interlock Lever	6	1	6025 071	6025 071	----
	WASHER, Interlock Lever	6	1	6023 596	6023 596	----
21-42-28	PIN, Low and Reverse Interlock Lever Pivot	6	1	2400 568	2400 568	----
21-42-29	PAWL, Low and Reverse Interlock Lever	6	1	2400 715	2400 715	----

NOTES

★ Indicates use as required.
 ☐ Indicates parts not listed in any previous parts book.
 Jan. 3, 1964 Supersedes Jan. 25, 1963.

Printed in U.S.A.
 Prices and specifications subject to change without notice.
 * Indicates change or addition.

GROUP 21 - TRANSMISSION - Cont'd
HEAVY DUTY STANDARD TRANSMISSION

21-85-5 PINION

HEAVY DUTY STANDARD TRANSMISSION, w/7 TOOTH SPEEDOMETER GEAR,
USED UP TO DATE 11-9-62 STAMPED ON TRANS. COVER

Tire Size	3.23 to 1 Ratio		3.31 to 1 Ratio		3.55 to 1 Ratio	
	Pinion	Teeth	Pinion	Teeth	Pinion	Teeth
7.00 x 14	1949 402	18 N	1949 402	18 N	1949 403	19 R
7.50 x 14	1949 401	17 L P	1949 401	17 L P	1949 403	19 R
8.00 x 14	1949 401	17 L P	-----	---	-----	---
6.70 x 15	1949 401	17 L P	1949 401	17 L P	1949 402	18 N
7.10 x 15	1949 402(1)	18 N	-----	---	-----	---
7.60 x 15	1949 401(1)	17 L P	-----	---	1949 402	18 N

NOTE No. 1 USE ADAPTER 2291 140

COLORS OF PINIONS

N-NATURAL LP-LIGHT PURPLE R-RED

HEAVY DUTY STANDARD TRANSMISSION, w/8 TOOTH SPEEDOMETER GEAR,
USED AFTER DATE 11-9-62 STAMPED ON TRANS. COVER

Tire Size	2.93 to 1 Ratio		3.23 to 1 Ratio		3.31 to 1 Ratio		3.55 to 1 Ratio	
	Pinion	Teeth	Pinion	Teeth	Pinion	Teeth	Pinion	Teeth
7.00 x 14	1949 402	18 N	1949 404	20 B	1949 405	21 L B	1949 406	22 Y
7.50 x 14	1949 402	18 N	1949 403	19 R	1949 404	20 B	1949 405	21 L B
8.00 x 14	-----	---	1949 403	19 R	-----	---	-----	---
6.70 x 15	1949 401	17 L P	1949 403	19 R	1949 404	20 B	1949 405	21 L B
7.10 x 15	-----	---	1949 403	19 R	-----	---	-----	---
7.60 x 15	-----	---	1949 402	18 N	-----	---	1949 404	20 B

COLORS OF PINIONS

N-NATURAL LP-LIGHT PURPLE R-RED B-BLACK Y-YELLOW LB-LIGHT BLUE

NOTES

★ Indicates use as required.
 ☐ Indicates parts not listed in any previous parts book.
 * Indicates change or addition.

Printed in U.S.A.
 Prices and specifications subject to change without notice.
 Jan. 3, 1964 Supersedes Jan. 25, 1963.

1963 PASSENGER CAR PARTS CATALOG

POLICE - TAXI

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	------	---------	----------	-------	-----------

GROUP 21 - TRANSMISSION AUTOMATIC 3 - SPEED TRANSMISSION

NOTE: For Parts not listed below for TP1, TD1, 6 cylinder, refer to Automatic Transmission Section of the Parts Catalog.

21-02-1	TRANSMISSION, w/361 cu.in. Engine	8	1	2408 005		
	w/383 cu.in. Engine	8	1	----	2408 006	
		6	1	----	2464 099	----
21-03-1	CASE, Transmission, w/361 and 383 cu.in.Engine	8	1	2400 131	2400 131	----
21-03-2	PLATE, Case Adapter	6	1	----	2125 013	----
21-03-6	COVER, Case Torque Converter, w/361 and 383 cu.in. Engine	8	1	1942 248	1942 248	----
21-03-23	SCREW, Trans. to Plate	6	4	----	6023 187	----
	Plate to Trans.	6	2	----	6012 042	----
21-03-40	PIN, Adapter Plate Dowel	6	2	----	1533 923	----
21-30-365	CABLE, Control, 47" lgh., w/361 and 383 cu.in. Engine	8	1	2266 405	2266 405	----
21-119-3	PAN, w/PLUG	6	1	E2464 312	E2464 312	
21-136-20	LEVER, Kickdown Band, w/361 and 383 cu.in. Engine	8	1	2124 666	2124 666	----
21-137-205	SPRING, Accumulator Piston	6	1	----	2464 076	----
21-138-2	REPAIR PACKAGE, Governor, w/383 cu.in.Engine, 4 Barrel Carburetor	8	1	2298 514	2298 514	----
21-138-15	SPRING, Governor Weight, TP2, TD2, w/383 cu.in. Engine, 4 Barrel Carburetor	8	1	1949 859	1949 859	----

GROUP 22 - WHEELS

22-01-5	WHEEL, 14 x 5.50		5	2298 523	2298 523	----
	15 x 5.50, w/Spring CLIP Type Hub Caps, UP TO 15 x 5.50, w/Nubbing Hub Cap, AFTER Type		5	*1856 808	*1856 808	
	15 x 6.00	8	5	*2409 855	*2409 855	
22-01-42	COVER, Wheel, 15" Wheel	8	4	----	----	2200 928
22-03-1	HUB and BRAKE DRUM, Front, 11" x 3" Brakes, Right		1	2266 390	2266 390	----
	Left		1	2266 391	2266 391	----
	11" x 3" Brakes, Right	8	1	----	----	2401 548
	Left	8	1	----	----	2401 549
22-03-2	HUB and BRAKE DRUM, Rear, 11" x 2 1/2" Brakes, Right		1	2265 354	2265 354	----
	Left		1	2265 355	2265 355	----
	11" x 3" Brakes, Right	8	1	----	----	2401 426
	Left	8	1	----	----	2401 427
22-04-11	SPRING, Rear Wheel Brake Drum Dampener, 11" x 2 1/2" Brakes		2	2266 877	2266 877	----
	Front Wheel, 11" x 3" Brakes		2	2266 877	2266 877	----
	Front and Rear Wheel, 11" x 3" Brakes	8	4	----	----	2266 877

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Jan. 25, 1963.

Printed in U.S.A.
Prices and specifications subject to change without notice.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH	DODGE	DODGE 880
------	---------------------------	------	---------	----------	-------	-----------

GROUP 22 - WHEELS - Cont'd

22-05-14	STUD, Front Hub, 11" x 3" Brakes, Right		5	----	1633 050	----
	Left		5	----	1633 051	----
	Rear Hub, 11" x 2 1/2" Brakes, Right		5	----	2265 076	----
	Left		5	----	2265 077	----
	Rear Hub, 11" x 3" Brakes, Right	8	5	----	----	1799 554
	Left	8	5	----	----	1799 555
22-08-5	CAP, Hub, 15" Wheel, w/Spring CLIP, UP TO . .		4	*1943 733	*1943 733	*1943 733
	15" Wheel, w/Nubbing Cap, AFTER Type		4	*2401 956	*2401 956	

GROUP 23 - BODY

23-17-5	CYLINDER and KEYS, Deck Lid Lock, w/o Key. . .		1	2428 245	2428 245	----
23-20-8	MAT, Front Floor, Heavy Duty, Black		1	2413 732	2413 732	----
	Use w/Std. Trans, Heavy Duty, Black			----	----	2179 550
23-21-3	MIRROR PACKAGE, Rear View Outside, Clear . .		1	2292 194	2292 194	2292 194
	Non-Glare		1	2292 195	2292 195	2292 195

1963 POLICE

CHRYSLER TC1 ENFORCER

Body Types

- 4 Door Sedan
- 4 Door Suburban

361 cu.in. Engine with single 2 bbl. Carburetor is standard equipment.
 413 cu.in. Engine with single 4 bbl. Carburetor is optional.
 Heavy Duty Manual 3 Speed Transmission is standard for both Engines.
 The Automatic 3 Speed Transmission with standard Governor is optional equipment on the 361 cu.in. Engine.
 The Automatic 3 Speed Transmission with High Speed Governor is optional on the 413 cu.in. Engine.
 In the event the parts required are not listed in this section of the catalog, refer to the 1963 "T" Series listing when specifying Parts.

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	CHRYSLER
------	---------------------------	------	---------	----------

GROUP 2 - FRONT SUSPENSION

2-14-3	BAR or SPRING, Torsion, Heavy Duty, Right	8	1	1825 606
	Heavy Duty, Left	8	1	1825 607

GROUP 3 - AXLE-REAR

3-03-1	DIFFERENTIAL, w/CARRIER, 3.23 to 1 ratio	8	1	2070 811
3-03-3	CARRIER, w/CAPS	8	1	1634 984
3-19-1	GEAR and PINION SET, 3.23 to 1 ratio	8	1	2070 817
3-22-24	CONE, Drive Pinion Front Bearing, w/ROLLERS	8	1	1401 808
	Rear	8	1	1404 472
3-22-25	CUP, Drive Pinion Front Bearing	8	1	1401 810
	Rear	8	1	1327 847

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

Printed in U.S.A.

Prices and specifications subject to change without notice.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	CHRYSLER
GROUP 3 - AXLE-REAR - Cont'd				
3-22-27	WASHER, Drive Pinion Rear Bearing, .084" thk.	8	★	1738 812
	.086" thk.	8	★	1738 813
	.088" thk.	8	★	1738 814
	.090" thk.	8	★	1738 815
	.092" thk.	8	★	1738 816
	.094" thk.	8	★	1738 817
	.096" thk.	8	★	1738 818
	.098" thk.	8	★	1738 819
	.100" thk.	8	★	1738 820
3-22-28	SHIM, Drive Pinion Front Bearing, .014" thk.	8	★	1738 805
	.016" thk.	8	★	1738 806
	.018" thk.	8	★	1738 807
	.022" thk.	8	★	1829 442
	.024" thk.	8	★	1829 443
	.026" thk.	8	★	1829 444
3-22-45	OIL SEAL, Drive Pinion Front Bearing	8	1	1828 719
GROUP 5 - BRAKE-SERVICE				
5-03-1	LINING PACKAGE, Wheel Brake Shoe	8	1	2448 320
5-03-5	SHOE and LINING, Front and Rear Wheel, Front Shoe	8	4	2401 011
	SHOE and LINING, Front and Rear Wheel, Rear Shoe	8	4	2401 012
GROUP 7 - COOLING				
7-02-1	FAN, Standard, w/Leece-Neville Alternator	8	1	2265 034
	Heavy Duty, w/Leece-Neville Alternator	8	1	2120 208
	w/413 cu.in. Engine, w/Chrysler Alternator	8	1	2402 282
7-02-16	SPACER, Fan	8	1	1730 155
7-03-1	BELT, Alternator Drive, w/361 cu.in. Engine, w/Leece-Neville Alternator	8	1	2121 250
	w/413 cu.in. Engine, w/Leece-Neville Alternator	8	1	2120 673
	Fan Drive, w/361 and 413 cu.in. Engine, w/Leece-Neville Alternator	8	1	1327 471
7-04-1	PULLEY, Fan Idler	8	1	2240 397
	Alternator Idler	8	1	1859 770
7-04-5	BRACKET, Fan Idler Pulley	8	1	2129 667
	Alternator Idler Pulley	8	1	2264 517
7-04-9	SUPPORT, Alternator Idler Pulley Bracket,			
	w/Leece-Neville Alternator, w/361, 383 and			
	413 cu. in. Engine, TC1	8	1	2406 646
7-04-10	SPACER, Fan Idler Pulley Bracket	8	1	2203 195
7-04-16	SPACER, Alternator Idler Pulley Bearing	8	1	2120 520
7-06-1	PULLEY, Fan Drive, w/Leece-Neville Alternator	8	1	1859 252
	w/Chrysler Alternator, w/o Air Conditioning	8	1	1821 449
	w/413 cu.in. Engine, w/Chrysler Alternator, w/Air Conditioning	8	1	2128 545
7-06-14	PULLEY, Fan Driven, w/Chrysler Alternator, w/o Air Conditioning	8	1	1821 452
	w/413 cu.in. Engine, w/Chrysler Alternator, w/Air Conditioning	8	1	2121 016
	w/Leece-Neville Alternator	8	1	1851 248

★ Indicates use as required.

⊔ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

Printed in U.S.A. Prices and specifications subject to change without notice.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	CHRYSLER
GROUP 7 - COOLING - Cont'd				
7-08-2	SHROUD, Fan, Upper	8	1	2417 423
	Lower	8	1	2417 427
7-08-15	SCREW, Fan Shroud	8	8	6023 092
	STUD, Upper to Lower Shroud	8	2	1641 903
7-08-16	NUT	8	★	6000 124
7-11-3	CORE, Radiator, High Capacity, w/361 cu.in. Engine	8	1	2276 847
	w/413 cu.in. Engine	8	1	2276 851

GROUP 8 - ELECTRICAL				
8-27-1	DISTRIBUTOR, Double Breaker, w/413 cu.in. Eng., one 4 Barrel Carburetor	8	1	2098 495
8-28-3	ALTERNATOR, 40 Amp.		1	*2098 850
8-28-15	STRAP, Alternator Adjusting, w/361 cu.in. Eng., w/o Air Conditioning, w/Leece-Neville Alternator	8	1	2206 348
	w/413 cu.in. Eng., w/o Air Conditioning, w/Leece-Neville Alternator	8	1	2268 928
8-28-36	BRACKET, Alternator Mounting, Front, w/o Air Conditioning, w/Leece-Neville Alternator, w/361 cu.in. Eng.	8	1	2206 346
	w/Spring Anchor, w/o Air Conditioning, w/Leece-Neville Alternator, w/361 and 413 cu.in. Eng.	8	1	2206 347
	w/413 cu.in. Eng., w/o Air Conditioning	8	1	2268 927
8-36-114	PLUG, Spark, High Performance, Champion J-10Y	8	8	*2098 337
8-37-1	AMMETER, 60 Amp.		1	2291 694
	100 Amp.		1	2290 425
8-37-372	SPEEDOMETER, 60 Amp.		1	2291 692

GROUP 9 - ENGINE

NOTE: Specify engine detail parts listed in the 1963 parts catalog for TC1 w/413 cu.in. Engine.

9-01-24	SHORT ENGINE, w/361 cu.in. Engine, w/1-2 Barrel Carburetor, see Note..	8	1	2268 314
	SHORT ENGINE, w/413 cu.in Engine, see Note	8	1	2268 310

GROUP 11 - EXHAUST				
11-01-1	MUFFLER, except Sub., Aluminized, Right	8	1	2409 134
	Left	8	1	2409 133
	Zinc Coated, except Sub.	8	2	2208 405
	Front, Sub.	8	2	*2405 331
	Rear, Sub.	8	2	2409 136
11-02-1	CLAMP PACKAGE, Tail Pipe Rear Support, except Sub.	8	2	2240 312
	Sub.	8	2	2240 311
	Tail Pipe Front Support, except Sub.	8	2	*2240 311
	Sub.	8	2	1843 009
	Front Muffler to Intermediate, Sub.	8	2	*2240 311
	Front Muffler to Exhaust Extension	8	2	2240 312
	Muffler to Exhaust Extension, except Sub.	8	2	1603 364

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	CHRYSLER
GROUP 11 - EXHAUST - Cont'd				
11-02-4	SUPPORT, w/INSULATOR, Front Muffler, Sub., Right	8	1	2122 796
	Left	8	1	1948 549
11-05-1	PIPE, Exhaust, except Sub., Right	8	1	2265 952
	Left	8	1	2265 950
	Sub., Right	8	1	2123 481
	Left	8	1	2123 479
11-05-4	PIPE, Exhaust Extension, except Sub., Right	8	1	2405 330
	Left	8	1	2405 329
	Sub., Right	8	1	2123 492
	Left	8	1	2123 491
11-05-12	FLANGE, Extension Pipe Ball Joint, Sub.	8	2	1946 637
11-09-3	PIPE, Tail, Right, except Sub.	8	1	*2401 569
	Left, except Sub.	8	1	*2401 568
	Sub., Right	8	1	1948 589
	Left	8	1	1948 588
	Intermediate, Sub., Right	8	1	1948 536
	Left	8	1	1948 535
11-10-3	SUPPORT, w/INSULATOR, Tail Pipe Front, except Sub.	8	2	2123 440
	Rear, except Sub.	8	2	2203 680
	Front, Sub.	8	2	2123 438
	Rear, Sub., Right	8	1	2208 394
	Left	8	1	2208 393

GROUP 14 - FUEL

14-01-3	SHIELD, Accelerator Pedal Lever	8	1	2129 264
14-24-1	CABLE, Fast Idle	8	1	917 248
14-24-4	COLLAR, Fast Idle Cable	8	1	2268 677
14-24-5	PIN, Fast Idle Cable	8	1	2268 679
14-24-9	SWIVEL, Fast Idle Cable	8	1	639 173
14-24-11	CLIP, Fast Idle Cable Swivel	8	1	639 174
14-29-2	AIR CLEANER PACKAGE	8	1	2298 938
14-29-6	FILTER, Air Cleaner	8	1	1946 923
14-30-1	CARBURETOR	8	1	2402 515
14-30-2	GASKET, Carburetor Flange	8	1	2121 952
14-30-4	REPAIR PACKAGE, Carburetor	8	1	2299 233
	ZIP KIT, Carburetor	8	1	2299 080
14-30-7	GASKET PACKAGE, Carburetor	8	1	2196 212
14-30-8	NEEDLE, w/SEAT, Carburetor Float	8	2	2196 207
14-30-27	STRAINER, Carburetor Fuel Inlet	8	1	1826 864
14-30-28	NUT, Fuel Inlet Strainer	8	1	1826 863

★ Indicates use as required.

⊕ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	CHRYSLER
GROUP 14 - FUEL - Cont'd				
14-35-1	JET, Main Metering, Primary	8	2	2240 464
	Secondary	8	2	2299 231
14-39-45	CHOKE, Carburetor	8	1	2402 201
14-41-3	PLUNGER, w/ROD, Carburetor Pump	8	1	1826 369
14-43-5	ROD, Carburetor Step-Up	8	2	2299 230

GROUP 16 - PROPELLER SHAFT AND UNIVERSAL JOINT

NOTE: When it becomes necessary to service Propeller Shaft or Front Universal Joint on all V8 Engine's Police Cars it is recommended that the Shaft be replaced as a Complete Assembly. As listed below.

16-02-1	SHAFT, w/361, 413 cu. in. Eng., w/Heavy Duty Std. Trans., TC1	8	1	2401 478
---------	--	---	---	----------

GROUP 17 - SPRING

17-11-3	SPRING, Rear, except Sub.	8	2	2448 303
	Sub., Right	8	1	2275 870
	Left	8	1	2275 871
17-19-3	BUMPER, Side Rail Rear Axle	8	2	2206 939
17-23-3	ABSORBER PACKAGE, Front Shock	8	2	2298 807
	Rear, 1" dia.	8	2	2240 360
	Rear, 1 3/8" dia.	8	2	2240 362

GROUP 21 - TRANSMISSION

21-02-1	TRANSMISSION, w/413 cu.in. Engine, Automatic 3 Speed	8	1	2408 006
21-138-2	REPAIR PACKAGE, Governor, w/413 cu.in. Engine, Automatic 3 Speed ...	8	1	2298 514
21-138-15	SPRING, Governor Weight, w/413 cu.in. Engine, Automatic 3 Speed	8	1	1949 859

GROUP 22 - WHEELS

22-01-5	WHEEL, 14 x 6.00	8	5	2275 898
	15 x 6.00	8	5	2200 928
22-01-42	COVER, 15" Wheel	8	4	2260 160
22-03-1	HUB and BRAKE DRUM, Front, 11" x 3" Brakes, Right	8	1	2401 548
	Left	8	1	2401 549
22-03-2	HUB and BRAKE DRUM, Rear, 11" x 3" Brakes, Right	8	1	2401 426
	Left	8	1	2401 427

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

Printed in U.S.A.
Prices and specifications subject to change without notice.

Jan. 3, 1964 Supersedes Jan. 25, 1963.

TAXI

1963 TAXI VEHICLES

BODY TYPE
4 DOOR SEDAN

Plymouth 6 - 225 cu. in. Engine
Plymouth 8 - 318 cu. in. Engine
Dodge 6 - 225 cu. in. Engine
Dodge 8 - 318 cu. in. Engine

In the event parts required are not listed in this section of the Catalog, refer to the 1963 "T" Series listing when specifying Parts.

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	PLYMOUTH DODGE
GROUP 2 - FRONT SUSPENSION				
2-14-3	BAR or SPRING, Torsion, Heavy Duty, Right		1	1857 778
	Heavy Duty, Left		1	1857 779
GROUP 3 - AXLE-REAR				
3-03-1	DIFFERENTIAL, Rear Axle, w/CARRIER, 2.93 to 1 ratio	6	1	2070 579
	3.23 to 1 ratio	6	1	2070 771
	3.55 to 1 ratio	6	1	2070 908
	CARRIER, Differential, w/CAPS	6	1	1820 698
3-04-6	CASE, Differential	6	1	1850 370
3-06-5	GEAR, Differential Side	6	2	2070 148
3-06-6	WASHER, Differential Side Gear Thrust	6	2	1633 960
3-07-1	PINION, Differential	6	2	1633 959
3-07-2	WASHER, Differential Pinion	6	2	1633 961
3-08-1	SHAFT, Differential Pinion	6	1	1633 928
3-08-2	PIN, Differential Pinion Shaft Lock	6	1	1633 937
3-11-1	CONE, Differential, w/ROLLERS	6	2	1790 523
3-19-1	GEAR and PINION SET, Rear Axle, 2.93 to 1 ratio	6	1	2070 569
	3.23 to 1 ratio	6	1	2070 816
	3.55 to 1 ratio	6	1	2070 915
3-22-26	SPACER, Drive Pinion Rear Bearing	6	1	1738 826
3-32-8	BLOCK, Axle Drive Shaft Thrust	6	1	1940 604

★ Indicates use as required.
 □ Indicates parts not listed in any previous parts book.
 * Indicates change or addition.

Printed in U.S.A.
 Prices and specifications subject to change without notice.
 Jan. 3, 1964 Supersedes Dec. 14, 1962.

1963 PASSENGER CAR PARTS CATALOG

POLICE-TAXI

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH DODGE
GROUP 4 - BRAKE-PARKING				
3-1	LEVER, Control		1	2401 760
1-3	BRACKET, Mounting		1	2401 302
1-26	ANCHOR, Return Spring		1	2265 324
1-27	PIN, Handle Stop		1	1405 532
1-35	PIN, Lever Hinge		1	1732 198
1-36	RETAINER, Lever Hinge Pin		1	1829 817
1-37	HINGE, Control Lever		1	2265 322
1-6	PIN, Pawl Pivot		2	1405 533
1-1	SPRING, Control Lever Return		1	1946 446
1-1	CABLE, Front		1	2401 773
1-24	PIN, Clevis		1	2265 269
1-28	CLAMP, Cable		1	2401 303
GROUP 5 - BRAKE-SERVICE				
1-1	LINING PACKAGE, Brake Shoe		1	2421 314
1-5	SHOE, w/LINING, Front Wheel, Front Shoe		2	2401 806
	Front Wheel, Rear Shoe		2	2401 807
	Rear Wheel, Front Shoe		2	2401 800
	Rear Wheel, Rear Shoe		2	2401 801
1-6	SHOE, Front Wheel		4	2260 654
	Rear Wheel		4	2260 886
1-23	SPRING, Brake Shoe Return		8	2260 789
1-1	SUPPORT, Wheel Brake, Front		2	2265 563
	Rear, Right		1	2265 564
	Rear, Left		1	2265 565
GROUP 7 - COOLING				
1-1	FAN ASSEMBLY, Standard	8	1	2265 034
	Heavy Duty	8	1	2120 208
1-16	SPACER, w/Standard Fan	8	1	2265 036
	w/Heavy Duty Fan	8	1	1825 956
1-1	BELT, Engine to Alternator to Fan w/Leece-Neville Alternator	6	1	2264 463
	Engine to Fan, w/Leece-Neville Alternator	8	1	1821 684
	Engine to Alternator, w/Leece-Neville Alternator	8	1	1673 650
	Engine to Strg. Pump	8	1	1854 895
1-1	PULLEY, Fan Idler, w/Leece-Neville Alternator	8	1	2240 397
	Alternator Idler, w/Leece-Neville Alternator	8	1	1859 770
1-5	BRACKET, Fan Idler, w/Leece-Neville Alternator	8	1	2129 666
	Alternator Idler, w/Leece-Neville Alternator	8	1	2264 517
1-10	SPACER, Alternator Idler Pulley Bracket, w/Leece-Neville Alternator	8	1	2202 380

Items use as required.
 Items parts not listed in any previous parts book.
 3, 1964 Supersedes Dec. 14, 1962.

Printed in U.S.A.
 Prices and specifications subject to change without notice.
 * Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH DODGE
GROUP 7 - COOLING - Cont'd				
7-04-13	BRACKET, Alternator Idler Pulley Bracket Spacer, w/Leece-Neville Alternator	8	1	1945 384
7-04-16	SPACER, Alternator Idler Pulley Bearing, w/Leece-Neville Alternator	8	1	2120 520
7-06-1	PULLEY, Fan Drive, w/Leece-Neville Alternator	6	1	2264 449
	w/Leece-Neville Alternator	8	1	1859 580
7-06-3	HUB, Drive Pulley, w/Leece-Neville Alternator	8	1	1733 805
7-06-14	PULLEY, Fan Driven, w/Leece-Neville Alternator	6	1	2264 450
7-08-2	SHROUD, Fan, Upper	8	1	2417 423
	Lower	8	1	2417 427
7-08-13	BRACKET, Fan Shroud	8	4	2099 555
7-08-15	SCREW, Fan Shroud Bracket	8	8	6023 092
	STUD, Upper to Lower Shroud	8	2	1641 903
7-08-16	NUT	8	★	6000 124
7-11-3	CORE, Radiator, High Capacity	6	1	2276 830
		8	1	2276 839

GROUP 8 - ELECTRICAL				
8-27-1	DISTRIBUTOR, Chrysler Built, w/Std. Trans., w/170 cu. in. Eng.	6	1	2098 667
	Chrysler Built, w/Auto. Trans., w/170 cu. in. Eng.	6	1	2098 677
8-28-3	ALTERNATOR, 40 Amp.		1	*2098 850
8-37-1	AMMETER, 60 Amp., TP1, TP2		1	2290 586
	60 Amp., TD1, TD2		1	2290 448
	100 Amp.		1	2290 425
8-37-372	SPEEDOMETER, 60 Amp., TP1, TP2		1	2290 572
	60 Amp., TD1, TD2		1	2290 443
8-52-4	STARTING MOTOR, w/Std. Trans., 11" Clutch	6	1	*2095 753
8-58-60	SWITCH, Stop Lamp, w/WIRING and BRACKET		1	*2496 985
	w/o Wiring and Bracket		1	*2497 124

GROUP 9 - ENGINE				
9-01-24	SHORT ENGINE, w/225 cu. in. Engine	6	1	2206 132
	SHORT ENGINE, w/318 cu. in. Engine	8	1	2402 971
9-45-1	FLYWHEEL, w/Ring GEAR, w/11" Clutch	6	1	*2128 488
9-45-2	GEAR, Torque Converter Ring	6	1	1941 648
	GEAR, Flywheel, w/11" Clutch	6	1	*1673 646
9-46-4	TORQUE CONVERTER	6	1	2125 090
9-46-8	PLATE, Drive Torque Converter	6	1	2204 719
9-46-21	SCREW, Torque Converter to Crankshaft	6	6	6022 148
9-46-33	BRACKET, Transmission Oil Cooler Tube	6	1	1949 176
9-46-61	ADAPTER, Torque Converter Drive Plate	6	6	2202 472

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

Printed in U.S.A.

Prices and specifications subject to change without notice.

Jan. 3, 1964 Supersedes Dec. 14, 1962.

1963 PASSENGER CAR PARTS CATALOG

POLICE-TAXI

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH DODGE
GROUP 9 - ENGINE - Cont'd				
9-46-130	OIL SEAL, Torque Converter Impeller Hub	6	1	1942 020
9-64-24	BRACKET, Engine Front Support Insulator, Left	6	1	2264 679
	BRACKET, Engine Front Support Insulator, Right, w/11" Clutch	6	1	*2264 668
9-67-4	INSULATOR, Engine Front Support, Right	6	1	2406 672
	Left	6	1	2406 674
	INSULATOR, Engine Front Support, Right, w/11" Clutch	6	1	*2264 140
	Right, w/Auto. Trans.	6	1	*2406 672
	Left, w/Auto. Trans.	6	1	*2406 674
GROUP 10 - ENGINE OILING				
10-26-6	OIL FILTER, Replaceable Cartridge Type, Including CARTRIDGE	6	1	2128 548
10-26-8	CARTRIDGE	6	1	2129 023
GROUP 11 - EXHAUST				
11-02-1	CLAMP PACKAGE, Exhaust Pipe Brace	6	1	1843 010
11-05-1	PIPE, Exhaust, w/Auto. Trans., TP1 2 D., 4 D. and Sub., TD1 Sub.	6	1	*2409 148
	w/Std. Trans., 2 D. and 4 D., TP1	6	1	*2208 428
	w/Std. Trans., 2 D. and 4 D., TD1	6	1	*2267 007
	w/Auto. Trans., 2 D. and 4 D., TD1	6	1	*2409 152
11-08-5	BRACE, Exhaust Pipe Support and Clamp, Std. Trans., 2 D. and 4 D.	6	1	*2203 638
	w/Auto. Trans.	6	1	*2409 155
GROUP 14 - FUEL				
TP1, TD1, Taxi and Police Car, w/A727 Trans.				
14-11-9	ROD, Engine Bell Crank to Carburetor, w/o Governor	6	1	2268 356
	ROD, Engine Bell Crank to Carburetor, w/Governor	6	1	2406 763
	ROD, Engine Bell Crank to Trans.	6	1	2406 683
14-14-12	BRACKET, w/Bell Crank Throttle Control.	6	1	2402 246
14-14-20	STUD, Throttle Control Bell Crank.	6	1	2402 214
14-24-1	CABLE, Fast Idle	6	1	917 248
	NUT	6	1	124 939
	WASHER, Lock	6	1	138 498
14-25-5	CLIP, Fast Idle Cable	6	1	2402 210
14-25-11	CABLE, Throttle Control	6	1	2406 789
14-25-12	PIN, Throttle Control Cable	6	1	2264 706
	CLIP	6	1	6023 285
14-26-6	BRACKET, Throttle Control Cable	6	1	*2448 746
14-29-2	AIR CLEANER, Oil Bath, Taxi	6	1	1859 750
14-29-10	ADAPTER, Air Cleaner to Carburetor, Taxi.	6	1	2129 000

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.
Jan. 3, 1964 Supersedes Jan. 25, 1963.

Printed in U.S.A.

Prices and specifications subject to change without notice.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	PLYMOUTH DODGE
GROUP 14 - FUEL - Cont'd				
14-30-1	CARBURETOR, TP1, TD1, Stamped 3236S	6	1	*2299 204
	NUT	6	2	120 369
	STUD.	6	2	9418 080
14-30-2	GASKET, Carburetor Flange	6	1	2205 582
14-30-4	REPAIR PACKAGE, Carburetor	6	1	2240 471
	ZIP KIT, Carburetor	6	1	2299 073
14-30-7	GASKET PACKAGE, Carburetor	6	1	2240 472
14-30-8	NEEDLE, w/SEAT, Carburetor Float	6	1	2240 401
14-35-1	JET, Carburetor Main Metering	6	1	1618 157
14-39-45	CHOKE, Carburetor	6	1	2402 527
14-41-3	PLUNGER, w/ROD, Carburetor Pump	6	1	2196 214
14-43-5	ROD, Carburetor Step-Up	6	1	1631 502
14-68-8	SPACER, Governor to Carburetor, Taxi	6	1	2406 762
GROUP 17 - SPRINGS				
17-11-3	SPRING, Rear, Right	6	1	2275 862
	Left	6	1	2275 862
		8	2	2298 512
17-23-3	ABSORBER PACKAGE, Front Shock		2	2275 883
	Rear, 1" dia.		2	2275 849
	Rear, 1 3/8" dia.		2	2275 848
GROUP 19 - STEERING				
19-48-1	ROD, Gearshift Control, first and reverse	6	1	2208 171
19-48-7	SMALL PARTS PACKAGE		1	2421 771
19-48-45	SHAFT, Torque	6	1	2208 166
19-54-86	PULLEY, Power Steering Pump	6	1	2202 851
19-54-91	STRAP, Power Steering Pump Bracket to Water Body	6	1	2268 766
19-54-115	BRACKET, Power Steering Pump	6	1	2129 916
	BRACKET, Power Steering Pump Engine	6	1	2202 846
19-54-123	BOLT, Power Steering Pump Engine Bracket Swivel	6	1	2202 850
	SCREW, w/WASHER, Power Steering Pump Bracket Adjusting	6	2	1945 404
19-54-132	NUT, Power Steering Pump Engine Bracket Swivel Bolt	6	1	2129 684

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

1963 PASSENGER CAR PARTS CATALOG

POLICE-TAXI

CODE	PART NAME AND DESCRIPTION	C Y L.	PER CAR	PLYMOUTH DODGE
GROUP 21 - TRANSMISSION				
MANUAL TRANSMISSION				
21-01-3	GASKET SET	6	1	2275 893
21-02-1	TRANSMISSION, w/7 Tooth Speedometer Gear, used UP TO date 11-9-62 stamped on Trans. Cover	6	1	2400 846
	w/8 Tooth Speedometer Gear, used AFTER date 11-9-62 stamped on Trans. Cover	6	1	2464 094
21-03-1	CASE	6	1	2400 829
21-04-1	EXTENSION	6	1	2400 627
21-04-2	GASKET, Extension	6	1	2124 519
21-04-11	BEARING, Extension	6	1	1672 194
21-09-2	PINION, Drive, 24T., 18T., 23 Splines, 10 17/32" lgh., w/7 Tooth Speedometer Gear, used UP TO date 11-9-62 stamped on Trans. Cover.	6	1	2125 195
	24T., 18T., 23 Splines, 10 17/32" lgh., w/8 Tooth Speedometer Gear, used AFTER date 11-9-62 stamped on Trans. Cover	6	1	2408 147
21-09-5	BEARING, Drive Pinion	6	1	2124 516
21-09-29	RETAINER, Pinion Bearing	6	1	2124 945
21-09-33	GASKET, Retainer	6	1	2124 499
21-10-4	GEAR, Sliding, First and Reverse	6	1	2124 561
21-10-16	GEAR, Second Speed	6	1	2124 560
21-11-1	GEAR, Reverse Idler	6	1	2124 562
21-11-9	WASHER, Reverse Idler Gear	6	2	2204 978
21-14-1	SYNCHRONIZER UNIT	6	1	⊠2400 864
21-14-5	GEAR, Clutch	6	1	2204 666
21-14-15	SPRING, Synchronizer Stop Ring	6	1	2205 061
21-14-19	RING, Synchronizer Stop, Outer	6	2	⊠2400 865
	Inner	6	2	2124 472
21-14-20	SNAP RING, Clutch Gear	6	1	2205 192
21-15-2	GEAR, Countershaft	6	1	2124 386
21-15-33	WASHER, Countershaft Gear, .057" thk.	6	★	2124 505
	.062" thk.	6	★	2124 504
21-16-3	SHAFT, Main, 32, 34, 23, Splines, 25 1/4" lgh., w/7 Tooth Speedometer Gear, used UP TO date 11-9-62 stamped on Trans. Cover	6	1	2408 009
	32, 34, 23 Splines, 25 1/4" lgh., w/8 Tooth Speedometer Gear, used AFTER date 11-9-62 stamped on Trans. Cover	6	1	2408 041
21-17-7	SNAP RING, Mainshaft Pilot Bearing Roller	6	1	862 173
21-19-2	BEARING, Main Shaft, Front	6	1	620 521
21-19-15	SNAP RING, Main Shaft Bearing, .087" thk.	6	★	2124 508
	.090" thk.	6	★	2124 509
	.093" thk.	6	★	2124 510
	.096" thk.	6	★	2124 511

★ Indicates use as required.

⊠ Indicates parts not listed in any previous parts book.

Jan. 3, 1964 Supersedes Jan. 25, 1963.

Printed in U.S.A.
Prices and specifications subject to change without notice.

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL.	PER CAR	PLYMOUTH DODGE
------	---------------------------	------	---------	-------------------

GROUP 21 - TRANSMISSION - Cont'd

MANUAL TRANSMISSION

21-22-2	OIL SEAL, Bearing	6	1	2205 080
21-24-2	COUNTERSHAFT	6	1	2124 393
21-24-19	PLATE or WASHER, Bearing Roller Thrust	6	1	2124 474
21-25-2	ROLLER, Countershaft Bearing	6	88	2124 502
21-25-4	SPACER, Countershaft Bearing	6	1	2124 473
21-25-6	WASHER or RING, Bearing Roller Thrust	6	4	2124 506
21-29-3	COVER, Case	6	1	2124 465
21-29-25	GASKET, Cover	6	1	2124 466
21-30-428	SWIVEL, Interlock	1	6	2404 859
21-30-429	CLAMP, Interlock	6	1	2204 274
21-34-47	SPRING, Interlock Ball	6	1	*2205 131
21-39-3	FORK, Gearshift, Low and Reverse	6	1	2124 463
	Second and Direct	6	1	2124 462
21-42-11	LEVER, Gearshift, Low and Reverse	6	1	2124 523
	Second and Direct	6	1	2124 494
21-42-23	LEVER, Operating, Low and Reverse	8	1	2204 932
	Low and Reverse	6	1	2400 562
	Second and Direct	6	1	2208 160
	Interlock, Low and Reverse	6	1	2400 716
	CLIP, Interlock Lever	6	1	6025 071
	WASHER, Interlock Lever	6	1	6023 596
21-42-28	PIN, Low and Reverse Interlock Lever Pivot	6	1	2400 568
21-42-29	PAWL, Low and Reverse Interlock Lever	6	1	2400 715

NOTES

★ Indicates use as required.
 ☐ Indicates parts not listed in any previous parts book.
 * Indicates change or addition.

Printed in U.S.A.
 Prices and specifications subject to change without notice.

GROUP 21 - TRANSMISSION - Cont'd
MANUAL TRANSMISSION

21-85-0 TRANSMISSION SPEEDOMETER PINION

21-85-5 PINION

HEAVY DUTY MANUAL TRANSMISSION, w/7 TOOTH SPEEDOMETER GEAR,
USED UP TO DATE 11-9-62 STAMPED ON TRANS. COVER

Tire Size	3.23 to 1 Ratio		3.55 to 1 Ratio		COLORS-OF-PINIONS
	Pinion	Teeth	Pinion	Teeth	
7.00 x 14	1949 402	18 N	1949 403	19 R	N-NATURAL LP-LIGHT PURPLE R-RED
7.50 x 14	1949 401	17 LP	1949 403	19 R	
6.70 x 15	1949 401	17 LP	1949 402	18 N	
7.10 x 15	1949 402	18 N			
7.60 x 15	1949 401	17 LP	1949 402	18 N	

HEAVY DUTY MANUAL TRANSMISSION, w/8 TOOTH SPEEDOMETER GEAR,
USED AFTER DATE 11-9-62 STAMPED ON TRANS. COVER

Tire Size	3.23 to 1 Ratio		3.55 to 1 Ratio		COLORS OF PINIONS
	Pinion	Teeth	Pinion	Teeth	
7.00 x 14	1949 404	20 B	1949 406	22 Y	B-BLACK R-RED N-NATURAL Y-YELLOW LB-LIGHT BLUE
7.50 x 14	1949 403	19 R	1949 405	21 LB	
6.70 x 15	1949 403	19 R	1949 405	21 LB	
7.10 x 15	1949 403	19 R	----	---	
7.60 x 15	1949 402	18 N	1949 404	20 B	

NOTES

★ Indicates use as required.
B Indicates parts not listed in any previous parts book.
Jan. 3, 1964 Supersedes Jan. 25, 1963.

Printed in U.S.A.
Prices and specifications subject to change without notice.
* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	C Y L	P E R C A R	PLYMOUTH DODGE
------	---------------------------	-------------	----------------------------	-------------------

GROUP 21 - TRANSMISSION - Cont'd

AUTOMATIC 3-SPEED TRANSMISSION

NOTE: For parts not listed below for TP1, TD1, 6 Cylinder, refer to Automatic Transmission Section of the Parts Catalog.

21-02-1	TRANSMISSION	6	1	2464 099
21-03-2	PLATE, Case Adapter	6	1	2125 013
21-03-23	SCREW, Trans. to Plate	6	4	6023 187
	Plate to Trans.	6	2	6012 042
21-03-40	PIN, Adapter Plate Dowel	6	2	1533 923
21-137-205	SPRING, Accumulator Piston	6	1	2464 076

GROUP 22 - WHEELS

22-01-5	WHEEL, 14" x 5.50"	5		2298 523
	15" x 5.00"	5		1856 808
22-03-1	HUB and BRAKE DRUM, Front, 11" x 3" Brakes, Right	1		2266 390
	Left	1		2266 391
22-03-2	HUB and BRAKE DRUM, Rear, 11" x 2 1/2" Brakes, Right	1		2265 354
	Left	1		2265 355
22-04-11	SPRING, Rear Wheel Brake Drum Dampener, 11" x 2 1/2" Brakes	2		2266 877
	Front Wheel, 11" x 3" Brakes	2		2266 877
22-05-14	STUD, Front Hub, 11" x 3" Brakes, Right	5		1633 050
	Left	5		1633 051
	Rear Hub, 11" x 2 1/2" Brakes, Right	5		2265 076
	Left	5		2265 077
22-08-5	CAP, Hub, 15" Wheel	4		1943 733

GROUP 23 - BODY

23-17-5	CYLINDER and KEYS, Deck Lid Lock, w/o Key	1		2428 245
23-20-8	MAT, Front Floor, Heavy Duty, Black	1		2413 732
23-21-3	MIRROR PACKAGE, Rear View Outside, Clear	1		2292 194
	Non-Glare	1		2292 195

NOTES

★ Indicates use as required.

☐ Indicates parts not listed in any previous parts book.

* Indicates change or addition.

Printed in U.S.A.
Prices and specifications subject to change without notice.

January 3, 1964.

