QUICK REFERENCE INDEX To use, bend manual back to expose black spots on pages of the various sections. Then, by means of the index arrows on this page, locate the corresponding black spots on the first page of the section you desire to find.

# 1963 Imperial and Chrysler SERVICE MANUAL

## MODELS

TC-1 (NEWPORT) TC-2 (300)
TC-3 (NEW YORKER) TY-1 (IMPERIAL)

This Service Manual is compiled as a reference and guide to provide the Imperial and Chrysler Service Technicians with the proper adjustments and repair procedures for servicing the 1963 Imperial and Chrysler Vehicles. Supplementary Service Bulletins issued from time to time and an understanding of the material compiled herein, will assist the service personnel to maintain the quality standards built into the Imperial and Chrysler Vehicles.

In order to use the Service Manual to the best advantage, the corresponding or superseding vehicle models must be understood. The supersedence of these models is as follows:

#### CHRYSLER MODELS

*C-300J	TC-2-300J	*C-300H	SC-2-300H
New Yorker	TC-3	New Yorker	SC-3
300*	TC-2	300*	SC-2
Newport	TC-1	Newport	SC-1
	1963		1962

#### IMPERIAL MODELS

ustom, Crown,	Custom, Crown,		
LeBaron	TY-1	LeBaron	SY-

The service tools referred to in this Manual are available through the Miller Manufacturing Company, 17640 Grand River Avenue, Detroit 27, Michigan, U.S.A. unless otherwise specified.

Extra copies of this Manual are available at \$5.00 each under Part Number 81-070-3081. Order from Chrysler-Plymouth Division, Service Department, P.O. Box 1658, Detroit 31, Michigan.


# CHRYSLER-PLYMOUTH DIVISION

Chrysler Corporation


#### **DETROIT 31, MICHIGAN**

Chrysler Corporation reserves the right to make changes in design or to make additions to or improvements in its product without imposing any obligations upon itself to install them on its products previously manufactured.


GRO	UP	INDE	X	
Group	Title			
Introducti General		-		
O Lubrication Maintena				
1 Accessorie Mirrors)	es (Ra	dios, He	eaters,	
2 Front Sus	pensio	n		
3 Rear Axle	:			
5 Brakes				
6 Clutch				
7 Cooling S	ystem		-	
8 Electrical	and Ir	strume	nts	
9 Engine				
10 Engine Oi	ling Sy	stem		_
11 Exhaust S	ystem			
13 Frame				
14 Fuel Syste Tank)	m (Pu	mp, Ca	rburetor,	
16 Propeller Universal		and		
17 Springs a	ıd Sho	ck Abs	orbers	
19 Steering Gear Arm,			Steering	-
21 Transmissi	on (To	rque C	onverter)	
22 Wheels, B	earing:	and 1	lires	-
23 Body and	Sheet	Metal		
24 Air-Conditi	oning			




TY-1 IMPERIAL CUSTOM FOUR-DOOR HARDTOP



TC-3 NEW YORKER FOUR-DOOR HARDTOP



TC-2-300 TWO-DOOR HARDTOP



TC-1 NEWPORT FOUR-DOOR HARDTOP

Fig. 1—1963 Imperial and Chrysler Models

63 x 424

### **FACTORY CONTACT**

The following outline of the proper procedure to use in obtaining assistance or advice on any matter applying to Service will insure your inquiries receiving prompt attention and handling. Make certain those members of your organization who might have the occasion to contact either your Regional Office or the factory, are thoroughly familiar with this procedure. All matters pertaining in any way to Warranty Service Claims, or of a technical nature, should be handled by you direct with your Regional Service Office. When in doubt as to the proper procedure to follow in the handling of a claim or complaint, prompt results can be obtained through a letter, telegram or phone call to your Regional Service Office—making certain to include all necessary information. If the aid of a Service Representative is necessary, the Regional Office will arrange for his contact as promptly as circumstances permit.

Letters or telegrams to the Regional Service Office, should be confined to one subject only and should include the following information:

Car Serial Number Date of Sale Owner's Name Mileage

Complete description of difficulty, corrective action taken, your recommendations as to what should be done and the reason for so doing.

Include Paint and Trim Code Numbers where finish, upholstery, body or sheet metal is involved, and estimate of net cost of repairs.

#### CHRYSLER-PLYMOUTH DIVISION

With the exception of orders for parts or parts literature, all requests for Imperial, Chrysler, Plymouth or Valiant Service literature such as Service Bulletins, Service Manuals, Owner Manuals, Time Schedules, W.S.C's or other Chrysler—Plymouth Division Service literature, should be addressed to:

(Letters)

Detroit 31, Michigan

(Telegrams)

Chrysler Corporation
Chrysler - Plymouth Division
Service Department
P.O. Box 1658

Chrysler - Plymouth Division

Attention,

(Name of person to whom sent)

WUX

Detroit, Michigan

(Phone) 822-4700

NOTE: Please make certain to include the Code WUX on all telegrams to the Chrysler-Plymouth Division as this insures delivery direct to our Teleprint Room thus eliminating delay.

#### MASTER TECHNICIANS SERVICE CONFERENCE

All correspondence concerning enrollment in the M.T.S.C. Program, issuance of awards, orders for additional material, the return of reports, or any other matters relating to this program, should be addressed to:

Master Technician Service Conference Chrysler Corporation Training Center P.O. Box 2119 Detroit 31, Michigan (Phone) 539-3000

#### PARTS DIVISION General

ALL orders for parts or accessories, emergency or otherwise, should be forwarded direct to your usual source of supply or to the parts plant listed below serving the area in which you are located.

To insure your receiving the parts required by you more promptly, close attention should be given to the procedure listed under "Ordering Information" and "Your Parts Orders" in the introductory front part of all MoPar Parts Lists. Particularly where parts are ordered for a specific car, it is very essential that your order include the car serial and engine numbers, and in the case of body parts, the body number.

#### CENTER LINE, MICHIGAN

Mail Address:

Chrysler Motors Corporation Center Line Parts Plant P.O. Box 300 Center Line, Michigan Telephone—Detroit 539-3000

# NEWARK, DELAWARE Mail Address:

Chrysler Motors Corporation
Delaware Parts Plant
South College Avenue
P.O. Box 120
Newark, Delaware
Telephone—Newark
Endicott 8-2521

#### SAN LEANDRO, CALIFORNIA

Mail Address:

Chrysler Motors Corporation San Leandro Parts Plant 1950 Davis Street San Leandro, California Telephone—San Leandro Neptune 8-6200

#### ATLANTA, GEORGIA

Mail Address:

Chrysler Motors Corporation Atlanta Parts Plant 1150 Murphy Avenue, S.W. P.O. Box 10786 Atlanta 10, Georgia Telephone—Atlanta Plaza 5-2531.

#### KANSAS CITY, KANSAS

Mail Address:

Chrysler Motors Corporation Kansas City Parts Plant Funston & Chrysler Roads Kansas City 15, Kansas Telephone—Kansas City, Kansas Fairfax 1-3300

#### **Parts Division Literature**

Request for Parts Division literature such as Parts Books, Parts Price Lists, Parts Bulletins, etc., should be forwarded direct to:

Chrysler Motors Corporation

P.O. Box 1718

Detroit 31, Michigan

Attention: Parts Catalog Department

Shortage of Accessories or Other Equipment on New Cars

Before placing an order for missing accessories, other parts or equipment, on new cars received, examine the vehicle for the presence of a "back order" notice, which if present, will be found attached to the bracket for the inside rear view mirror. Such back-ordered short items will be shipped from the assembly plant as soon as stock is available, and should not be ordered from the Parts Division.

**Emergency Orders** 

Where a part required for an "Emergency" is not readily available from your usual parts source, an order plainly marked "Emergency Order" and including complete details on the need for the materials, should be placed with the above parts plant serving the area in which you are located. Orders so marked and which are, in the opinion of the Parts Division, for a bona fide immediate emergency need, will receive emergency handling. Emergency orders should not be forwarded to the Division Service Department.

Should the occasion arise that the part required is not available at the plant ordered from, you will be notified that the part is on back-order. In the meantime, your order will continue to receive emergency handling by the Parts Division with shipment being made as promptly as it is available.

# LICENSE DATA

The following revised method of numbering vehicles and their engines will be used on the 1963 Models.

This revision will provide the Sales Department with the information desired as to model, year built and the serial number.

The starting vehicle number will be as follows:

#### **CHRYSLER MODELS**

TC-1	Newport	81-33100001
TC-1	Newport (Town and Country)	85-33100001
TC-2	300*	82-33100001
TC-3	New Yorker	83-33100001
TC-3	New Yorker (Town and Country)	87-33100001
*TC-2	Chrysler 300J	84-33100001

#### IMPERIAL MODELS

TY-1	Custom	91-33100001
TY-I	Crown	92-33100001
TY-1	LeBaron	
	Model	_
	Serial Number	

The starting engine numbers will be as follows:

#### **CHRYSLER**

Newport	T-36-7-30
300	T-38-7-30
New Yorker	T-41-7-30
Chrysler 300J	T-41-7-30

#### **IMPERIAL**

Custom, Crown.	LeBaron	 T-41-7-30




Fig. 2-Vehicle Number

The vehicle number is stamped on a metal plate attached to the left front door body hinge pillar, as shown in Figure 2.




Fig. 3—Engine Number

The engine number is stamped on a boss on the top side of the cylinder block just back of the water pump, as shown in Figure 3.

# 6 INTRODUCTION AND GENERAL SPECIFICATIONS

## **GENERAL DATA AND SPECIFICATIONS**

Four Door Sedan   81-33100001   Newport   Town and Country   85-33100001   Newport   Four Door Hard Top   82-33100001   Town Door Hard Top   82-33100001   Town Door Hard Top   82-33100001   Town Door Hard Top   87-33100001   Town and Country   87-33100001   Four Door Sedan   91-33100001   Four Door Sedan   92-33100001   Four Door Sedan   93-33100001   Four Door Sedan   93-33100001   Imp. Imp. Imp. Imp. Imp. Imp. Imp. Imp.		Starting Vehicle Numbers			1963 Models		
Town and Country		Body Style		TC-1	TC-2	TC-3	TY-1
Four Door Sedan   83-33100001   Town and Country   87-33100001   Four Door Sedan   92-33100001   Four Door Sedan   92-33100001   Four Door Sedan   92-33100001   Four Door Sedan   93-33100001   Four Door Sedan   93-331000	1 1	Town and Country Four Door Hard Top	85-33100001 82-33100001	-			
Convertible Coupe   122   122	! ] !	Four Door Sedan Town and Country Four Door Sedan Four Door Sedan	83-33100001 87-33100001 91-33100001 92-33100001				Imp. Custom Imp. Crown Imp. LeBaron
Two Door (hard top)	se l	Four Door Sedan				122	
Town & Country   122	(	Convertible Coupe		122	122	_	129
Four Door (hard top)   122   122   122   122   1		• • • •			122	<del>_</del>	129
Tread   Four Door Sedan   60.9   60.9   60.9   60.9		•					_
(Front) Convertible Coupe. 60.9 60.9* — 66.7   Two Door (hard top). 60.9 60.9* — 66.8   Four Door (hard top). 60.8 — 60.8   Four Door (hard top). 60.9 60.9* 60.9* 60.9    Tread Four Door Sedan. 59.7 — 59.7   [Rear) Convertible Coupe. 59.7 59.7† — 66.1   Two Door (hard top). 59.7 59.7† — 66.1   Town & Country. 59.7 — 60.0   Four Door (hard top). 59.7 59.7† 59.7    Length with Four Door Sedan. 215.3 — 215.5   Bumper Convertible Coupe. 215.3 215.3 — 225.5   Two Door (hard top). 215.3 215.3 — 225.5   Two Door (hard top). 215.3 215.3 — 225.5    Width with Four Door Sedan. 79.0 — 79.0   Bumper Convertible Coupe. 79.0 79.0 — 88.0   Two Door (hard top). 79.0 79.0 — 79.0   Four Door (hard top). 79.0 79.0 — 79.0   Four Door (hard top). 79.0 79.0 79.0 79.0   Four Door (hard top). 79.0 79.0 79.0 79.0   Four Door (hard top). 79.0 79.0 79.0 79.0 79.0   Four Door (hard top). 79.0 79.0 79.0 79.0 79.0 79.0 79.0 79.		Four Door (hard top)		122	122	122	129
Two Door (hard top)	ł	Four Door Sedan		60.9	_	60.9	_
Town & Country   60.8   - 60.8   60.9   60	•	Convertible Coupe					61. <i>7</i>
Four Door (hard top)   60.9   60.9*   60.9   60.0					60.9*		61 <i>.</i> 7
Tread							<del>-</del>
Rear   Convertible Coupe   59.7   59.7   — 60.0     Two Door (hard top)   59.7   59.7   — 60.0     Town & Country   59.7   — 60.0     Four Door (hard top)   59.7   59.7   59.7   59.7     Length with   Four Door Sedan   215.3   — 215.5     Bumper   Convertible Coupe   215.3   215.3   — 22     Two Door (hard top)   215.3   215.3   — 22     Town & Country   219.4   — 219.7     Four Door (hard top)   215.3   215.3   215.5     Width with   Four Door Sedan   79.0   — 79.0     Bumper   Convertible Coupe   79.0   79.0   — 8     Two Door (hard top)   79.0   79.0   — 8     Two Door (hard top)   79.0   79.0   — 79.0     Four Door (hard top)   79.0   79.0   79.0     Four Door (hard top)   2.76   3.23   — 2     Torque   Two Door (hard top)   2.76   3.23   — 2     Flite   Town & Country   2.93   — 2.93     Trans   Four Door Sedan   8.00x14   — 8.50x14     Convertible Coupe   8.00x14   8.00x14**   — 8.2     Two Door (hard top)   8.00x14   8.00x14**   — 8.2		Four Door (hard top)		60.9	60.9*	60.9	61.7
Two Door (hard top)   59.7   59.7†   — 60.0     Town & Country   59.7   — 60.0     Four Door (hard top)   59.7   59.7†   59.7   60.0     Four Door (hard top)   59.7   59.7†   59.7   60.0     Four Door Sedan   215.3   — 215.5     Bumper   Convertible Coupe   215.3   215.3   — 22     Two Door (hard top)   215.3   215.3   — 22     Town & Country   219.4   — 219.7     Four Door (hard top)   215.3   215.3   215.5   22     Width with   Four Door Sedan   79.0   — 79.0     Bumper   Convertible Coupe   79.0   79.0   — 8     Two Door (hard top)   79.0   79.0   — 8     Two Door (hard top)   79.0   79.0   79.0     Four Door (hard top)   79.0   79.0   79.0   79.0     Four Door (hard top)   79.0   79.0   79.0   79.0     Four Door (hard top)   2.76   3.23   — 22     Torque   Two Door (hard top)   2.76   3.23   — 22     Flite   Town & Country   2.93   — 2.93     Trans   Four Door Sedan   8.00x14   8.00x14**   — 8.2     Two Door (hard top)   8.00x14   8.00x14**   — 8.2	i	Four Door Sedan		59. <i>7</i>	-	<i>59.7</i>	_
Town & Country   59.7   60.0   Four Door (hard top)   59.7   59.7   59.7   60.0   Four Door (hard top)   59.7   59.7   60.0	1	Convertible Coupe			•		62.2
Four Door (hard top)   59.7   59.7   59.7   59.7   69.7		•			59. <b>7</b> †		62.2
Length with         Four Door Sedan         215.3         —         215.5           Bumper         Convertible Coupe         215.3         215.3         —         22           Two Door (hard top)         215.3         215.3         —         22           Town & Country         219.4         —         219.7           Four Door (hard top)         215.3         215.3         215.5         22           Width with         Four Door Sedan         79.0         —         79.0         —         8           Bumper         Convertible Coupe         79.0         79.0         —         79.0         —         8           Town & Country         79.0         79.0         —         79.0         —         79.0         —         8           Rear Axle         Four Door (hard top)         79.0         79.0         79.0         79.0         79.0         79.0         79.0         8           Rear Axle         Four Door Sedan         2.76         3.23         —         2.93         —         2.93         —         2.93         —         2.93         —         2.93         —         2.93         —         2.93         —         2.93         —         2.93 </td <td></td> <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td>		•					
Bumper   Convertible Coupe   215.3   215.3     22	<u> </u>	Four Door (hard top)		59.7	59.7†	59./	62.2
Two Door (hard top) 215.3 215.3 — 22 Town & Country 219.4 — 219.7 Four Door (hard top) 215.3 215.3 215.5 22  Width with Four Door Sedan 79.0 — 79.0  Bumper Convertible Coupe 79.0 79.0 — 8 Two Door (hard top) 79.0 79.0 — 8 Two Door (hard top) 79.0 79.0 — 79.0  Four Door (hard top) 79.0 79.0 79.0 — 8  Rear Axle Four Door Sedan 2.76 — 2.93  with Convertible Coupe 2.76 3.23 — 2  Torque Two Door (hard top) 2.76 3.23 — 2  Flite Town & Country 2.93 — 2.93  Trans. Four Door (hard top) 2.76 3.23 2.93  Tire Size Four Door Sedan 8.00x14 — 8.50x14  Convertible Coupe 8.00x14 8.00x14** — 8.2  Two Door (hard top) 8.00x14 8.00x14** — 8.2  Two Door (hard top) 8.00x14 8.00x14** — 8.2	ith	Four Door Sedan			_	215.5	
Town & Country Four Door (hard top)  219.4 — 219.7 Four Door (hard top)  215.3 215.3 215.5 22  Width with Four Door Sedan 79.0 — 79.0  Bumper Convertible Coupe 79.0 79.0 — 8  Two Door (hard top) 79.0 79.0 — 79.0  Town & Country 79.0 — 79.0 — 79.0  Four Door (hard top) 79.0 79.0 79.0 50  Rear Axle Four Door Sedan 2.76 — 2.93  with Convertible Coupe 2.76 3.23 — 22  Torque- Two Door (hard top) 2.76 3.23 — 22  Flite Town & Country 2.93 — 2.93  Trans. Four Door (hard top) 2.76 3.23 2.93  Tire Size Four Door Sedan 8.00x14 — 8.50x14  Convertible Coupe 8.00x14 8.00x14** — 8.2  Two Door (hard top) 8.00x14 8.00x14** — 8.2  Two Door (hard top) 8.00x14 8.00x14** — 8.2		•					227.8
Four Door (hard top)   215.3   215.3   215.5   22		,			215.3		227.8
Width with Bumper         Four Door Sedan         79.0         —         79.0         —         79.0         —         88.50x14         —         89.0         —         79.0         —         79.0         —         79.0         —         79.0         —         79.0         —         79.0         —         79.0         —         79.0         —         79.0         —         79.0					_		
Bumper   Convertible Coupe   79.0		Four Door (hard top)		215.3	215.3	215.5	227.8
Two Door (hard top)       79.0       79.0       —       8         Town & Country       79.0       —       79.0       —       79.0         Four Door (hard top)       79.0       79.0       79.0       8         Rear Axle       Four Door Sedan       2.76       —       2.93         with       Convertible Coupe       2.76       3.23       —       2         Torque-       Two Door (hard top)       2.76       3.23       —       2.93         Flite       Town & Country       2.93       —       2.93       —         Trans.       Four Door (hard top)       2.76       3.23       2.93       2         Tire Size       Four Door Sedan       8.00x14       —       8.50x14       —         Convertible Coupe       8.00x14       8.00x14***       —       8.2         Two Door (hard top)       8.00x14       8.00x14***       —       8.2				79.0	_	79.0	<del></del>
Town & Country       79.0       —       79.0       79.0       79.0       79.0       8         Rear Axle       Four Door (hard top)       2.76       —       2.93       —       2         with       Convertible Coupe       2.76       3.23       —       2         Torque-       Two Door (hard top)       2.76       3.23       —       2         Flite       Town & Country       2.93       —       2.93       —         Trans.       Four Door (hard top)       2.76       3.23       2.93       2         Tire Size       Four Door Sedan       8.00x14       —       8.50x14       —         Convertible Coupe       8.00x14       8.00x14***       —       8.2         Two Door (hard top)       8.00x14       8.00x14***       —       8.2							81.7
Four Door (hard top)         79.0         79.0         79.0         79.0         8           Rear Axle         Four Door Sedan         2.76         —         2.93         —         2           with         Convertible Coupe         2.76         3.23         —         2           Torque-         Two Door (hard top)         2.76         3.23         —         2.93           Flite         Town & Country         2.93         —         2.93         —           Trans.         Four Door (hard top)         2.76         3.23         2.93         2           Tire Size         Four Door Sedan         8.00x14         —         8.50x14         —           Convertible Coupe         8.00x14         8.00x14***         —         8.2           Two Door (hard top)         8.00x14         8.00x14***         —         8.2					79.0	70.0	81 <i>.7</i>
Rear Axle         Four Door Sedan         2.76         —         2.93           with         Convertible Coupe         2.76         3.23         —         2           Torque-         Two Door (hard top)         2.76         3.23         —         2           Flite         Town & Country         2.93         —         2.93         —           Trans.         Four Door (hard top)         2.76         3.23         2.93         2           Tire Size         Four Door Sedan         8.00x14         —         8.50x14         —           Convertible Coupe         8.00x14         8.00x14***         —         8.2           Two Door (hard top)         8.00x14         8.00x14***         —         8.2					<del>_</del>		— 81. <i>7</i>
with         Convertible Coupe         2.76         3.23         —         2           Torque-         Two Door (hard top)         2.76         3.23         —         2           Flite         Town & Country         2.93         —         2.93         —           Trans.         Four Door (hard top)         2.76         3.23         2.93         2           Tire Size         Four Door Sedan         8.00x14         —         8.50x14         —           Convertible Coupe         8.00x14         8.00x14***         —         8.2           Two Door (hard top)         8.00x14         8.00x14***         —         8.2		Four Door (hard top)		79.0	79.0	79.0	01./
Torque-         Two Door (hard top)         2.76         3.23         —         2           Flite         Town & Country         2.93         —         2.93         —           Trans.         Four Door (hard top)         2.76         3.23         2.93         2           Tire Size         Four Door Sedan         8.00x14         —         8.50x14         —           Convertible Coupe         8.00x14         8.00x14***         —         8.2           Two Door (hard top)         8.00x14         8.00x14***         —         8.2					<u></u>	2.93	_
Flite Town & Country         2.93         —         2.93         —           Trans.         Four Door (hard top)         2.76         3.23         2.93         2           Tire Size         Four Door Sedan         8.00x14         —         8.50x14         —           Convertible Coupe         8.00x14         8.00x14**         —         8.2           Two Door (hard top)         8.00x14         8.00x14**         —         8.2						<del></del>	2.93
Trans.         Four Door (hard top)         2.76         3.23         2.93         2           Tire Size         Four Door Sedan         8.00x14         —         8.50x14         —           Convertible Coupe         8.00x14         8.00x14***         —         8.2           Two Door (hard top)         8.00x14         8.00x14**         —         8.2		•			3.23		2.93
Tire Size Four Door Sedan. 8.00x14 — 8.50x14  Convertible Coupe. 8.00x14 8.00x14** — 8.2  Two Door (hard top). 8.00x14 8.00x14** — 8.2		•			3 23		 2.93
Convertible Coupe       8.00x14       8.00x14**       —       8.2         Two Door (hard top)       8.00x14       8.00x14**       —       8.2						,	<del>-</del>
Two Door (hard top) 8.00x14 8.00x14** — 8.2					 0.001.4**	8.50x14	 8.20x1 <i>5</i>
		•					8.20x15
		• • • • • • • • • • • • • • • • • • • •		8.00x14 8.50x14	0.UUX14	9.00x14	U.2UX13
					8 00~14**		8.20x15

<sup>\* 61.1</sup> with 7.60x15 Tires

<sup>† 60.0</sup> with 7.60x15 Tires

<sup>\*\* 7.60</sup>x15 with 300-J Engine