




GROUP 17 - SPRINGS




REAR SPRING - VALIANT VV1-2, DART VL1-2, PLYMOUTH VP1-2 AND DODGE VD1-2



REAR SPRING - DODGE VA3, CHRYSLER VC1-2-3 AND IMPERIAL VY1



SWAY ELIMINATOR - PLYMOUTH VP1-2 AND DODGE VD1-2



SWAY ELIMINATOR - DODGE VA3 AND CHRYSLER VC1-2-3

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	VALIANT DART	PLYMOUTH DODGE	CHRYSLER IMPERIAL
17-11-O REAR SPRINGS						
17-11-3	SPRING, w/BUSHING, Std., except Sta. Wgn., w/170 cu. in. Eng.	6	2	2421 761	VD1L	
	Std., except Sta. Wgn., w/225 cu. in. Eng. . . .	6	2	2421 739		
	Std., Sta. Wgn.	6	2	2421 742		
	Std., except Sta. Wgn.	8	2	2495 085		
	Std., Sta. Wgn.	8	2	2495 087		
	Std., VV1, VV2, Barracuda	2	2	*2525 474		
	Std., 2 D., 2 D.H.T.	6	2	-----		2495 009
	Std., 4 D., 4 D.H.T.	6	2	-----		2495 010
	Std., Sta. Wgn., 3 Seat, Right	6	1	-----		*2495 019
	Std., Sta. Wgn., 3 Seat, Left	6	1	-----		E2525 439
	Std., Sta. Wgn., 2 Seat, Right	6	1	-----		*2495 016
	Std., Sta. Wgn., 2 Seat, Left	6	1	-----		*2495 019
	Std., 2 D., 2 D.H.T., w/318 cu. in. Eng.	8	2	-----		2495 010
	Std., 4 D., 4 D.H.T., w/318 cu. in. Eng.	8	2	-----		2495 011
	Std., Cv.Cp., w/318 cu. in. Eng.	8	2	-----		2525 093
	Std., except Sta. Wgn., and Cv.Cp., VP2, VD2 w/361 and 383 cu. in. Eng.	8	2	-----	2495 012	
	Std., Cv.Cp., VP2, VD2 w/361 and 383 cu.in.Eng.	8	2	-----	2525 095	
	Std., Sta. Wgn., 3 Seat, Right	8	1	-----	*2495 019	
	Std., Sta. Wgn., 3 Seat, Left	8	1	-----	E2525 439	
	Std., Sta. Wgn., 2 Seat, VP2, VD2, Right	8	1	-----	*2495 016	
	Std., Sta. Wgn., 2 Seat, VP2, VD2, Left	8	1	-----	*2495 019	
	VP2, VD2, except Sta. Wgn., w/426 cu. in. Eng., Maximum Performance, Right	8	1	-----	2495 060	
	VP2, VD2 except Sta. Wgn., w/426 cu. in. Eng., Maximum Performance, Left	8	1	-----	2495 061	
	VP2, VD2 Sta. Wgn., w/426 cu. in. Eng., Maximum Performance, Right	8	1	-----	2495 058	
	VP2, VD2 Sta. Wgn., w/426 cu. in. Eng., Maximum Performance, Left	8	1	-----	2495 059	
	Std., except Sta. Wgn., VA3, VC1, VC2 except VC2-300K, Right	8	1	-----	2448 301	2448 301
	Std., except Sta. Wgn., VA3, VC1, VC2 except VC2-300K, Left	8	1	-----	2448 302	2448 302
	w/Dual Air Conditioning, except Sta. Wgn., VA3, VC1, VC2 except VC2-300K, Right	8	1	-----	2448 302	2448 302
	w/Dual Air Conditioning, except Sta. Wgn., VA3, VC1, VC2 except VC2-300K, Left	8	1	-----	2495 077	2495 077
	VC2-300K	8	2	-----	-----	2495 020
	Std., Sta. Wgn., VA3, VC1, VC3, Right	8	1	-----	2448 304	2448 304
	Std., Sta. Wgn., VA3, VC1, VC3, Left	8	1	-----	2448 305	2448 305
	Std., except Sta. Wgn., VC3	8	2	-----	-----	2240 240
	w/Single or Dual Air Conditioning, except Sta. Wgn., VC3, Right	8	1	-----	-----	2240 240
	w/Single or Dual Air Conditioning, except Sta. Wgn., VC3, Left	8	1	-----	-----	2084 909
	Std., 2 D. H. T., 4 D. H. T., VY1, Right	8	1	-----	-----	2421 758
	Std., 2 D. H.T., 4 D. H.T., VY1, Left	8	1	-----	-----	2495 025
	Std., Cv.Cp., VY1, Right	8	1	-----	-----	2448 399
	Std., Cv.Cp., VY1, Left	8	1	-----	-----	2495 078
	w/Dual Air Conditioning, VY1, Right	8	1	-----	-----	2421 758
	w/Dual Air Conditioning, VY1, Left	8	1	-----	-----	2495 078
	Heavy Duty, except Sta. Wgn.	6	2	2421 741		
	Heavy Duty, Sta. Wgn.	6	2	2275 857		
	Heavy Duty, except Sta. Wgn.	8	2	2495 086		
	Heavy Duty, Sta. Wgn.	8	2	2495 088		
	Heavy Duty, VV1, VV2, Barracuda	2	2	*2495 086		
	Heavy Duty, except Sta. Wgn.	6	2	-----	2495 013	

★ Indicates use as required.

Numerals in parentheses () refer to notes.

Printed in U.S.A.

E Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

• Indicates change or addition.

1964 PASSENGER CAR PARTS CATALOG

SPRINGS

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	VALIANT DART	PLYMOUTH DODGE	CHRYSLER IMPERIAL
17-11-0 REAR SPRINGS - Cont'd						
17-11-3	SPRING, w/BUSHING - Cont'd					
	Heavy Duty, except Sta. Wgn., and Cv.Cp., VP2, VD2	8	2	----	2495 014	
	Heavy Duty, Cv.Cp., VP2, VD2	8	2	----	2525 095	
	Heavy Duty, Sta. Wgn., except VA3, Right		1	----	2495 017	
	Heavy Duty, Sta. Wgn., except VA3, Left		1	----	2495 018	
	Heavy Duty, except Sta. Wgn., VA3, VC1, VC2, VC3	8	2	----	2495 020	2495 020
	Heavy Duty, Sta. Wgn., VA3, VC1, VC3, Right	8	1	----	2275 870	2275 870
	Heavy Duty, Sta. Wgn., VA3, VC1, VC3, Left	8	1	----	2275 871	2275 871
	Heavy Duty, VY1, Right	8	1	----	----	2421 762
	Heavy Duty, VY1, Left	8	1	----	----	2495 079
17-11-5	PLATE, Spring Seat Angle, Sta. Wgn.		2	----	*2122 857	
17-11-7	PLATE, w/STUD, Right		1	2071 766 ✓	1856 346	1856 346
	Left		1	2071 767	1856 347	1856 347
17-12-0 REAR SPRING LEAF						
17-12-4	LEAF, w/BUSHING, Main, Std., w/170 cu.in. Eng.	6	2	2448 351		
	Std., w/225 cu. in. Eng.	6	2	2448 350		
	Std.	8	2	2525 020		
	Std., except VA3		2	----	2495 027	
	Std., or w/Dual Air Conditioning, VA3, VC1, VC2 except VC2-300K	8	2	----	2084 825	2084 825
	VC2-300K	8	2	----	----	2084 824
	w/Single or Dual Air Conditioning, VC3, except Sta. Wgn.	8	2	----	----	2084 823
	Std., Sta. Wgn., VA3, VC1, VC3	8	2	----	2084 825	2084 825
	Std., or w/Dual Air Conditioning, VY1	8	2	----	----	2448 706
	Heavy Duty, except Sta. Wgn.	6	2	2196 784		
	Heavy Duty, Sta. Wgn.	6	2	2196 786		
	Heavy Duty	8	2	2525 021		
	Heavy Duty, except Sta. Wgn., except VA3		2	----	2495 028	
	Heavy Duty, Sta. Wgn., except VA3		2	----	2495 029	
	Heavy Duty, VA3, VC3 except Sta. Wgn.	8	2	----	2084 824	2084 824
	Heavy Duty, Sta. Wgn., VA3, VC1, VC3	8	2	----	2298 920	2298 920
	Heavy Duty, or w/Dual Air Conditioning, VY1	8	2	----	----	2448 707
17-12-6	INTERLEAF		1	----	*2403 737	
	VY1	8	4	----	----	*2123 781
17-12-12	INTERLINER		★	1948 396		
	2 1/2" x 2 1/2"		★	2122 359	2122 359	2122 359
	2 1/2" x 3 1/2"		★	2123 785	2123 785	2123 785
17-14-0 REAR SPRING CENTER BOLT						
17-14-10	BOLT		2	1944 361	1944 361	1944 361
17-15-0 REAR SPRING CLIP						
17-15-1	CLIP, 5 3/8" lgh.		★	*2071 771		
	5 7/8" lgh.		★	*2071 787		
	7" lgh.		★	----	*1489 747	*1489 747
	7 3/8" lgh.		★	----	*1635 666	*1635 666
17-15-6	NUT		8	6023 020	6023 021	6023 021
17-15-24	INSULATOR, Alignment Clip		2	1829 929	1829 929	1829 929

● Indicates use as required.

Numerals in parentheses () refer to notes.

Printed in U.S.A.

□ Indicates parts not listed in any previous parts book.

Prices and specifications subject to change without notice.

March 15, 1965 Supersedes March 16, 1964.

Page 17-4

* Indicates change or addition.

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	VALIANT DART	PLYMOUTH DODGE	CHRYSLER IMPERIAL
17-15-0 REAR SPRING CLIP - Cont'd						
17-15-25	CLIP, Alignment, 1" lgh.		2	1820 812	1820 812	1820 812
	1 1/4" lgh., VC1, VC2		2	1820 152	1820 152	1820 152
	1 1/2" lgh.		2	1820 153	1820 153	1820 153
	1 7/8" lgh., VC3, VY1	8	2	-----	-----	1820 813
17-15-28	SCREW, Alignment		4	1485 510	1485 510	1485 510
17-15-30	WASHER, Screw		4	1530 398	1530 398	1530 398
17-16-0 REAR SPRING SHACKLE						
17-16-1	SHACKLE and BUSHING PACKAGE		2	2196 010		
	Except Sta. Wgn., except VA3		2	-----	1450 961	
	Except Sta. Wgn., VA3	8	2	-----	1450 087	1450 087
	Sta. Wgn., except VA3		2	-----	2275 543	
	Sta. Wgn., VA3, VC1, VC3.	8	2	-----	2084 236	2084 236
17-16-8	BUSHING, Shackle		8	1940 725	1400 269	1400 269
17-17-0 REAR SPRING SILENT BLOCK						
17-17-3	BUSHING, Front Pivot		6	2071 763		
	VC1, VC2, VC3		8	1948 869	1948 869	1948 869
	VP2, VD2 w/426 cu. in. Eng., Maximum Performance		8	-----	2403 245	
	VY1		8	-----	-----	2403 245
17-17-4	BOLT		6	2071 761		
			8	1948 876	1948 876	1948 876
17-17-5	NUT		6	2071 772		
			8	1948 877	1948 877	1948 877
17-19-0 REAR SPRING BUMPER						
17-19-3	BUMPER, Axle Drive Pinion Carrier except VA3, VA3, VC1, VC2, VC3		8	2403 906	2403 906	
	VP2, VD2 w/426 cu. in. Eng., Maximum Performance		8	-----	1948 338	1948 338
	VY1		8	-----	1948 338	
	Side Rail, Rear Axle, except VA3		8	-----	-----	2403 906
	w/Std., Spring, except Sta. Wgn., VA3, VC1, VC2, VC3		2	2206 940	2206 940	
	w/Heavy Duty, Spring, except Sta. Wgn., VA3, VC1, VC2, VC3		8	-----	2206 884	2206 884
	Sta. Wgn., VA3, VC1, VC3.		8	-----	2206 939	2206 939
	VP2, VD2 w/426 cu. in. Eng., Maximum Performance		8	-----	2206 939	2206 939
	VY1		8	-----	2403 868	
			8	-----	-----	2206 941
17-19-4	BRACKET, Center Floor Pan Pinion Carrier		1	2242 396		
17-19-6	NUT, Axle Drive Pinion Carrier Bumper Retainer, VA3, VC1, VC2, VC3		8	-----	1943 997	1943 997
17-19-10	PLATE, Side Rail Rear Axle Bumper, VC1, VC2, VC3		2	2206 883	2206 883	2206 883
17-19-11	SPACER, Side Rail Rear Axle Bumper, VP2, VD2 w/426 cu. in. Eng., Maximum Performance		8	-----	2403 865	
17-19-20	SUPPORT, Bumper, except VA3		1	2403 901	2403 903	
	VA3, VC1, w/1 1/2" Cut-Out		8	-----	*1948 351	
	w/o Cut-Out		8	-----	E2462 103	

* Indicates use as required. Numerals in parentheses () refer to notes. Printed in U.S.A.
 † Indicates parts not listed in any previous parts book. Prices and specifications subject to change without notice.

CODE	PART NAME AND DESCRIPTION	C Y L	PER CAR	VALIANT DART	PLYMOUTH DODGE	CHRYSLER IMPERIAL
17-19-0 REAR SPRING BUMPER - Cont'd						
17-19-20	SUPPORT - Cont'd					
	VC2, VC3	8	1	----	*1948 351	*1948 351
	VP2, VD2 w/426 cu.in. Eng., Maximum Performance	8	1	----	*2403 867	
	VY1	8	1	----	----	2403 905
	SUPPORT, Pinion Carrier Bumper, use w/Constant Velocity Prop. Shaft, VY1	8	1	----	----	E2462 184
	Reinforcement, Center Floor Pan Pinion Carrier Bumper, except VA3		1	----	2251 351	
17-23-0 SHOCK ABSORBER						
17-23-3	ABSORBER PACKAGE, Front Shock, Std., except VA3		2	*2298 803	*2525 039	
	Front, Std., VA3, VC1, VC2, VC3	8	2	----	2298 805	2298 805
	Front Std., except Cv.Cp., VY1	8	2	----	----	2298 805
	Front Std., Cv.Cp., VY1	8	2	----	----	2298 807
	Front, Heavy Duty, except VA3		2	2298 804	2275 883	
	Front, Heavy Duty, VA3, VC1, VC2, VC3	8	2	----	2298 807	2298 807
	Front, Heavy Duty, except Cv.Cp., VY1	8	2	----	----	2298 807
	Rear, Std., except VA3		2	*2240 317	*2525 040	
	Rear, Std., 2 D.H.T., 4 D., 4 D.H.T., VA3, VC1, VC2, VC3	8	2	----	2298 912	2298 912
	Rear, Std., Cv.Cp., Sta. Wgn., VA3, VC1, VC2, VC3	8	2	----	2240 358	2240 358
	Rear, Std., VY1, except Cv.Cp.	8	2	----	----	2298 900
	Rear, Std., VY1, Cv.Cp.	8	2	----	----	2240 360
	Rear, Heavy Duty, except VA3		2	2298 912	2275 849	
	Rear, Heavy Duty, VA3	8	2	----	2240 360	2240 360
	Rear, Heavy Duty, 1 3/8" dia., except VA3		2	----	2275 848	
	Rear, Heavy Duty, 1 3/8" dia., VA3, VC1, VC2, VC3	8	2	----	2240 362	2240 362
17-23-52	BUSHING, Front Shock Absorber Upper Mounting		2	2206 923	2206 923	2206 923
	Lower Mounting		2	1635 588	1635 588	1635 588
	Rear, Upper, except VA3		2	1319 902	2201 554	
	Rear, Upper, VA3	8	2	----	1319 902	1319 902
	Rear, Lower		2	1319 902	1319 902	1319 902
17-23-53	WASHER, Pivot Bushing Retainer, Inner, Rear		★	1319 555	1319 555	1319 555
	Outer		★	1319 554	1319 554	1319 554
	Upper, Front		4	2206 925	2206 925	2206 925
17-23-56	STUD, Upper Mounting, Rear, VA3		2	2071 714	1948 884	1948 884
	BOLT, Upper Mounting, Rear, except VA3		2	----	182 785	
	BOLT, Lower Mounting, Front		2	6022 823	6022 823	6022 823
17-23-57	NUT, Upper Stud, Rear, VA3		2	6023 890	6023 890	6023 890
	Upper Mounting Bolt, Rear, except VA3		2	----	1929 355	
	Lower Mounting Bolt, Front		2	6022 831	6022 831	6022 831
	WASHER, Rear, Upper Stud Mounting		2	6024 248		
17-24-0 SHOCK ABSORBER BRACKET						
17-24-3	BRACKET, Rear, Right, except VA3		1	----	2188 050	
	Left		1	----	2188 051	
17-24-28	SUPPORT, Front Shock Absorber, VA3	8	2	----	1675 821	1675 821

★ Indicates use as required.

E Indicates parts not listed in any previous parts book.

March 15, 1965 Supersedes March 16, 1964.

Numerals in parentheses () refer to notes.

Prices and specifications subject to change without notice.

* Indicates change or addition.

1964 PASSENGER CAR PARTS CATALOG

CODE	PART NAME AND DESCRIPTION	CYL	PER CAR	VALIANT DART	PLYMOUTH DODGE	CHRYSLER IMPERIAL
17-29-0 SWAY ELIMINATOR SHAFT						
17-29-5	SHAFT, except VA3		1	----	1857 906	
	VA3, VC1, VC2, VC3	8	1	----	1671 437	1671 437
	VY1	8	1	----	----	1672 964
17-29-6	BRACKET, Support, Right, except VA3		1	----	1858 100	
	Left, except VA3		1	----	1858 101	
	BRACKET PACKAGE		1	E2585 559		
	Frame, VA3, VC1, VC2, VC3	8	2	----	1824 879	1824 879
17-29-9	SPACER, Support Bracket, except VA3		2	----	1858 105	
17-29-10	STRAP, Bushing		2	----	1673 065	1673 065
17-29-11	RETAINER, Bushing, VA3	8	2	----	1673 060	1673 060
17-29-12	BUSHING, except VA3		2	----	1824 935	
	VA3	8	2	----	1824 936	1824 936
17-29-13	REINFORCEMENT, Cushion, VA3	8	2	----	1672 989	1672 989
17-29-14	BOLT, Cushion Strap, except VA3		2	----	6023 012	
	VA3	8	2	----	1824 934	1824 934
17-29-15	CUSHION, except VA3		2	----	1731 341	
	VA3	8	2	----	1673 090	1673 090
17-29-16	RETAINER, Cushion		2	----	1672 988	1672 988
17-29-18	STRAP, Cushion, except VA3		2	----	1857 911	
	VA3	8	2	----	2207 036	2207 036
17-29-20	INSULATOR, Link		2	----	1734 315	1734 315
17-29-21	RETAINER, Insulator		4	----	1558 352	1558 352

NOTES
