



WHEEL FRONT OUTER BEARING INDEX

<p><b>CHRYSLER</b> '49-50 New Yorker &amp; Saratoga .... 10 Royal &amp; Windsor, 5 pass ..... 11 8 pass ..... 10</p> <p><b>DART</b> '63-65 ..... 9</p> <p>'51-52 New Yorker ... 10 Saratoga ..... 11 Royal &amp; Windsor, 5 pass ..... 11 8 pass ..... 10</p> <p>'53-55 6 pass ..... 11 8 pass ..... 10</p>	<p>'56 6 pass ..... 4 8 pass ..... 3</p> <p>'57-65 ..... 4</p> <p><b>DESOTO</b> '49-52 8 pass ..... 10 5 pass ..... 11</p> <p>'53-54 6 pass ..... 11 8 pass ..... 10</p> <p>'55 6 pass ..... 4 8 pass ..... 10</p>	<p>'56 6 pass ..... 4 8 pass ..... 3</p> <p>'57-61 ..... 4</p> <p><b>DODGE</b> '49-52 5 pass ..... 11 8 pass ..... 10</p> <p>'53-54 ..... 11 '55 early ..... 11 late ..... 4</p> <p>'56-60 ..... 4 '61-65 9" brakes .... 9 10" brakes .... 4</p>	<p><b>DODGE TRUCK</b> Ser 100, &amp; 200; 4x4; '58-65 ... 114 exc 4x4; '48-56 ..... 16 '57-58; ser 100 3 ser 200 14 '59-65 ..... 4</p> <p>Ser 300; 4x4; '58-65 exc below ... 116 Power Wagon * exc 4x4; '48-57 ..... 14 '58-61 ..... 3 '62-65 ..... 115</p>	<p><b>IMPERIAL</b> '49-55 Crown ..... 12 exc above .... 10 '56-65 exc below .... 3 Crown '56' .... 12</p> <p><b>LANCER</b> '61-62 ..... 9</p> <p><b>PLYMOUTH</b> '49-54 ..... 11 '55-60 ..... 4 '61-65 9" brakes .... 9 10" brakes .... 4</p> <p><b>VALLANT</b> '60-65 ..... 9</p>
---	--	--	---	--

WHEEL FRONT OUTER BEARING INTERCHANGE

<p><b>3</b> HYA105177 3.45 Buick '61-65 Cad '60-65 Chev Tr '63-65 ¾ &amp; 1 T exc Van &amp; 4x4 Chrysler '56 8 pass; New Yorker &amp; Windsor Dodge Tr '57-58 ser 100 exc 4x4 Dodge Tr '58-61 ser 300 exc 4x4 Imperial '56-65; C73 ;56 Desoto '56 8 pass Ford Tr '65 F250 exc 4x4 Lincoln '58-65 Mercury '58-60 Parklane Mercury '59-60 Mont Olds '62-63 Olds '64-65 exc J88</p> <p><b>4</b> HYA113158Z 2.67 Buick Spec '61-65 Chev '61-65 Chevy II '63-65 Chev Tr '62-65 ½ T exc 4x4 Chrysler '55-56 6 pass; New Yorker &amp; Windsor Chrysler '57-65 Comet '63-65 8 cyl Corvair '65 Corvette '63-65 Desoto '55-56 6 pass Desoto '57-61 Dodge late '55-60</p>	<p>Dodge '61-65 w/10" brakes Dodge Tr '59-65 Ser 100 &amp; 200; exc 4x4 Edsel '58-60 Falcon '63-65 8 cyl Ford '55-65 small bore hub Ford Tr '57-64 F250 exc 4x4 Fairlane '62-65 small bore hub GMC late '62-65 Mdl 10 exc 4x4 Hudson '55-57 Nash '55-56 Olds '64-65 J88 Rambler '57-65</p> <p>Mercury '55-58 exc Parklane Mercury '59-60 exc conv, Mont. &amp; Parklane</p> <p>Mercury '61-65 Meteor '62-63 Mustang '65 8 cyl Olds F85 '61-65 Packard '56 Clipper Packard '57-58 Plymouth '55-60 Plymouth '61-65 w/10" brakes Tempest '61-65 Pontiac '62-65</p>	<p>Stude '56-65 T-Bird '55-65</p> <p><b>9</b> HYA108142Z 2.55 Chevy II '62-63 Corvair '60-63 Dodge '61-65 w/9" brakes Plymouth '61-65 w/9" brakes Falcon '60-65 6 cyl Lancer '61-62 Dart '63-65 Comet '60-65 6 cyl Valiant '60-65 Mustang '65 6 cyl</p> <p><b>10</b> 1755 Cone 3.05 1729 Cup 1.70 Chrysler '49-50 5 pass; New Yorker &amp; Saratoga Chrysler '49-52 8 pass; Royal &amp; Windsor Chrysler '51-52 New Yorker Chrysler '53-55 8 pass; New Yorker &amp; Windsor Chrysler '55 New Yorker Imperial '51-55 exc Crown Desoto '49-52 8 pass Desoto '52 Firedome Desoto '53-54 6 pass Ford '49-54 std bore hub Nash '49-54 Plymouth '49-54</p>	<p>Stude '49-55 Champ Stude '50-55 Comm Dodge '49-52 5 pass Dodge '53-early 55 Dodge '50-52 8 pass Desoto '53-55 8 pass</p> <p><b>11</b> 9067 Cone N.A. 9195 Cup N.A. Chrysler '49-52 5 pass; Royal &amp; Windsor Chrysler '51-52 5 pass; Saratoga Chrysler '53-54 6 pass; New Yorker &amp; Windsor Desoto '49-52 5 pass Ford Tr '48-56 F1, F100 &amp; F250; exc 4x4</p> <p><b>12</b> 1280 cone N.A. 1220 cup N.A. Imperial '49-56 Crown Imp</p> <p><b>14</b> 12580 cone 2.62 12520 cup 1.42 Dodge Tr '57-58 200 Ser exc 4x4 Dodge Tr '48-57 Ser 300 exc 4x4 Lincoln '49-57 Mercury '49-51 Packard '51-56 exc Clipper</p>	<p><b>114</b> 18685 cone N.A. 18620 cup N.A. Dodge Tr '58-65 Ser 100 &amp; 200; 4x4</p> <p><b>115</b> 15101 cone N.A. 15245 cl.p N.A. Dodge Tr '62-65 Ser 300 exc 4x4</p> <p><b>116</b> 28580 cone N.A. 28521 cup N.A. Dodge Tr '58-65 Ser 100 200 &amp; 300; 4x4 exc power wagon</p> <p><b>16</b> 09074 cone 2.12 09194 cup 1.18 Dodge Tr '48-56 Ser 100 &amp; 200; exc 4x4 Willys '46-63 S.W. (4 by 2)</p>
--	---	--	---	--

CLUTCH THROW OUT BEARING INDEX

<p><b>CHRYSLER</b> '49-57 ..... 38</p> <p>'61-65 ..... 38</p>	<p><b>DART</b> '63-65 ..... 38</p> <p><b>DESOTO</b> '49-59 ..... 38</p> <p><b>DODGE</b> '49-65 ..... 38</p>	<p><b>DODGE TRUCK</b> Ser 100, 200, 300; '48-58 ..... 106 '59-65 ..... 107</p> <p><b>LANCER</b> '61-62 ..... 38</p>	<p><b>PLYMOUTH</b> '49-65 ..... 38</p>	<p><b>VALLANT</b> '60-65 ..... 38</p>
---	---	---	--	---

CLUTCH THROW OUT BEARING  
INTERCHANGE

38 658998 4.85 w/o sleeve Chrysler '49-57	Chrysler '61-65 Desoto '49-59 Dodge '49-65	Plymouth '49-65 Dart '63-65 Lancer '61-62 Valiant '60-65	106 NDCT52S N.A. Dodge Tr '48-58 ser 100 -300	107 NDCT52S3 N.A. Dodge Tr '59-65 ser 100-300
---	--	---	---	---

TRANSMISSION FRONT BEARING  
INDEX

<b>CHRYSLER</b> '56-57 ..... 26 '61-65 ..... 27	'60 6 cyl & 8-318 ..... 26 8-361, Dart ..... 28 Matador ..... 26 8-383 ..... 28 exc below ..... 26 H.D. .... 27 '61 6 cyl ..... 26 8 cyl, early ..... 26 late ..... 27 '62 63-65 3 spd, 6 cyl ..... 26 8 cyl ..... 27 4 spd, '63 ..... 28 '64-65 ..... 28	<b>LANCER</b> '61-62 ..... 26	'61-65 3 spd, exc H.D. .... 26 H.D. .... 27 4 spd, '63 ..... 28 '64-65 ..... 27
<b>DART</b> '63-65 3 spd, 6 cyl ..... 26 8 cyl ..... 27 4 spd ..... 27		<b>PLYMOUTH</b> '55-59 ..... 26 '60 6 cyl & 8-318 ..... 26 8-361 ..... 28	<b>VALIANT</b> '60-65 3 spd, 6 cyl ..... 26 8 cyl ..... 27 4 spd ..... 27
<b>DESOTO</b> '56-59 ..... 26 '61 ..... 27			
<b>DODGE</b> '56-59 ..... 26			

TRANSMISSION FRONT BEARING  
INTERCHANGE

26 1633718 8.55 Chrysler '56-57 Desoto '56-59 Dodge '56-59 Dodge '60 6 cyl & 8-318 Dodge '60 8-361 Matador Dodge '61 3 spd exc H.D. Dodge '62-65 3 spd 6 cyl Dodge early '62 3 spd 8 cyl Dart '63-65 3 spd 6 cyl Lancer '61-2 Valiant '60-65 3 spd 6 cyl	Plymouth late '55-59 Plymouth '60 6 cyl & 8-318 Plymouth '61-65 3 spd exc H.D. NOTE: Our #8 & 11 fit.	Dart '64-65 8 cyl 3 spd Dart '64-65 4 spd Dodge '61 3 spd H.D. Dodge late '62-65 3 spd 8 cyl Dodge '64-65 4 spd	28 927630 6.40 Dodge '60 8-383 Dodge '60 8-361 Dart Dodge '63 4 spd Plymouth '63 4 spd Plymouth '60 8-361
27 2124516 6.40 Chrysler '61-65 Desoto '61		Valiant '64-65 3 spd 8 cyl Valiant '64-65 4 spd Plymouth '64-65 4 spd Plymouth '61-65 3 spd H.D.	NOTE: Our #3, 6, 13, 19, 24 & 30 fit.

TRANSMISSION REAR BEARING  
INDEX

<b>CHRYSLER</b> '55-56 ..... 27 '57 ..... 28 '61-65 ..... 29	<b>DODGE</b> '57-59 ..... 28 '60 6 cyl ..... 27 8-318 ..... 28 8-361, Dart ..... 30 Matador ..... 28 8-383 ..... 30 '61 exc below ..... 27 H.D. .... 29 '62 6 cyl ..... 27 8 cyl, early ..... 27 late ..... 29	'63 3 spd, 6 cyl ..... 27 8 cyl ..... 29 4 spd ..... 31 '64-65 3 spd, 6 cyl ..... 27 8 cyl ..... 29 4 spd ..... 29	<b>PLYMOUTH</b> '52-56 ..... 27 '57-59 ..... 30 '60 6 cyl ..... 27 8 cyl ..... 30 '61-65 3 spd, exc H.D. .... 27 H.D. .... 29 4 spd, '63 ..... 31 '64-65 ..... 29
<b>DART</b> '63-65 3 spd, 6 cyl ..... 27 8 cyl ..... 29 4 spd ..... 29		<b>LANCER</b> '61-62 ..... 27	<b>VALIANT</b> '60-65 3 spd, 6 cyl ..... 27 8 cyl ..... 29 4 spd ..... 29
<b>DESOTO</b> '57-59 ..... 28 '61 ..... 29			

TRANSMISSION REAR BEARING  
INTERCHANGE

27 1633718 8.50 Chrysler '55-56 Dart '63-65 6 cyl 3 spd	Plymouth '52-56 Plymouth '60 6 cyl Plymouth '61-65 3 spd exc H.D. NOTE: Our #8, 11 & 26 fit.	Dodge '60 8-318 Dodge '60 Matador 8-361 29 620521 9.90 Chrysler '61-65 3 spd Chrysler '64-65 4 spd Dart '64-65 8 cyl 3 spd Valiant '64-65 8 cyl 3 spd Dart '64-65 4 spd Valiant '64-65 4 spd Desoto '61 Dodge '61 H.D. Dodge late '62-65 8 cyl 3 spd	Dodge '64-65 4 spd Plymouth '64-65 4 spd Plymouth '61-65 3 spd H.D. 30 1672194 3.65 Dodge '60 8-383 Dodge '60 Dart 8-361 Plymouth '57-59 Plymouth '60 8-318 & 361
Lancer '61-62 6 cyl 3 spd Valiant '60-65 6 cyl 3 spd Dodge '60 6 cyl Dodge '61 exc H.D. Dodge '62-65 6 cyl 3 spd Dodge early '62 8 cyl 3 spd	28 1633663 1.55 Chrysler '57 Desoto '57-59 Dodge '57-59		31 927630 6.40 Dodge '63 4 spd Plymouth '63 4 spd

PINION FRONT BEARING INDEX

<b>CHRYSLER</b>	<b>DART</b>	'60 Fireflite ..... 3	exc below ... 21	Custom; 5 pass 15
'49-50 New Yorker & Saratoga ..... 11	'63-65 ..... 9	L3 Adventurer ..... 13	power wagon * .. 17	'56 ..... 14
Royal & Windsor; 5 pass ..... 10	<b>DESOTO</b>	'61 ..... 3	REAR AXLE EXC 4x4	'57-65 w/1 3/8" shaft ... 16
8 pass ..... 11	'49-50 5 pass ..... 10	<b>DODGE</b>	Ser 100 '59-65 ..... 109	w/1 3/8" shaft .. 3
'51-54 Royal & Windsor; 5 pass ..... 13	8 pass ..... 11	'49 ..... 10	Ser 200 '58 ..... 12	<b>LANCER</b>
8 pass ..... 14	'51-52 5 pass ..... 13	'50 5 pass ..... 10	'59-65 ..... 21	'61-62 ..... 9
New Yorker & Saratoga; 5 pass ..... 13	8 pass ..... 18	'51-52 5 pass ..... 16	Ser 300 '48-60 ..... 113	<b>PLYMOUTH</b>
'51-early 54 . 14	'53-54 8 cyl, 5 pass... 17	8 pass ..... 18	'61-65 ..... 21	'48-54 ..... 10
late '54 ..... 15	6 cyl, 5 pass... 16	'53-57 ..... 16	REAR AXLE 4x4	'55-65 w/1 3/8" shaft ... 16
'55-56 5 pass ..... 13	8 pass... 14	'58-65 w/1 3/8" shaft 3	'58 Ser 200 ..... 12	w/1 3/8" shaft 3
8 pass ..... 15	'55-56 Fireflite ..... 17	w/1 3/8" shaft... 16	Ser 300 ..... 21	
'57-62 ..... 16	Fire dome; 5 pass ..... 16	<b>DODGE TRUCK</b>	'59-65 Ser 100, 200, 300 21	
'63-65 1 3/8" shaft .... 16	8 pass ..... 17	<b>FRONT AXLE</b>	<b>IMPERIAL</b>	<b>VALIANT</b>
1 3/8" shaft .... 3	'57-58 ..... 13	'58-65 ser 100 & 200 .. 25	'49-52 Crown ..... 12	'60-65 ..... 9
	'59 Firesweep .... 3	ser 300;	Custom ..... 14	
	exc above .... 6		'53-54 ..... 14	
			'55 Crown ..... 14	

PINION FRONT BEARING INTERCHANGE

<b>3</b> HYA200248 8.63 cone HY200248Z 1.74 cup Buick '63-64 Buick '65 exc Lesabre Buick Spec '61-63 Chevy II '65 8 cyl & S.W. Chev '65 8 cyl & S.W. Chevelle '65 8 cyl & S.W. Corvette '63-65 Corvair '63-65  Chrysler '63-65 w/ 1 3/8" shaft Imperial '61-65 w/ 1 3/8" shaft Desoto '59 Firesweep Desoto '60 Fireflite Desoto '61 Dodge '58-65 w/ 1 3/8" shaft Plymouth '58-65 w/ 1 3/8" shaft Edsel '58-60 Fairlane '62-65 8 cyl Falcon '63-65 8 cyl Ford '57-65 Mercury '57-65 Mustang '65 8 cyl Olds F85 '61-63 Olds '65 exc J88 Pontiac '65 Tempest '61-62 Tempest '63 std trans T-Bird '57-65 Rambler '65 H.D.  NOTE: Cone & cup of BE6-9 will fit	<b>9</b> HYA200232 3.42 cone HY200233Z 1.32 cup Buick '65 Lesabre Buick Spec '64-65 Chevy II '62-64 Chevy II '65 exc 8 cyl or S.W. Chev '65 exc 8 cyl or S.W. Chevelle '64 Chevelle '65 exc 8 cyl or S.W. Dart '63-65 Lancer '61-62 Valiant '60-65 Fairlane '62-65 6 cyl Falcon '60-65 6 cyl Meteor '62-63 Olds '64-65 J88 Olds F85 '64-65 Mustang '65 6 cyl Comet '60-65 6 cyl Rambler late '60-64 Rambler '65 exc H.D. Tempest '64-65 <b>10</b> HYA150277Z 6.48 Chrysler '49-50 5 pass Royal & Windsor Desoto '49-50 5 pass Dodge '49 Dodge '50 5 pass Plymouth '48-54 Olds '47-52 w/o ext set screws Pontiac '47-56 w/o ext set screws Hudson '55-57 Homet Nash '48-56 ser 60, 80 exc 3.07 ratio axle Packard '51-52 Rambler '57-64 8 cyl 3476 cone 5.74 3420 cup 2.60 Chrysler '49-50 8 pass	Royal & Windsor Chrysler '50 5 pass New Yorker & Saratoga Desoto '49-50 8 pass Dodge '50 8 pass <b>12</b> 3878 cone 6.34 3820 cup 2.68 Imperial '49-52 Crown Dodge Tr '48-60 Ser 300 exc 4x4 Dodge Tr '58 Ser 200 NOTE: Cup of BE6-12 or 20 will fit <b>13</b> HM89443 cone 4.48 HM89410 cup 2.28 Chrysler '51-56 5 pass Windsor Desoto '51-52 5 pass Desoto '57-58 Desoto '60 Adventurer Ford Tr '53-55 F250 NOTE: fits BE5-16 <b>14</b> A200326 cone HM803110 cup 11.62 Chrysler '51-54 8 pass Royal & Windsor Chrysler '51-52 5 pass New Yorker & Saratoga  Chrysler '53-early 54 New Yorker Imperial '51-54 Custom Imperial '53-56 Crown Desoto '53-54 8 pass 6 cyl Cad '52-59 NOTE: Cup of BE5-18 or 14 will fit <b>15</b> HM801346 cone HY200326Z cup 11.62 Chrysler late '54-56 New Yorker	Chrysler '55-56 8 pass New Yorker & Windsor Imperial '55 5 pass Custom  <b>16</b> HM89443 cone 4.48 HM89410 cup 2.28 Chrysler '57-58 New Yorker, Windsor & Saratoga Chrysler '59-65 w/1 3/8" shaft Imperial '57-65 w/1 3/8" shaft Desoto '53-54 5 pass 6 cyl Desoto '55-56 5 pass Fire dome Dodge '51-52 5 pass Dodge '53-57 Dodge '58-65 w/1 3/8" shaft Plymouth '55-65 w/1 3/8" shaft NOTE: Fits BE5-13 <b>17</b> HM801346 cone 6.40 HM801310 cup 2.86 Imperial '55 Custom 6 pass Desoto '53-54 5 pass 8 cyl  Desoto '55-56 Fireflite Desoto '55-56 8 pass Fire dome  <b>18</b> HM803146 cone HY200326Z cup 11.62 Desoto '51-52 8 pass Dodge '51-52 8 pass NOTE: Cup of BE5-14 or 18 will fit	<b>25</b> 31594 cone 4.12 31520 cup 2.36 Dodge Tr '58-65 Ser 100, & 200; Fr axle GMC '60-65 mdl 10, 15 & 25; Fr axle Hudson '48-52 NOTE: BE5-25 cup is same as BE6-11; BE6-11, 18, 19, will fit  <b>109</b> HYA200248 Rr axle Chev Tr late '63-65 1/2 T exc G10 Dodge Tr '59-65 ser 100 exc 4x4 Ford Tr '57-65 F100 (non locking) exc Econoline  <b>21</b> HM88542 cone 4.38 HN88510 cup 2.28 Ford '55-56 exc S.W. Dodge Tr '57-65 mdl 300 Fr axle exc power wagon Dodge Tr '59-65 Ser 200 Rr axle exc 4x4 Dodge Tr '61-65 Ser 300 Rr axle exc 4x4 Dodge Tr '58 Ser 300 4x4 Rr axle Dodge Tr '59-65 Ser 100, 200 & 300; 4x4 Rr axle Ford Tr '56-65 F250 Rr axle GMC '57-65 mdl 15 & 25; Spicer Rr axle
---	--	---	---	---

PINION REAR BEARING INDEX

<b>CHRYSLER</b>	<b>DART</b>	exc above .... 14	Ser 300 '57-65;	<b>IMPERIAL</b>
'49-50 Royal & Windsor;	'63-65 ..... 10	'60-61 Fireflite ..... 13	exc below ... 108	'49-52 ..... 16
5 pass ..... 11		Adventurer .... 14	power wagon *	'53-56 Crown ..... 15
8 pass ..... 12				Custom ..... 14
New Yorker &	<b>DESOTO</b>	<b>DODGE</b>	<b>REAR AXLE</b>	'57-65 w/1 1/4" shaft ... 14
Saratoga ... 12	'49-50 5 pass ..... 11	'49 ..... 11	Ser 100 & 200	w/1 3/8" shaft 13
'51-54 exc below .... 3	8 pass ..... 12	'50 5 pass ..... 11	exc 4 x 4;	<b>LANCER</b>
Windsor 5 pass . 13	'51-52 5 pass ..... 13	8 pass ..... 12	ser 100 '59-65, 116	'61-62 ..... 10
New Yorker;	8 pass ..... 3	'51-52 5 pass ..... 13	ser 200;	<b>PLYMOUTH</b>
5 pass ..... 14	'53-54 5 pass; 8 cyl ... 14	8 pass ..... 4	'59-62 ..... 117	'48-54 ..... 11
'55-56 ..... 14	6 cyl ... 13	8 pass ..... 13	'63-65 ..... 115	'55-65 w/1 1/4" shaft ... 14
	8 pass ..... 3	'53-65 w/ 1 3/8" shaft 13	4 x 4 '59-62 .. 115	w/1 3/8" shaft 13
	'55-56 Fireflite ..... 14	w/1 1/4" shaft.... 14	Ser 300	
	Firedome,	<b>DODGE TRUCK</b>	exc 4 x 4;	
'57-58 Saratoga &	5 pass ..... 13	<b>FRONT AXLE</b>	'48-60 ..... 118	
Windsor ..... 13	8 pass ..... 14	Ser 100 & 200	'61-65 ..... 108	
New Yorker .... 14			4 x 4;	
'59-65 w/ 1 1/4" shaft ... 14	'57-58 ..... 13		exc below ..... 108	<b>VALLIANT</b>
w/ 1 3/8" shaft . 13	'59 Firesweep ... 13		power wagon.. *	'60-65 ..... 10

PINION REAR BEARING INTERCHANGE

<b>3</b> HYA200349Z 11.91	Chrysler '49-50 5 pass,	Desoto '60-61 Fireflite	Custom	<b>115</b> HM803146 cone N.A.
Buick '56-62	Royal & Windsor	Imperial '61-65 w/	Imperial '57-65 w/ 1 1/4"	HM803110 cup N.A.
Cad '52-65	Desoto '49-50 5 pass	1 3/8" shaft	shaft	Rr axle
Chrysler '51-54 exc	Dodge '49	Dodge '51-52 5 pass	Dodge '60-65 w/ 1 1/4"	GMC '57-65 mdl 15 &
Windsor & New	Dodge '50 5 pass	Dodge '53-65 w/	shaft	25; Spicer axle
Yorker; 5 pass	Plymouth '48-54	1 3/8" shaft	Plymouth '55-65 w/1 1/4"	Dodge Tr '63-65 ser
Desoto '51-52 8 pass	Mercury '49-51	Mustang '65 6-170 &	shaft	200 exc 4 x 4
Desoto '53-54 8 pass	Stude '48-51	200	NOTE: Cut of BE5-14 or	Dodge Tr '59-62 ser
6 cyl	NOTE: Cup of BE5-25	Plymouth '58-65 w/	18 will fit.	100 & 200; 4 x 4
Olds '57-62	or BE6-18, 19 will fit.	1 3/8" shaft	<b>15</b> 59187 cone 11.88	Ford Tr '56-65 F250
Pontiac '57-62		Fairlane '62-65 6 cyl	59412 cup 5.44	<b>116</b> HYL200279 4.38
NOTE: Cups of BE6-27	<b>12</b> 3875 cone 6.34	Falcon '60-65 6-170 &	Imperial '53-56 Crown	Rr axle
will fit	3820 cup 2.68	200	46176 cone 8.34	Dodge Tr '59-65 ser
	Chrysler '49-50 8 pass	Comet '60-65 6-170 &	46368 cup 4.26	100 exc 4 x 4
	Royal & Windsor	200	Imperial '49-52 Crown	Ford Tr '63-65 E100 w/
<b>4</b> A200329 cone N.A.	Chrysler '49-50 5 pass ;	NOTE: Cup of BE5-22		7 1/4" ring gear
200329Z cup N.A.	New Yorker &	will fit.		<b>117</b> HYA200326 cone
Buick '63-64	Saratoga	<b>14</b> HM803149 cone 7.20		HY200326Z cup
Buick '65 exc Lesabre	Desoto '49-50 8 pass	HY200326 cup 3.16		Rr axle 11.62
Dodge '51-52 8 pass	Dodge '50 8 pass	Chrysler '54-56 5 pass ;		Dodge Tr '59-62 ser 200
Olds '63	Desoto '51-52 5 pass	New Yorker		exc 4 x 4
Olds '64 exc J88	Desoto '53-54 5 pass	Chrysler '55-56 8 pass;		
Pontiac '63-65	6 cyl	New Yorker & Windsor		
<b>10</b> HYA200265	HM89446 cup	Imperial '55 5 pass		
cone 4.02	6.69	Custom		
HY200265Z cup 1.92	Chrysler '51-56 5 pass	Chrysler '57-58 New	<b>107</b> 02872 cone N.A.	
Chevy II '62-63	Windsor	Yorker	02820 cup 1.94	
Lancer '61-62	Chrysler '57-58 Saratoga	Chrysler '59-65 w/ 1 1/4"	Dodge Tr '58-65 ser 100	
Dart '63-65	& Windsor	shaft	& 200; Fr axle	
Valiant '60-65	Chrysler '63-65 w/ 1 3/8"	Desoto '52	<b>108</b> HM807040 cone NA	
Falcon '60-65 144 eng	shaft	Desoto '53-54 5 pass	HM807010 cup N.A.	
Comet '60-65 144 eng	Desoto '51-52 5 pass	8 cyl	Dodge Tr '57-65 ser 300	
Mustang '65 6-144	Desoto '53-54 5 pass	Desoto '55-56 Fireflite	4 x 4 (Fr axle) exc	
Rambler late '60-63	6 cyl	Desoto '55-56 8 pass	power wagon	
ser 01, 10	Desoto '55-56 5 pass	Firedome	Dodge Tr '61-65 ser 300	
Stude '60-65 6 cyl	Firedome	Desoto '60 Adventurer	Rr axle exc 4 x 4	<b>118</b> 46176 cone N.A.
ser 01, 10	Desoto '57-58	Desoto '59 exc	Dodge Tr '58-65 ser 300	46368 cup N.A.
<b>11</b> 31593 cone 4.18	Desoto '59 Firesweep	Firesweep	4 x 4 exc power	Rr axle
31520 cup 2.36		Imperial '55 5 pass	wagon	Dodge Tr '48-60 ser
				300 exc 4 x 4

BEARING GROUP

DIFFERENTIAL BEARING INDEX

<b>CHRYSLER</b> '49-57 ..... 10  '58-65 w/8 1/4" gear..... 11 w/8 1/4" gear..... 10	<b>DODGE</b> '49-57 ..... 10 '58-65 6 cyl ..... 10 8 cyl ..... 11	Exc 4x4; Ser 100; '58 .. 110 '59-60 111 '61-65; exc A100 103 A100 *	Ser 300; '58-65; exc below .... 104 power wagon.. *	<b>LANCER</b> '61-62 ..... 7
<b>DART</b> '63-65 ..... 7	<b>DODGE TRUCK</b> <b>FRONT AXLE</b> Ser 100 & 200; '58-65 ..... 15 Ser 300 '57-65; exc below ..... 104 power wagon *	Ser 200; '58... 110 '59-65 104 Ser 300; '48-60 110 '61-65 104 4x4; Ser 100; '58 ... 110 '59-65 104 Ser 200; '58 ... 110 '59-60 111 '61-65 104	<b>IMPERIAL</b> '49-52 ..... 13 '53-56 Crown ..... 12 Custom ..... 10 '57-60 ..... 10 '61-65 ..... 11	<b>PLYMOUTH</b> '48-57 ..... 10 '58-65 6 cyl ..... 10 8 cyl ..... 11
<b>DESOTO</b> '49-58 ..... 10 '59-61 ..... 11	<b>REAR AXLE</b>			<b>VALIANT</b> '60-65 ..... 7

DIFFERENTIAL BEARING INTERCHANGE

7 HYA150269 3.45 cone HY150269Z 1.86 cup Chevy II '62-63 Comet '63-65 8 cyl Lancer '61-62 Dart '63-65 Valiant '60-65 Edsel '59-60 Falcon '63-65 8 cyl Ford Tr '57-65 6 cyl & 5-260 Fairlane '62-65 Ford Tr '57-65 F100 exc Econoline & locking axle Mercury '59-63 Monteey Meteor '62-63 Mustang '65 8 cyl Rambler late '60-64 Ser 01, 10 Rambler '65 H.D. Stude '60-65 6 cyl	Imperial '57-60 Dodge '49-57 Dodge '58-65 6 cyl Desoto '49-58 Plymouth '48-57 Plymouth '56-65 Hudson '48-52 Hudson '55-57 Homet Nash '48-56 ser 60, 80 Rambler '57-64 8 cyl Packard '51-52 NOTE: Cap of BE7-3 or 11 will fit 11 25590 cone 3.94 25520 cup 2.22 Chrysler '58-65 w/8 1/4" gear	33821 cup 3.48 Imperial '53-56 Crown 13 28580 cone 6.54 28521 cup 3.30 Imperial '49-52 Crown 15 25577 cone 3.96 25523 cup 2.46 Chev Tr '60-65 1/2, 3/4 & 1 T; Fr axle Dodge Tr '58-65 Ser 100 & 200; Fr Axle Ford '53-56 S.W. Ford Tr '59-65 F100 & F250; Fr Axle Ford Tr '48-56 F1 & F100; Rr Axle Ford Tr '59-65 F100 locking Rr axle GMC '60-65 mdl 10 Spicer Rr Axle GMC '60-65 mdl 10, 15 & 25; Fr axle Mercury '49-51 Mercury '53-54 S.W. Hudson '53-54 exc Jet Nash '56 14/43 ratio axle Packard '57-58 Stude '48-65 8 cyl Willys '56-63 pass car Willys '50-63 S.W. T-Bird '53-56	103 HYKD11786Y 10.66 Chev Tr '57-59 1/2 & 1 T; Fr axle GMC '56 mdl 10 Fr axle GMC '56-59 mdl 15 & 25; Fr axle  GMC '47-65 mdl 15 & 25; Rr axle exc Spicer axle Chev Tr '46-65 1/2 & 1 T; Rr axle Dodge Tr '61-65 ser 100 Rr axle exc A100 & 4x4 104 387A cone N.A. 382S cup N.A. Dodge Tr '57-65 ser 300 Fr axle exc power wagon GMC '57-65 mdl 15 & 25; Spicer Rr axle Dodge Tr '59-65 ser 200 Rr axle exc 4x4 Dodge Tr '61-65 ser 300 Rr axle exc 4x4 Dodge Tr '59-62 ser 100 Rr axle 4x4 Dodge Tr '63-65 ser 100 & 200; 4x4 Rr axle	Dodge Tr '61-62 ser 200 4x4 Rr axle Dodge Tr '58-65 ser 300 4x4 Rr axle exc power wagon Ford Tr '56-65 F250  110 25580 cone N.A. 25520 cup ser 100 2.22 25521 cup ser 200 2.22 Dodge Tr '58 ser 100 & 200 Dodge Tr '48-60 ser 300 exc 4x4 Dodge Tr '59-60 ser 200 4x4 111 25590 cone N.A.
10 255080 cone 3.94 25520 cup 2.22 Chrysler '49-57 Chrysler '63-65 w/8 1/4" gear Imperial '55 Custom	Imperial '61-65 Dodge '58-65 8 cyl Desoto '59-61 GMC '57-59 mdl 10 w/Spicer Rr axle Plymouth '58-65 8 cyl Mercury '53-56 Lincoln & Continental '49-61 Packard '53-56 NOTE: Cap of BE7-3, 10 will fit 12 33891 cone 7.42			

WHEEL REAR BEARING INDEX

<b>CHRYSLER</b> '49-52 8 pass; Royal & Windsor ..... 19 5 pass; Saratoga & New Yorker .. 19 Royal & Windsor 18 '53-56 5 pass; New Yorker ... 23 Royal & Windsor ..... 18 8 pass ..... 19 '57-64 ..... 18 '65 ..... 39	<b>DODGE</b> '49 ..... 18 '50-52 5 pass ..... 18 8 pass ..... 19 '53-64 ..... 18 '65 ..... 39	ser 200; '57 ..... 110 '58 ..... 109 '59-65 ..... 115 ser 300; '48-61 ..... 110 '62-65 ..... 111	<b>IMPERIAL</b> '49-56 Crown ..... 22 '51-56 exc Crown ..... 19 '57-64 ..... 24 '65 ..... 39	<b>PLYMOUTH</b> '48-64 ..... 18 '65 ..... 39
<b>DART</b> '63-65 ..... 21	<b>DODGE TRUCK</b> Exc 4 x 4; & A100 Inner Bearing; ser 100 & 200 '59-65 ..... 112 ser 300 '48-65 109 Outer bearing; ser 100; '48-56 ..... 113 '57-61 ..... 114 '62-65 ..... 115	4 x 4 Inner bearing; ser 100 '59-65, 112 ser 200 '59-62 109 ser 300 '48-65 109 Outer bearing; ser 100 '58 ..... 114 '59-65 ..... 115 ser 200; '58 ..... 109 '59-61 ..... 110 '62-65 ..... 115 ser 300; '58-65; exc below .. 111 power wagon 110	<b>VALIANT</b> '60-62 ..... 20 '63-65 ..... 21	
<b>DESOTO</b> '49-52 6 cyl ..... 19 8 cyl ..... 18 '53-56 8 pass ..... 19 '57-61 ..... 18				

WHEEL REAR BEARING  
INTERCHANGE

<p><u>18</u> 25877 cone 2.98 25821 cup 1.84 Chrysler '49-56 5 pass. Royal &amp; Windsor Chrysler '57-64</p> <p>Desoto '49-56 Desoto '57-61 Dodge '49 Dodge '50-52 5 pass Dodge '53-64 Packard '51-52 Packard '54-55 Clipper Stude '48-50 Comm. Willys '55-63 S.W. Hudson '53-54 exc jet Hudson '55-57 Hornet Nash '55-56 Amb exc Spec. Plymouth '48-64</p> <p><u>19</u> 2780 cone 3.74 2736 cup 2.56 Chrysler '49-52 8 pass; Royal &amp; Windsor Chrysler '49-52 5 pass; New Yorker &amp; Saratoga Chrysler '53-56 8 pass; New Yorker &amp; Windsor Desoto '49-52 8 pass; 6 cyl Desoto '53-56 8 pass</p>	<p>Dodge '50-52 8 pass Imperial '51-56 exc Crown</p> <p><u>20</u> NDD88506F 5.70 Lancer '61-62 Valiant '60-62</p> <p><u>21</u> ND88107DR 8.10 Dart '63-65 Falcon '60-early '63 6 cyl, S.D., taxi, S.W. Falcon late '63-65 6 cyl Valiant '63-65</p> <p><u>22</u> 26880 cone 4.08 26822 cup 2.32 Imperial '49-56 Crown</p> <p><u>23</u> 25877 cone N.A. 25821 cup N.A. Chrysler '53-56 5 pass New Yorker</p> <p><u>24</u> 2788A cone 3.84 2735X cup 2.12 Imperial '57-64</p> <p><u>39</u> M201047-M201011 N.A. Chrysler '65 Dodge '65 Imperial '65 Plymouth '65</p>	<p><u>109</u> 28682 cone N.A. 28622 cup N.A. Dodge Tr '58 ser 200</p> <p>Outer exc 4 x 4 Dodge Tr '59-62 ser 200 Outer 4 x 4 Dodge Tr. '58 ser 200 Outer 4 x 4 Dodge Tr '48-65 ser 300 Inner</p> <p><u>110</u> 2984 cone N.A. 2924 cup N.A. Outer Dodge Tr '57 ser 200 exc 4 x 4 Dodge Tr '59-61 ser 200 4 x 4 Dodge Tr '48-61 ser 300 exc 4 x 4 Dodge Tr '58-65 ser 300 power wagon 4 x 4</p>	<p><u>111</u> 28580 cone 6.57 28521 cup 3.30 Dodge Tr '62-65 ser 300 exc 4 x 4 Dodge Tr '58-65 ser 300 4 x 4 exc power wagon</p> <p>368A cone N.A. 362A cup N.A. Inner Dodge Tr '59-65 ser 100 &amp; 200; exc 4 x 4 &amp; A100 Dodge Tr '59-65 ser 100 &amp; 4 x 4</p>	<p><u>113</u> 2780 cone N.A. 2735X cup N.A. Outer Dodge Tr '48-56 ser 100 &amp; 200; exc 4 x 4</p> <p><u>114</u> 25880 cone N.A. 25821 cup N.A. Outer Dodge Tr '57-61 ser 100 exc 4 x 4 Dodge Tr '58 ser 100 4 x 4</p> <p><u>115</u> 359S cone N.A. 354A cup N.A. Outer Dodge Tr '59-61 ser 200 exc 4 x 4 Dodge Tr '62-65 ser 100 &amp; 200 exc 4 x 4 &amp; A100 Dodge Tr '59-61 ser 100 4 x 4</p>
--	---	--	--	--